

## Cable set - IBS RL CONNECTION-LK - 2733029

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid  
(<http://phoenixcontact.com/download>)

---

Assembled cable jumper as a short connection between two INTERBUS Rugged Line devices with fiber optic bus connectors and power supply, approximately 30 cm



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 223.1 g  |
| Custom tariff number                 | 85444290 |
| Country of origin                    | Germany  |

### Technical data

|              |        |
|--------------|--------|
| Product type | Bridge |
| Approval     | EAC    |

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27250201 |
| eCl@ss 4.1 | 27250201 |
| eCl@ss 5.0 | 27250203 |
| eCl@ss 5.1 | 27060307 |
| eCl@ss 6.0 | 27060307 |
| eCl@ss 7.0 | 27060307 |
| eCl@ss 8.0 | 27249290 |
| eCl@ss 9.0 | 27240692 |

ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000304 |
|----------|----------|

## Cable set - IBS RL CONNECTION-LK - 2733029

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000830 |
| ETIM 4.0 | EC000830 |
| ETIM 5.0 | EC002584 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 43172015 |
| UNSPSC 7.0901 | 43201404 |
| UNSPSC 11     | 39121311 |
| UNSPSC 12.01  | 39121311 |
| UNSPSC 13.2   | 39121311 |

### Approvals

#### Approvals

---

#### Approvals

#### EAC

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

---

|     |
|-----|
| EAC |
|-----|

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2733029](#)