

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E2	ECR-13-013174	23AUG2013	XZ	LZ


REPLACED BY OCEAN STYLE APPLICATOR PART  
NUMBER 2151432-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385296  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1385296

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X. ZHAO		 TE Connectivity	
DIMENSIONS:		CHK L. ZHANG			
		APVD L. ZHANG		NAME	
		PRODUCT SPEC		SIZE	
		APPLICATION SPEC		CAGE CODE	
MATERIAL		WEIGHT		DRAWING NO	
FINISH		CUSTOMER DRAWING		RESTRICTED TO	
		SCALE		SHEET 1 OF 2	
		REV E2			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION		
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.		
PART NUMBER	REV	FIRST USED
1385296 -1	E	122500-1
1385296 -2	E	565435-5
1385296 -3	E	354500-1



TERMINAL NAME: TERMINAL, FEMALE BOX					
AMP PN	MFR PN	MOLEX TERMINAL		CUST CRIMP SPECS	
286981	16-02-0088	PAD LTR	CRIMP HEIGHT	WIRE SIZE	
	16-02-0087	A	.037 ±.001 [0.94 ±0.03mm]	20	
	16-02-1124	B	.034 ±.001 [0.86 ±0.03mm]	22	
	16-02-1111	C	.031 ±.001 [0.79 ±0.03mm]	24	
	16-02-1110	D	NOT	USED	
	16-02-0103	CRIMP		SIZE	TYPE
	16-02-0131	WIRE		.055 [1.40mm]	F
		INSUL		.062 [1.57mm]	0
		FEED		APPL INSTRUCTION	SET UP GAGE
		.120-.151		408-8040	458637-1
		NONE		LAYOUT	L2339

		2				1			
		LOC	DIST	REVISIONS					
		A	66						
		P		LYR		DESCRIPTION	DATE	DWN	APVD
		E1		ECR-09-004589			2-2009	MY	GB
-1	LEADMAKER			MECH POST FEED					
-2	BENCH MODEL K			MECH PRE FEED					
-3	BENCH MODEL G			MECH PRE FEED					

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1385296-1](#)