**PHŒNIX CONTACT**

# Housing - HC-B 24-AML-A - 1585582

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

HEAVYCON panel mounting base B24, with single locking latch made of sheet steel, height 27 mm, with flat gasket

**RoHS**

## Key Commercial Data

| Packing unit | 10 pc |
|---|---|
| GTIN | 4 046356 288583 |
| GTIN | 4046356288583 |

## Technical data

### Dimensions

| Length of the assembly cutout | 113 mm |
|---|---|
| Width of the assembly cutout | 35 mm |

### Ambient conditions

| Degree of protection of housing (IP) | IP65 |
|---|---|

### General

| Torque | 1.5 Nm ... 2 Nm (Mounting screw) |
|---|---|
| Housing material | Aluminum die-cast |
| Housing surface material | Powder-coated, gray |
| Material lock | Steel, galvanized |

### Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|---|---|
| | No hazardous substances above threshold values |

## Drawings

# Housing - HC-B 24-AML-A - 1585582

Dimensional drawing



130

113

32

35

Ø4,5

Mounting cutout

## Approvals

### Approvals

| Approvals | |
| --- | --- |
| EAC | |

| Ex Approvals | |
| --- | --- |

### Approval details

| EAC | EAC | RU C-DE.AI30.B.01102 |
| --- | --- | --- |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#):
  [1585582](#)