

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-16-011296	03OCT2016	GK	SD


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2836377-2

FOR REPLACEMENT PARTS FOR APPLICATOR 1852642
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852642

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity					
		CHK	GOPALAKRISHNA HV							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME					
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		STOUGH DALE		SIDE FEED HDM APPLICATOR				
				PRODUCT SPEC						
				APPLICATION SPEC						
MATERIAL		FINISH		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
					A3		©- 1852642			
CUSTOMER DRAWING				SCALE	SHEET	1	OF	2	REV	A1

- ① RECOMMENDED SPARE PARTS
- ② GREASE LIGHTLY
- ③ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
- ④ CUT TO LENGTH AT ASSEMBLY.



QTY	UNIT	U/M	PART NO	DESCRIPTION
1	1	-	21028-2	PIN, SLOTTED SPRING .062 X .250
1	1	-	5-547505-2	SPRING, COMPRESSION
1	1	-	854769-4	HOLDER, INS
2	2	-	1-354779-3	PIN, WIRE DISC, .3055
2	2	-	354779-9	PIN, WIRE DISC, .3035
2	2	-	354779-6	PIN, WIRE DISC, .3020
-2	-1	U/M	PART NO	DESCRIPTION

CUSTOMER VIEWABLE ASSEMBLY

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1852642-2](#)