


PT. NO.	PARTS NAME	MATERIAL	Q'TY	NOTE
1	HOUSING	GLASS FILLED THERMOPLASTIC RATED.(UL94V-0)	1	COLOR:BRACK
2	CONTACT	PHOSPHOR BRONZE	n	PLATING CONTACT AREA:GOLD OVER NICKL TERMINAL AREA:TIN(LEAD FREE)
3	MOUNTING PLATE	BRASS	2	PLATING:TIN(LEAD FREE)

RECOMMENDED PC BOARD LAYOUT
(COMPONENT SIDE)

n:NO. OF CONTACTS




NOTE

- 1.This connector is symmetric for X,Y axis. As a result, It is possible to locate in emboss cavity even if rotated condition.
- 2.Flatness for contact terminal and mounting plate must be within 0.1.
- 3.This product meets European Union Directives and other country regulations as described in GS-22-008.

NUMBER OF CONTACTS : 10 TO 16 , ONLY EVEN POS.


mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection		product family 590F	
ltr ecn no dr date				tolerances unless otherwise specified							
A J07-0021 M.K Jan.25,'07				angles		linear ±0.3		scale		title FLOATING BOARD TO BOARD PLUG CONNECTOR (GOLD PLATING AND LEAD FREE) (CAT.No. BTFW__P-3SSTALF)	
				dr K.Higuchi Jan.25,'07		enr M.Koga Jan.25,'07		chr K.Higuchi Jan.25,'07		appd M.Koga Jan.25,'07	
sheet index				revision sheet		A 1		A 2		dwg no JSA 97221	
										sheet 1 of 2 size A4	
										type Product Customer Drawing	
										Rev A	



PT. NO.	PARTS NAME	MATERIAL	Q'TY	NOTE
1	HOUSING	GLASS FILLED THERMOPLASTIC RATED.(UL94V-0)	1	COLOR:BRACK
2	CONTACT	PHOSPHOR BRONZE	n	PLATING CONTACT AREA:GOLD OVER NICKL TERMINAL AREA:TINLEAD FREE)
3	MOUNTING PLATE	BRASS	2	PLATING:TINLEAD FREE)

RECOMMENDED PC BOARD LAYOUT
(COMPONENT SIDE)

n:NO. OF CONTACTS



NOTE

- 1.This connector is symmetric for X,Y axis. As a result, It is possible to locate in emboss cavity even if rotated condition.
- 2.Flatness for contact terminal and mounting plate must be within 0.1.
- 3.This product meets European Union Directives and other country regulations as described in GS-22-008.

NUMBER OF CONTACTS : 18 TO 30 , ONLY EVEN POS.

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family 590F
ltr	ecn no	dr	date	tolerances unless otherwise specified		scale 	title FLOATING BOARD TO BOARD PLUG CONNECTOR (GOLD PLATING AND LEAD FREE) (CAT.No. BTFW__P-3SSTALF)
A	J07-0021	M.K	Jan.25,'07	angles	linear ± 0.3		
				dr	K.Higuchi	Jan.25,'07	dwg no JSA 97221 sheet 2 of 2 size A4
				enr	M.Koga	Jan.25,'07	
				chr	K.Higuchi	Jan.25,'07	
				appd	M.Koga	Jan.25,'07	
sheet index	revision sheet	A 1	A 2				type Product Customer Drawing

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[BTFW10P-3SSTAE1LF](#) [BTFW20P-3SSTAE1LF](#) [BTFW14P-3SSTAE1LF](#) [BTFW30P-3SSTAE1LF](#) [BTFW10P-3SSTAE4LF](#) [BTFW22P-3SSTAE1LF](#) [BTFW24P-3SSTAE1LF](#)