

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		F		RLSD PER EC 0K80-0035-05	28FEB2005	RGV	RMC

- 1

DIMENSION MUST BE HELD BETWEEN

-X-

 AND 2.0 FROM







-X-
2.

RECOMMENDED MOUNTING SCREW, 3mm DIA X 6mm LG, PAN HEAD, CLASS 2 TAPPING SCREW AS SPECIFIED IN JIS B1115 AND B1112.
- 3


DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
4.

MATING PLUGS: 22 POS 917989-1 THRU -6
10 POS 638207-6
- 5



DATE CODE




DETAIL D
SCALE 4:1



DETAIL E
SCALE 4:1




SECTION A-A
SCALE 2:1
(.070 TABS)



SECTION B-B
SCALE 2:1
(.040 TABS)

THIS AMP PROPRIETARY INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO ANYONE OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP INCORPORATED, HARRISBURG, PA.

BRASS		TIN OVER NICKEL GOLD OVER NICKEL		PBT	GRAY	2-638211-6	
MATERIAL		FINISH		MATERIAL	COLOR	PART NO	
CONTACT				HOUSING			
DWN		28FEB2005		tyco Electronics		Tyco Electronics	
CHK		28FEB2005				Harrisburg, PA 17105-3608	
R. COOPER							
APVD		28FEB2005		NAME		040/070 32 POSITION, CAP ASSEMBLY 11, HORIZONTAL	
R. COOPER							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			
mm		0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.15 3 PLC ±. 4 PLC ±. ANGLES ±1°		108-5342			
				APPLICATION SPEC			
MATERIAL		FINISH		SIZE		CAGE CODE	
SEE TABLE		SEE TABLE		DRAWING NO		RESTRICTED TO	
				WEIGHT		-	
				CUSTOMER DRAWING			
				A 00779		G = 638211	
				SCALE		2:1	
				SHEET		1 OF 2	
				REV		F	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-638211-1](#)