







PART NUMBER W/CAP IN TUBE	CKT. SIZE	DIM A	DIM B	DIM C
87381-06**	6	6.00	4.00	0.55
87381-08**	8	8.00	6.00	1.55
87381-10**	10	10.00	8.00	2.55
87381-12**	12	12.00	10.00	3.55
87381-14**	14	14.00	12.00	4.55
87381-16**	16	16.00	14.00	5.55
87381-18**	18	18.00	16.00	6.55
87381-20**	20	20.00	18.00	7.55
87381-22**	22	22.00	20.00	8.55
87381-24**	24	24.00	22.00	9.55
87381-26**	26	26.00	24.00	10.55
87381-28**	28	28.00	26.00	11.55
87381-30**	30	30.00	28.00	12.55
87381-32**	32	32.00	30.00	13.55
87381-34**	34	34.00	32.00	14.55
87381-36**	36	36.00	34.00	15.55
87381-38**	38	38.00	36.00	16.55
87381-40**	40	40.00	38.00	17.55
87381-42**	42	42.00	40.00	18.55
87381-44**	44	44.00	42.00	19.55
87381-46**	46	46.00	44.00	20.55
87381-48**	48	48.00	46.00	21.55
87381-50**	50	50.00	48.00	22.55

PART NUMBER LEGEND

87381 - ** **

CKET SIZE —

PLATING (SEE NOTE 1)

0

3

4


5

2, 6 -COVER

7 - NO COVER

NOTES:



1. PLATING FINISH:
 - 0 , 3 - 0.76μm MIN. GOLD IN CONTACT AREA 1.27μm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27μm MIN. NICKEL OVERALL
 - 4 - 0.38μm MIN. GOLD IN CONTACT AREA 1.27μm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27μm MIN. NICKEL OVERALL
 - 5 - 0.05μm MIN. GOLD FLASH IN CONTACT AREA 1.90μm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27μm MIN. NICKEL OVERALL
2. 12 CKT SIZE SHOWN FOR ASSY ILLUSTRATION ONLY. (SEE CHART FOR ALL PART SIZES), 6 CKT & 30 CKT ILLUSTRATED FOR TAPE/REEL VERSION ON SHT 2.
3. PRODUCT SPECIFICATION PS-87380 APPLIES.
 4. COPLANARITY OF SOLDER TAILS ARE TO BE MEASURED BY RESTING THE PART ON A FLAT GAUGE SURFACE ↑ +0.05 UPWARDS AND ↓ -0.05 DOWNWARDS.
5. TUBE PACKAGING STANDARD.
6. COVER IS OPTIONAL, SEE LEGEND.
7. PARTS SHALL BE PACKED IN MOISTURE BARRIER BAG.
 8. REFER SHT 3 FOR P/N: 87381-6000 T&R ILLUSTRATION.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex		
mm		NTS						MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT		
GENERAL TOLERANCES (UNLESS SPECIFIED)										
	MM	INCH	PRODUCT CUSTOMER DRAWING							
4 PLACES	±	±								
3 PLACES	±	±								
2 PLACES	± 0.2	±								
1 PLACE	±	±	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES	±	±								
ANGULAR TOL ± 3.0 °										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						A3-SIZE	87381	SEE CHART	GENERAL MARKET	1 OF 5

E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--







CKT SIZE	PART No. WITHOUT CAP IN TUBE	PART NO. WITHOUT CAP IN TAPE / REEL	W	So	Ao	F	Bo	Ko	T & R TYPE (SHT 2)	T&R QTY PER REEL
50	87381-5074	87381-6000 	72	68.40	6.80	34.20	50.50	8.00	B	500

 ILLUSTRATION FOR P/N: 87381-6000
50 CKT IN T&R W/O CAP



SECTION X-X

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)								MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT			
		MM	INCH	EC NO: 619055				PRODUCT CUSTOMER DRAWING			
4 PLACES		±	±	DRWN: HK02 2019/05/14							
3 PLACES		±	±	CHK'D: NMANE02 2019/07/09							
2 PLACES		±	0.2 ±	APPR: MRAMAKRISHNA 2019/07/09							
1 PLACE		±	±	INITIAL REVISION:				DOCUMENT NUMBER			
0 PLACES		±	±	DRWN: JAMES 1998/01/08							
ANGULAR TOL ± 3.0 °				APPR: SQUEK 1999/04/26				SD-87381-XX6X			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87381		SEE CHART	
								CUSTOMER		SHEET NUMBER	
								GENERAL MARKET		4 OF 5	

10	9	8	7	6	5	4	3	2	1																																																																																																																			
BOARD TO BOARD (BTB) DISTANCE <table><thead><tr><th>RECEPTACLE</th><th>MATES WITH(HEADER)</th><th>BTB DISTANCE</th><th>PICTORIAL VIEW</th></tr></thead><tbody><tr><td rowspan="2">87381</td><td>87831</td><td>7.01</td><td></td></tr><tr><td>87832</td><td>8.21</td><td></td></tr></tbody></table>										RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW	87381	87831	7.01		87832	8.21		F																																																																																																							
RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW																																																																																																																									
87381	87831	7.01																																																																																																																										
	87832	8.21																																																																																																																										
										E																																																																																																																		
										D																																																																																																																		
										C																																																																																																																		
										B																																																																																																																		
										A																																																																																																																		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC: ADDED BTB DIST.</td><td colspan="4" rowspan="2"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4" rowspan="6">EC NO: 619055 DRWN: HK02 2019/05/14 CHK'D: NMANE02 2019/07/09 APPR: MRAMAKRISHNA 2019/07/09</td><td colspan="4">MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT</td></tr><tr><td colspan="2"></td><td>MM</td><td>INCH</td><td colspan="4">PRODUCT CUSTOMER DRAWING</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="4">DOCUMENT NUMBER</td></tr><tr><td>3 PLACES</td><td>±</td><td></td><td>±</td><td colspan="4">SD-87381-XX6X</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.2</td><td>±</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>1 PLACE</td><td>±</td><td></td><td>±</td><td>PSD</td><td>001</td><td>E15</td></tr><tr><td>0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="4">INITIAL REVISION: DRWN: DRWN BY APPR: APPR BY</td><td colspan="4">XXXX/XX/XX XXXX/XX/XX</td></tr><tr><td colspan="4">ANGULAR TOL</td><td colspan="2">±</td><td colspan="2">3.0 °</td><td colspan="4"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td>A3-SIZE</td><td>87381</td><td></td><td>GENERAL MARKET</td><td colspan="2">5 OF 5</td></tr></table> DOCUMENT STATUS P1 RELEASE DATE 2019/07/09 06:47:06										DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 619055 DRWN: HK02 2019/05/14 CHK'D: NMANE02 2019/07/09 APPR: MRAMAKRISHNA 2019/07/09				MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT						MM	INCH	PRODUCT CUSTOMER DRAWING				4 PLACES	±		±	DOCUMENT NUMBER				3 PLACES	±		±	SD-87381-XX6X				2 PLACES	±	0.2	±	DOC TYPE	DOC PART	REVISION	1 PLACE	±		±	PSD	001	E15	0 PLACES	±		±	INITIAL REVISION: DRWN: DRWN BY APPR: APPR BY				XXXX/XX/XX XXXX/XX/XX				ANGULAR TOL				±		3.0 °						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER								A3-SIZE	87381		GENERAL MARKET	5 OF 5		A
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex																																																																																																																				
mm		NTS																																																																																																																										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 619055 DRWN: HK02 2019/05/14 CHK'D: NMANE02 2019/07/09 APPR: MRAMAKRISHNA 2019/07/09				MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT																																																																																																																				
		MM	INCH					PRODUCT CUSTOMER DRAWING																																																																																																																				
4 PLACES	±		±					DOCUMENT NUMBER																																																																																																																				
3 PLACES	±		±					SD-87381-XX6X																																																																																																																				
2 PLACES	±	0.2	±					DOC TYPE	DOC PART	REVISION																																																																																																																		
1 PLACE	±		±					PSD	001	E15																																																																																																																		
0 PLACES	±		±	INITIAL REVISION: DRWN: DRWN BY APPR: APPR BY				XXXX/XX/XX XXXX/XX/XX																																																																																																																				
ANGULAR TOL				±		3.0 °																																																																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																																																																																																		
						A3-SIZE	87381		GENERAL MARKET	5 OF 5																																																																																																																		
10	9	8	7	6	5	4	3	2	1																																																																																																																			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[87381-2474](#)