





LOC		DIST		REVISIONS			
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




* SIDE ACTUATOR ONLY.





* SIDE ACTUATOR ONLY.




REVERSE "L" TYPE SURFACE MOUNT





* SIDE ACTUATOR ONLY.



* SIDE ACTUATOR ONLY.



"L" TYPE SURFACE MOUNT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. BINNER	12JAN04	TE Connectivity	
DIMENSIONS: INCHES [mm]		CHK ---	---		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ---	---	NAME	
	0. PLC ± .	PRODUCT SPEC	---	SLIDE SWITCH ASE/ASF, AUTO-INSERTABLE, THRU-HOLE AND SURFACE MOUNT	
	1. PLC ± .	APPLICATION SPEC	---	SIZE	
	2. PLC ± .	---	---	CAGE CODE	
MATERIAL SEE SPECIFICATIONS	3. PLC ± .010[0.25]	WEIGHT	---	DRAWING NO	
	4. PLC ± . ± 1°	---	---	RESTRICTED TO	
CUSTOMER DRAWING		SCALE 4:1		SHEET 2 OF 2	
				REV K2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[ASE43G](#)