

## Control cabinet marker - SSMK 96X30 - 5032442

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

---

Control cabinet marker, size: 96 x 30 mm, lettering field: 92 x 26 mm, 2 mounting holes M3, including 1 x ES-SSMK-GB 96 x 30



### Why buy this product

- The ES-SSMK ... insert strips can be labeled using the CMS-P1-PLOTTER and the CMS-P1-PAD magazine
- The labeling is resistant to external influences
- The base carrier has two fixing holes so that it can be screwed on
- Once labeled, the insert label is inserted in the cap and this is then snapped onto the base carrier
- Control cabinet markers consisting of a transparent cap and base carrier



### Key Commercial Data

Packing unit	50 pc
GTIN	 4 017918 095819
GTIN	4017918095819

### Technical data

#### Dimensions

Length (b)	30 mm
Width (a)	96 mm
Hole diameter	3.50 mm
Drill hole spacing	75.00 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

#### General

Note	Can be labeled with CMS
Color	transparent/white
Base element material	PC
Components	free from silicone and halogen

## Control cabinet marker - SSMK 96X30 - 5032442

### Technical data

#### General

Flammability rating according to UL 94	V2
Material	PC
Marking mounting type	Screws, rivets

#### Standards and Regulations

Flammability rating according to UL 94	V2
--	----

---

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[5032442](#)