

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV ,2004.
© COPYRIGHT 2004 By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
J			R2	REVISED PER ECO-11-005033	26MAR11	RK HMR



	AVAILABLE	POROSITY SEALING	1.8V (DDR2)	17.55	2.4	2.7	200	1827236-6
	AVAILABLE	CUT OUT OF POROSITY SEALING	1.8V (DDR2)	17.55	2.4	2.7	200	3-1827236-4
	AVAILABLE	CUT OUT OF HOUSING TAIL	1.8V (DDR2)	17.55	2.4	2.7	200	2-1827236-4
	AVAILABLE	BOSSLESS	1.8V (DDR2)	17.55	2.4	2.7	200	1-1827236-4
	AVAILABLE	——H——	1.8V (DDR2)	17.55	2.4	2.7	200	1827236-4
——H——	NOT AVAILABLE	——H——	2.5V (DDR1)	18.45	1.5	1.8	200	—
FINISH	TOOLING STATUS	REMARK	POWER SUPPLY	D5	D4	D3	POS	PART NO.
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN B.WONG 20JUL10	TE Connectivity				
			CHK C.WANG 20JUL10					
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	APVD S.YAO 20JUL10	NAME DDR1 & DDR2 SODIMM SOCKET 0.6mm PITCH 200POS LOW PROFILE STANDARD TYPE (LATCH DIRECT SOLDERING TYPE)				
			PRODUCT SPEC 108-5701					
		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		FINISH	WEIGHT 3.2 g	A3	00779	C-1827236		
CUSTOMER DRAWING			SCALE 2:1	SHEET 1 OF 4	REV R2			

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV ,2004.

© COPYRIGHT 2004 By -

ALL RIGHTS RESERVED.

LOC
J

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN


APVD

- SEE SHEET 1


REFERENCE P.C. BOARD PATTERN LAYOUT
(CONNECTOR MOUNTING SIDE)

REAL SIZE (SCALE 1:1)

1.8V	17.55	2.4	2.7
2.5V	18.45	1.5	1.8
POWER SUPPLY	D5	D4	D3



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	±

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

DDR1 & DDR2 SODIMM SOCKET 0.6mm PITCH
200POS LOW PROFILE STANDARD TYPE
(LATCH DIRECT SOLDERING TYPE)

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779


C-1827236

SCALE 2:1

SHEET 2 OF 4

REV R2

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION			DATE	DWN	APVD		
	-	SEE SHEET 1			-	-	-		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		STE TE Connectivity			
DIMENSIONS: MM		CHK		NAME			
		APVD		SEMI-HARD TRAY ASSY DDR1 & DDR2 SODIMM SOCKET 200P LOW PROFILE STANDARD TYPE (LATCH DIRECT SOLDERING TYPE)			
		PRODUCT SPEC					
MATERIAL		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		WEIGHT		A3	00779	C-1827236	
				CUSTOMER DRAWING		SCALE 1:2	SHEET 4 OF 4
							REV R2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1827236-4](#)