NOTEC	336206-I2-XXXX	REVIS	
NOTES:	DRAWING NO. THIRD ANGLE PROJ.	REV DESCRIPTION A RELEASE TO MFG.	DATE
. PACKAGE CABLE ASSEMBLY IN BAG.TAG IN BAG WITH "AMPHENOL CONNEX, 336206-12-XXXX AND DATE CODE".		Direction of the second of the	SCALE 1.000
-	LENG	TH XXXX MM (SEE TABLE) —	
GASKET LOCK WASHER D FLAT 3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	LENGTH (MM) WITH F	T MICRO-COAXIAL INTERFACE RESPECT TO D FLAT DWN WITH IN ±10°
DESIGN REQUIREMENTS: FREQUENCY TO GHz X CONTINUITY X HI-POT : 200 VRMS INS. LOSS dB MAX OTHER	00	TH	ERMINATED TO 1.13 MM CABLE SHRINK TUBE BLKHD CRIMP JACK ESCRIPTION FINISH
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES \pm .015 (0,381 mm) \pm .005 (0,127 mm) \pm 1° TICE - These drawings, specifications, or other data (1) are, and remain the operty of Amphenol Corp. (2) must be returned upon request; and (3) are infidential and not to be disclosed to any person other than those to whom they e given by Amphenol Corp. The furnishing of these drawings, specifications, or her data by Amphenol Corp., or to any other person to anyone for any purpose is to be regarded by implication or otherwise in any manner licensing, granting shad by a process or design, patented or otherwise, that may in any way be related to disclosed by said drawings, specifications, or other data.	DRAWN ABHAYA KISHORE ENGINEER ABHAYA KISHORE APPROVED CAD FILE Root folder:/Cable assembly/336206	B-II RP TNC BLKHD CRIMP JACK MICRO COAX PLUG TERMINA USING I.I3MM CABLE, XXXX MM,LENGTH DWG SIZEDRAW	Connex SCALE: 3.9:1 SHEET OF

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

 $336206\text{-}12\text{-}0050 \quad 336206\text{-}12\text{-}0100 \quad 336206\text{-}12\text{-}0150 \quad 336206\text{-}12\text{-}0200 \quad 336206\text{-}12\text{-}0250 \quad 336206\text{-}12\text{-}0300 \quad 336206\text{-}12\text{-}03000 \quad 336206\text{-}12\text{-}03000 \quad 336206\text{-}12\text{-}03000 \quad 336206\text{-}12\text{-}03000 \quad 336206\text{-}12\text{-}$