




REF. -50 OPT. SCREW  
(WHERE APPLICABLE)



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
4. ASSEMBLY IS ROHS COMPLIANT.

|      |      |                                            |                 |                    |
|------|------|--------------------------------------------|-----------------|--------------------|
| 6    | XX   | SCREW&WASHER,#6-32X.25,PAN,PH/SL (-50 OPT) | STEEL           | ZN, CLEAR CHROMATE |
| 5    | XX   | SCREW,#6-32X.25,BHD,PH/SL (-49 OPT)        | BRASS           | NICKEL PLATE       |
| 4    | XX   | SCREW,#6-32X.25,BHD,PH/SL (STANDARD)       | STEEL           | ZN, CLEAR CHROMATE |
| 3    | XX   | TERMINAL, TURRET                           | BRASS           | TIN PLATE          |
| 2    | 2    | PLATE, MOUNTING                            | BRASS           | NICKEL PLATE       |
| 1    | 1    | INSULATOR, SINGLE ROW, INSL. BASE          | POLYESTER (PBT) | BLACK              |
| ITEM | QTY. | DESCRIPTION                                | MATERIAL        | FINISH             |

|                 |                     |            |
|-----------------|---------------------|------------|
| INITIAL RELEASE | EC NO: WNA2009-0043 | 2008/09/22 |
| DRW:NYC         | CHKD:RDEROSS        | 2008/09/22 |
| APPR:RDEROSS    |                     | 2008/09/23 |
| REV             | DESCRIPTION         |            |
| A               |                     |            |

|                 |
|-----------------|
| QUALITY SYMBOLS |
| ▽=0             |
| ▽=0             |

| GENERAL TOLERANCES (UNLESS SPECIFIED)                |       |
|------------------------------------------------------|-------|
| mm                                                   | INCH  |
| 4 PLACES ±---                                        | ±---  |
| 3 PLACES ±---                                        | ±.005 |
| 2 PLACES ±0.13                                       | ±.01  |
| 1 PLACE ±0.3                                         | ±---  |
| ANGULAR ± 2 °                                        |       |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS |       |

| DIMENSION STYLE |            |
|-----------------|------------|
| MM/IN           |            |
| DRAWN BY        | DATE       |
| C. YORK         | 2008/09/02 |
| CHECKED BY      | DATE       |
| R. DEROSS       | 2008/09/02 |
| APPROVED BY     | DATE       |
| R. DEROSS       | 2008/09/02 |
| MATERIAL NO.    |            |
| SIZE            |            |
| B               |            |

|                                                                                                                 |                      |                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------|
| SCALE<br>2:1                                                                                                    | DESIGN UNITS<br>INCH |  THIRD ANGLE<br>PROJECTION |
| TITLE                                                                                                           |                      |                                                                                                                 |
| 9.53/.375 SR BTS, SDR.<br>TURRET ASSY, INSUL. BASE                                                              |                      |                                                                                                                 |
| 2<br>2                                                                                                          |                      |                                                                                                                 |
| 2<br>MOLEX MOLEX INCORPORATED                                                                                   |                      |                                                                                                                 |
| DOCUMENT NO.<br>SD-38710-004                                                                                    |                      | SHEET NO.<br>1 OF 2                                                                                             |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                      |                                                                                                                 |

10 9 8 7 6 5 4 3 2 38710

| NO. OF<br>CIRCUITS | DIM. "A" |       | DIM. "B" |       | DIM. "C" |        | DIM. "D" |      | ASSEMBLY<br>MATERIAL NO.<br>(STANDARD) | ASSEMBLY<br>MATERIAL NO.<br>(-49 OPTION) | ASSEMBLY<br>MATERIAL NO.<br>(-50 OPTION) |
|--------------------|----------|-------|----------|-------|----------|--------|----------|------|----------------------------------------|------------------------------------------|------------------------------------------|
|                    | mm       | in    | mm       | in    | mm       | in     | mm       | in   |                                        |                                          |                                          |
| 02                 | 40.1     | 1.58  | 9.53     | .375  | 28.58    | 1.125  | 21.1     | .83  | 387103202                              | 387103502                                | 387103802                                |
| 03                 | 49.7     | 1.96  | 19.05    | .750  | 38.10    | 1.500  | 30.7     | 1.21 | 387103203                              | 387103503                                | 387103803                                |
| 04                 | 59.2     | 2.33  | 28.58    | 1.125 | 47.63    | 1.875  | 40.2     | 1.58 | 387103204                              | 387103504                                | 387103804                                |
| 05                 | 68.7     | 2.71  | 38.10    | 1.500 | 57.15    | 2.250  | 49.7     | 1.96 | 387103205                              | 387103505                                | 387103805                                |
| 06                 | 78.2     | 3.08  | 47.63    | 1.875 | 66.68    | 2.625  | 59.2     | 2.33 | 387103206                              | 387103506                                | 387103806                                |
| 07                 | 87.8     | 3.46  | 57.15    | 2.250 | 76.20    | 3.000  | 68.8     | 2.71 | 387103207                              | 387103507                                | 387103807                                |
| 08                 | 97.3     | 3.83  | 66.68    | 2.625 | 85.73    | 3.375  | 78.3     | 3.08 | 387103208                              | 387103508                                | 387103808                                |
| 09                 | 106.8    | 4.21  | 76.20    | 3.000 | 95.25    | 3.750  | 87.8     | 3.46 | 387103209                              | 387103509                                | 387103809                                |
| 10                 | 116.3    | 4.58  | 85.73    | 3.375 | 104.78   | 4.125  | 97.3     | 3.83 | 387103210                              | 387103510                                | 387103810                                |
| 11                 | 125.9    | 4.96  | 95.25    | 3.750 | 114.30   | 4.500  | 106.9    | 4.21 | 387103211                              | 387103511                                | 387103811                                |
| 12                 | 135.4    | 5.33  | 104.78   | 4.125 | 123.83   | 4.875  | 116.4    | 4.58 | 387103212                              | 387103512                                | 387103812                                |
| 13                 | 144.9    | 5.71  | 114.30   | 4.500 | 133.35   | 5.250  | 125.9    | 4.96 | 387103213                              | 387103513                                | 387103813                                |
| 14                 | 154.4    | 6.08  | 123.83   | 4.875 | 142.88   | 5.625  | 135.4    | 5.33 | 387103214                              | 387103514                                | 387103814                                |
| 15                 | 164.0    | 6.46  | 133.35   | 5.250 | 152.40   | 6.000  | 145.0    | 5.71 | 387103215                              | 387103515                                | 387103815                                |
| 16                 | 173.5    | 6.83  | 142.88   | 5.625 | 161.93   | 6.375  | 154.5    | 6.08 | 387103216                              | 387103516                                | 387103816                                |
| 17                 | 183.0    | 7.21  | 152.40   | 6.000 | 171.45   | 6.750  | 164.0    | 6.46 | 387103217                              | 387103517                                | 387103817                                |
| 18                 | 192.5    | 7.58  | 161.93   | 6.375 | 180.98   | 7.125  | 173.5    | 6.83 | 387103218                              | 387103518                                | 387103818                                |
| 19                 | 202.1    | 7.96  | 171.45   | 6.750 | 190.50   | 7.500  | 183.1    | 7.21 | 387103219                              | 387103519                                | 387103819                                |
| 20                 | 211.6    | 8.33  | 180.98   | 7.125 | 200.03   | 7.875  | 192.6    | 7.58 | 387103220                              | 387103520                                | 387103820                                |
| 21                 | 221.1    | 8.71  | 190.50   | 7.500 | 209.55   | 8.250  | 202.1    | 7.96 | 387103221                              | 387103521                                | 387103821                                |
| 22                 | 230.6    | 9.08  | 200.03   | 7.875 | 219.08   | 8.625  | 211.6    | 8.33 | 387103222                              | 387103522                                | 387103822                                |
| 23                 | 240.2    | 9.46  | 209.55   | 8.250 | 228.60   | 9.000  | 221.2    | 8.71 | 387103223                              | 387103523                                | 387103823                                |
| 24                 | 249.7    | 9.83  | 219.08   | 8.625 | 238.13   | 9.375  | 230.7    | 9.08 | 387103224                              | 387103524                                | 387103824                                |
| 25                 | 259.2    | 10.21 | 228.60   | 9.000 | 247.65   | 9.750  | 240.2    | 9.46 | 387103225                              | 387103525                                | 387103825                                |
| 26                 | 268.7    | 10.58 | 238.13   | 9.375 | 257.18   | 10.125 | 249.7    | 9.83 | 387103226                              | 387103526                                | 387103826                                |

|                                                                                                                                     |                               |                                       |  |                          |  |                                                             |                      |                        |  |
|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|--|--------------------------|--|-------------------------------------------------------------|----------------------|------------------------|--|
| SEE SHEET 1<br>EC NO: WNA2009-0043<br>DRAWN BY: C. YORK<br>CHKD: RDEROSS<br>APPR: RDEROSS<br>2008/09/22<br>2008/09/22<br>2008/09/23 | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) |  | DIMENSION STYLE<br>MM/IN |  | SCALE<br>1:1                                                | DESIGN UNITS<br>INCH | THIRD ANGLE PROJECTION |  |
|                                                                                                                                     |                               |                                       |  |                          |  | DRAWN BY<br>C. YORK                                         |                      | DATE<br>2008/09/02     |  |
|                                                                                                                                     |                               |                                       |  |                          |  | CHECKED BY<br>R. DEROSS                                     |                      | DATE<br>2008/09/02     |  |
|                                                                                                                                     |                               |                                       |  |                          |  | APPROVED BY<br>R. DEROSS                                    |                      | DATE<br>2008/09/02     |  |
|                                                                                                                                     |                               |                                       |  |                          |  | MATERIAL NO.                                                |                      | DOCUMENT NO.           |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                          |                               | ANGULAR ± 2 °                         |  | SEE CHART                |  | TITLE<br>9.53/.375 SR BTS, SDR.<br>TURRET ASSY, INSUL. BASE |                      |                        |  |
|                                                                                                                                     |                               |                                       |  | SIZE B                   |  | MOLEX INCORPORATED<br>SD-38710-004                          |                      |                        |  |
|                                                                                                                                     |                               |                                       |  |                          |  | SHEET NO.<br>2 OF 2                                         |                      |                        |  |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION       |                               |                                       |  |                          |  |                                                             |                      |                        |  |

9 8 7 6 5 4 3 2 1

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[38710-3202](#) [38710-3213](#) [38710-3214](#) [38710-3215](#) [38710-3216](#) [38710-3218](#) [38710-3220](#) [38710-3221](#) [38710-3224](#) [38710-3225](#) [38710-3226](#) [38710-3222](#)