

10 9 8 7 6 5 4 3 2 1

NOTES:

1. MATERIAL:

HSG: PCT, 30% GLASS FILLED,UL 94V-0,
COLOUR BLACK.
PIN: 0.50MM SQ PHOSPHOR BRONZE 510

2. PLATING:

***5 - 0.05um MIN - 0.25um MAX GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDERTAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***6 - 0.38um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDERTAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***7 - 0.76um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDERTAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***8 - 2.54um MIN TIN OVER
1.25um MIN NICKEL OVERALL

3. 12 CKT USED FOR ILLUSTRATION ONLY
4. PART TO BE PACKED IN POCKET TRAY/TUBE (SEE TABLE).
5. PRODUCT SPEC PS-87761-100 APPLIES.
6. RECOMMENDED PCB BOARD THK 1.60±0.10 MM.


7. MATING LENGTH: 1 - 4.00MM
2 - 3.50MM
3 - 3.06MM
4 - 5.75MM

8. PART NUMBERS THAT ARE UNAVAILABLE IN THIS SD:
87760-0646, 87760-1046, 87760-1446, 87760-2446, 87760-4046.
(REFER TO SD-87760-133 FOR THESE PART NUMBERS)




LEGEND:

87760 - * * * *

PLATING OPTION 2
(SEE NOTE 2)
MATING OPTION 7




RECOMMENDED PCB LAYOUT



DETAIL Z

SHT 3, +87760-5516 EC NO: S2013-0842 DRW:NATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08 REV		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			F_A=0 F_G=0 F_P=0			DRAWN BY KSEE	DATE 2003/10/15	TITLE MGRID, 2MM DUAL ROW HDR. R/A					
				4 PLACES	± ---	± ---	CHECKED BY KCL ING						DATE 2003/12/02
				3 PLACES	± ---	± ---	APPROVED BY SKTOH	DATE 2003/12/11	molex				
				2 PLACES	± 0.2	± ---							
1 PLACE	± ---	± ---			DOCUMENT NO. SD-87760-109								
0 PLACE	±	±								SHEET NO. 1 OF 3			
		ANGULAR ± 3 °		MATERIAL NO.									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE									
A16				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																			
	PART NUMBER	VOID PIN LOCATION	CKT SIZE	A	B	M	T	PACKAGING TYPE	 PART IN TUBE																																				
F	87760-04**	-	04	2.00	4.00	REFER TO NOTE 	2.60	TRAY																																					
	87760-06** 	-	06	4.00	6.00																																								
	87760-08**	-	08	6.00	8.00																																								
	87760-10** 	-	10	8.00	10.00																																								
	87760-12** 	-	12	10.00	12.00																																								
	87760-14** 	-	14	12.00	14.00																																								
E	87760-16**	-	16	14.00	16.00																																								
	87760-18**	-	18	16.00	18.00																																								
	87760-20**	-	20	18.00	20.00																																								
	87760-22**	-	22	20.00	22.00																																								
	87760-24** 	-	24	22.00	24.00																																								
D	87760-26**	-	26	24.00	26.00																																								
	87760-28**	-	28	26.00	28.00																																								
	87760-30**	-	30	28.00	30.00																																								
	87760-32**	-	32	30.00	32.00																																								
	87760-34**	-	34	32.00	34.00																																								
	87760-36**	-	36	34.00	36.00																																								
	87760-38**	-	38	36.00	38.00																																								
C	87760-40** 	-	40	38.00	40.00																																								
	87760-42**	-	42	40.00	42.00																																								
	87760-44**	-	44	42.00	44.00																																								
	87760-46**	-	46	44.00	46.00																																								
	87760-48**	-	48	46.00	48.00																																								
	87760-50**	-	50	48.00	50.00																																								
B																																													
A																																													
SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08 DESCRIPTION REV						QUALITY SYMBOLS =0 =0 =0		GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table>			mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>KSEE</td><td>2003/10/15</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>KCLING</td><td>2003/12/02</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SKTOH</td><td>2003/12/11</td></tr></table>		DRAWN BY	DATE	KSEE	2003/10/15	CHECKED BY	DATE	KCLING	2003/12/02	APPROVED BY	DATE	SKTOH	2003/12/11	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 	
	mm	INCH																																											
4 PLACES	± ---	± ---																																											
3 PLACES	± ---	± ---																																											
2 PLACES	± 0.2	± ---																																											
1 PLACE	± ---	± ---																																											
0 PLACE	±	±																																											
DRAWN BY	DATE																																												
KSEE	2003/10/15																																												
CHECKED BY	DATE																																												
KCLING	2003/12/02																																												
APPROVED BY	DATE																																												
SKTOH	2003/12/11																																												
						ANGULAR ± 3 °		SEE TABLE		DOCUMENT NO. SD-87760-109		SHEET NO. 2 OF 3																																	
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																					

	10	9	8	7	6	5	4	3	2	1																																																																			
F	PART NUMBER	VOID PIN LOCATIONS	CKT SIZE	A	B	M	T	PACKAGING TYPE																																																																					
	87760-5116	5, 6 & 26	50	48.00	50.00	REFER TO NOTE 7.	2.60	TUBE																																																																					
	87760-531*	-	24	22.00	24.00		1.50	TRAY																																																																					
	87760-5216	-	04	2.00	4.00		2.60	TUBE																																																																					
	87760-5416	-	20	18.00	20.00																																																																								
	87760-5248	-	28	26.00	28.00																																																																								
E	87760-5516	5, 6, 7, 8, 9, 10, 15, 16, 17, 18, 19, 20, 25, 26, 27, 28, 29, 30	34	32.00	34.00																																																																								
D																																																																													
C																																																																													
B																																																																													
A	<table><tr><td rowspan="5">SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="5"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4"> </td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY</td><td>DATE</td><td colspan="2" rowspan="4">MGRID, 2MM DUAL ROW HDR. R/A</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>KSEE</td><td>2003/10/15</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td><td>KCLING</td><td>2003/12/02</td></tr><tr><td></td><td></td><td>1 PLACE</td><td>± ---</td><td>± ---</td><td>APPROVED BY</td><td>DATE</td><td colspan="2" rowspan="2"></td></tr><tr><td></td><td></td><td>0 PLACE</td><td>±</td><td>±</td><td>SKTOH</td><td>2003/12/11</td></tr><tr><td colspan="3">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	 		mm	INCH	DRAWN BY	DATE	MGRID, 2MM DUAL ROW HDR. R/A		4 PLACES	± ---	± ---	KSEE	2003/10/15	3 PLACES	± ---	± ---	CHECKED BY	DATE	2 PLACES	± 0.2	± ---	KCLING	2003/12/02			1 PLACE	± ---	± ---	APPROVED BY	DATE					0 PLACE	±	±	SKTOH	2003/12/11	ANGULAR ± 3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																				
		 		mm	INCH	DRAWN BY	DATE	MGRID, 2MM DUAL ROW HDR. R/A																																																																					
			4 PLACES	± ---	± ---	KSEE	2003/10/15																																																																						
			3 PLACES	± ---	± ---	CHECKED BY	DATE																																																																						
			2 PLACES	± 0.2	± ---	KCLING	2003/12/02																																																																						
		1 PLACE	± ---	± ---	APPROVED BY	DATE																																																																							
		0 PLACE	±	±	SKTOH	2003/12/11																																																																							
ANGULAR ± 3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																								
	tb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																																																			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[87760-2018](#) [87760-2437](#)