


1. CIRCUIT IDENTIFICATION NUMBERS LOCATED AS SHOWN.
 2. SPACER AND CPA (OPTIONAL) ARE SHIPPED IN PRE-ASSEMBLED POSITION.
 3. PART NUMBER, DATE CODE AND WORK CENTER LOCATION.
 4. CAVITY ID.
 5. MATERIAL IDENTIFICATION.
 6. KEYING OPTION B NOT PREFERRED FOR NEW APPLICATIONS.
 7. PACKAGING: CONNECTOR ASSEMBLIES BULK PACKED IN CARDBOARD BOXES.
 8. OPTIONAL CORE SLOTS FOR MOLD CONSTRUCTION.
 9. SPACER IS SHIPPED IN PRE-LOADED POSITION. SOME SPACERS MAY BECOME FULLY SEATED DURING SHIPPING. USE TE INSTRUCTION SHEET 408-10104 TO REPOSITION SPACER BACK TO IT'S PRE-LOADED POSITION.
 10. REFER TO TE INSTRUCTION SHEET 408-8599 FOR PROPER CONTACT ASSEMBLY/DISASSEMBLY AND CONNECTOR MATING/UN-MATING PROCEDURE.



SCALE 4:1

----- ASSEMBLY PN

ITEM NO	DESCRIPTION	MATERIAL	COLOR
1	CPA	>PBT-GF20<	RED
2	SPACER	>PBT-GF30<	RED
3	HOUSING; KEY F	>PA66-GF35<	BLACK
4	HOUSING; KEY E	>PA66-GF35<	BLACK
5	HOUSING; KEY D	>PA66-GF35<	BLACK
6	HOUSING; KEY C	>PA66-GF35<	BLACK
7	HOUSING; KEY B	>PA66-GF35<	BLACK
	DESCRIPTION	MATERIAL	COLOR

REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)



QTY REQ'D PER ASSY

WEIGHT OF EACH ASSY NO (g)

PARTS LIST


THIS DRAWING IS A CONTROLLED DOCUMENT.	DN: R. VESTAL 14DEC2006	NAME: TE Connectivity
DIMENSIONS: mm	OTHERWISE SPECIFIED:	NAME: ASSEMBLY, IX6 POSITION, GET, FEMALE, UNSEALED
0 PLC	±	PRODUCT SPEC: D. STRAUSSER
1 PLC	±	APPLICATION SPEC: D. STRAUSSER
2 PLC	±	
3 PLC	±	
4 PLC	±	
ANGLES	±	
MATERIAL	FINISH	SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO:
SEE TABLE		A 100779 C=1456985
	WEIGHT	
		CUSTOMER DRAWING
		SCALE: 5:1 SHEET: 1 OF 2 REV: D3

P	LTR	DESCRIPTION	DATE	DN	APVD
-		SEE SHEET 1	-	-	-

KEYING OPTION
BKEYING OPTION
B


(SHOWN WITH CPA)

SCALE 2:1

KEYING OPTION
C


(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION
D

(SHOWN WITH CPA)

SCALE 2:1

KEYING OPTION
E

(SHOWN WITH CPA)

KEYING OPTION
F

(SHOWN WITH CPA)

SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES: ±	
MATERIAL:	FINISH:
SEE TABLE	

NAME: R. VESTAL 14DEC2006
C. STRAUSSER 14DEC2006
D. STRAUSSER 14DEC2006
PRODUCT SPEC
APPLICATION SPEC
WEIGHT: -
CAGE CODE: DRAWING NO: A 100779 C=1456985
CUSTOMER DRAWING
SCALE: 5:1 SHEET 2 OF 2 REV D3

TE Connectivity

ASSEMBLY,
IX6 POSITION, GET, FEMALE,
UNSEALED

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1456985-3](#)