


THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

1



I. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER LABEL

TYCO ELECTRONICS P/N
X X X X X X X - X

2. PART NUMBER CHANGES AND/OR DESIGN CHANGES AFFECTING
INTERCHANGEABILITY REQUIRE PRIOR TYCO ELECTRONICS APPROVAL
AND AUTHORIZATION BY REVISION TO THIS DRAWING

3. MATERIALS:
INSULATORS: THERMOPLASTIC, GLASS REINFORCED,
UL 94V-0 FLAMMABILITY RATED, COLOR-BLACK.
RETENTION CLIPS: COPPER ALLOY OR STAINLESS STEEL

4. FINISHES: RETENTION CLIPS: BRIGHT DIP PICKLED PER INDUSTRY STANDARDS

5. CONTACTS PURCHASED SEPARATELY

ELCON QUAD POWER

AMP 1471-9 REV 31MAR2000

Pro/ENGINEER DRAWING

AS SHOWN		2085000-1
DESCRIPTION		PART NO.
<p>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</p>		 Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	
	0 PLC	±-
1 PLC	±0.1	
2 PLC	±.02	
3 PLC	±.010	
4 PLC	±-	
ANGLES	±.5	
MATERIAL	FINISH	
-	WEIGHT -	
CUSTOMER DRAWING		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


100

© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED

Technical drawing showing a rectangular frame with four circular holes. The top horizontal dimension is labeled 2.00. The bottom horizontal dimension is labeled 1.70. The distance between the centers of the bottom holes is labeled 0.98. Four circular holes are located at the corners of the rectangle, each with a diameter of $\phi 0.250$. The drawing includes leader lines and callouts to indicate the hole size and the overall width.

PANEL MOUNT

SCALE 3:

<p>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</p>		<p>DWN 26SEP2008 C. ROHLER</p> <p>CHK 26SEP2008 D. ORRIS</p> <p>APVD 26SEP2008 M. PERCHERKE</p>		 <p>Tyco Electronics Harrisburg, PA 17105-3608</p>													
<p>DIMENSIONS: mm</p> <p></p>		<p>TOLERANCES UNLESS OTHERWISE SPECIFIED:</p> <table border="0"> <tr> <td>0 PLC</td> <td>±-</td> </tr> <tr> <td>1 PLC</td> <td>±0.1</td> </tr> <tr> <td>2 PLC</td> <td>±.02</td> </tr> <tr> <td>3 PLC</td> <td>±.010</td> </tr> <tr> <td>4 PLC</td> <td>±-</td> </tr> <tr> <td>ANGLES</td> <td>±.5</td> </tr> </table>		0 PLC	±-	1 PLC	±0.1	2 PLC	±.02	3 PLC	±.010	4 PLC	±-	ANGLES	±.5	<p>NAME CONNECTOR PIN WITH RETENTION CLIPS QUAD POWER</p>	
0 PLC	±-																
1 PLC	±0.1																
2 PLC	±.02																
3 PLC	±.010																
4 PLC	±-																
ANGLES	±.5																
<p>MATERIAL</p>		<p>FINISH</p>	<p>WEIGHT</p>	<p>SIZE CAGE CODE DRAWING NO</p> <p>A2 00779 C-2085000</p>		RESTRICTED TO											
<p>-</p>		<p>-</p>	<p>-</p>	<p>SCALE 3:2</p>		<p>SHEET ? OF ?</p>	REV A										
<p>-</p>		<p>CUSTOMER DRAWING</p>															

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2085000-1](#)