

Plug-in card block - SKBI 128-E48/E48 - 2269085

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



19" plug-in card block, number of positions: 0, pitch: 0 mm, connection method: Screw connection with tension sleeve, contact surface: Tin

The figure shows the version SKBI 128-B 32/B 32



Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4017918053987

Technical data

Dimensions

Length	66 mm
Height	162 mm
Width	252.4 mm
Pitch	0 mm
Hole diameter	4.2 mm

General

Range of articles	SKBI 128
Connection in acc. with standard	EN-VDE
Nominal current I_N	current values are defined by the connectors used
Nominal voltage U_N	voltage values are defined by the connectors used
Nominal cross section	2.5 mm ²
Stripping length	8 mm
Screw thread	M3
Tightening torque, min	0.5 Nm
Tightening torque max	0.6 Nm
Number of positions	0

Plug-in card block - SKBI 128-E48/E48 - 2269085

Technical data

Connection data

Conductor cross section solid min.	0.2 mm ²
Conductor cross section solid max.	4 mm ²
Conductor cross section flexible min.	0.2 mm ²
Conductor cross section flexible max.	2.5 mm ²
Conductor cross section AWG min.	24
Conductor cross section AWG max.	12

Standards and Regulations


Connection in acc. with standard	EN-VDE
----------------------------------	--------

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2269085](#)