

Product: <u>9452</u> ☑

Microphone Cable, 1 Pair 24 AWG, TC



Product Description

24 AWG stranded (19x36) HC TC conductors, high-density polyethylene insulation, twisted pair, noise reducing tape, Beldfoil® shield (100% coverage), 24 AWG stranded TC drain wire, PVC jacket.

Technical Specifications

Physical Characteristics (Overall)

Condu	Conductor					
AWG	Stranding	Material	Nominal Diameter	No. of Conductors		
24	19x36	High Conductivity Tinned Copper	0.024 in	2		
Conductor Count:				2		

Insulation

Material	Nominal Diameter	Nominal Wall Thickness
PE - Polyethylene	0.04 in	0.008 in

Color Chart

Color Black Red

Outer Shield Material

Туре	Layer	Material	Material Trade Name	Coverage [%]	Drainwire Material	Drainwire Diameter	Drainwire AWG	Drainwire Construction n x D
Таре	1	Conductive Textile		100 %	TC - Tinned Copper	0.025 in	24	Stranded
Таре	2	Alum / Poly	Beldfoil®	100 %				

Outer Jacket Material

Material	Nominal Diameter	Nominal Wall Thickness
PVC - Polyvinyl Chloride	0.135 in	0.020 in

Electrical Characteristics

Conductor DCR					
Nominal Conductor DCR	Nominal Conduct	or DCR Conductor Resistance	Nominal Outer Shield DCR		
25 Ohm/1000ft 25 Ohm/1000ft			16.5 Ohm/1000ft		
Capacitance Nom. Capacitance Conductor to Conductor Nom. Capacitance Conductor to Other Conductor to Shield					
30 pF/ft		58 pF/ft			
Inductance Nominal Inductance 0.18 µH/ft					

Impedance

Nominal Characteristic Impedance

Current

Max. Recommended Current [A]
2.2 Amps per conductor @ 25°C

2.2 Amps per conductor @ 25°C

Voltage

Non-UL Voltage Rating 200 V RMS

Temperature Range

Non-UL Temp Rating:	75°C
Operating Temp Range:	-40°C To +75°C

Mechanical Characteristics

Bulk Cable Weight:	11 lbs/1000ft
Max Recommended Pulling Tension:	17.7 lbs
Min Bend Radius/Minor Axis:	1.5 in

Applicable Environmental and Other Programs

Environmental Space:	Indoor (Not Riser or Plenum)
EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	Yes
EU RoHS Compliance Date (yyyy-mm-dd):	2004-01-01
MII Order #39 (China RoHS):	Yes

Suitability

Suitability - Indoor:	Yes

Plenum/Non-Plenum

Plenum (Y/N):	No

Part Number

Variants

ltem #	Color	Putup Type	Length	UPC
9452 010500	Black	Reel	500 ft	612825253174
9452 010U500	Black	UnReel	500 ft	612825254027
9452 0101000	Black	Reel	1,000 ft	612825253204
9452 010U1000	Black	UnReel	1,000 ft	612825253181

History

Update and Revision:

Revision Number: 0.298 Revision Date: 04-28-2020

© 2020 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Belden Wire & Cable: 9452 010U500