

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	REVISED PER ECR-17-009578	04JUL2017	BW	FV

1 REVERSE REELING

SECTION C-C

TOOL 13094

TOOL 13123

SECTION D-D

1	PRE-TIN	PHOS. BRONZE	142685-5
	PRE-TIN	PHOS. BRONZE	142685-3
	FINISH	MATERIAL	PART NUMBER

WIRE AREA	0.35mm ² - 1mm ²
INSULATION DIAMETER	1.3 - 2±0.1
APPLICATION FEED	22±0.1

THIS DRAWING IS A CONTROLLED DOCUMENT.

 DIMENSIONS:
mm

 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±-
 1 PLC ±0.3
 2 PLC ±-
 3 PLC ±-
 4 PLC ±-
 ANGLES ±5°
 FINISH -

MATERIAL -

DWN 05JUL2017

BASVESH WARAD

CHK 05JUL2017

VIRIDIA, FEDERICO

APVD 05JUL2017

DING, TIM

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME L.I.F POSITIVE LOCK 5MM SERIES

SIZE A3 CAGE CODE 00779 DRAWING NO C-142685

SCALE 6:1

SHEET 1 OF 1

REV D1

1470-19 (3/13)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[142685-3](#) [142685-3 \(Mouser Reel\)](#)