









LOC		DIST		REVISIONS					
FX		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				D1		REVISED PER ECR 07-029132	07JAN2008	DLD	WTW
				E		REVISED PER ECR 07-030366	08JAN2008	DLD	WTW
				F		REVISED PER ECO 08-006962	19MAR2008	DLD	WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TYPICAL DIMENSIONS: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS (INCHES IN PARENTHESES)		DWN: A. HOLT 14NOV2006		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK: W. WELLINSKY 14NOV2006		NAME: 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
mm		APVD: W. WELLINSKY 14NOV2006		SIZE: 00779 C=1924170	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC:		RESTRICTED TO	
0 PLC ±.3		APPLICATION SPEC:		SCALE 3:1 OF 5 REV F	
1 PLC ±.3		WEIGHT: SEE NOTE 5			
2 PLC ±.3		CUSTOMER DRAWING			
3 PLC ±.3					
4 PLC ±.3					
ANGLES ±.3°					
FINISH					
MATERIAL: SEE CHART ON SHEET 2					

[illegible][illegible]

THIS IS A STANDARD IEC CONNECTOR FOR THE PURPOSES OF THE IEC ORGANIZATION THE IEC ORGANIZATION IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS DOCUMENT		DRAWN A. HOLT 14NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																										0-1924170-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																						35	36					0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16								24												35	36					0-1924170-7	G	
																								24											35	36					0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12								21	22														35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12					17	18			21	22												35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																													1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30								39	40	2-1924170-1	G		
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				39	40	2-1924170-3	G				
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18							26										35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G			
			3	4			7	8	9	10	11	12	13	14	15	16												27	28	29	30		32					37	38	39	40	2-1924170-9	G
1	2										11	12																								37	38	39	40	3-1924170-0	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12								21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22														35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16				21	22			24											35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12								21	22		24											35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20																	37	38	39	40	4-1924170-0	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	4-1924170-1			

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G		
											11	12											24																		7-1924170-4	G	
1	2										11	12	13	14	15	16						24																			7-1924170-5	G	
											11	12																				32					37	38	39	40	7-1924170-6	G	
											11	12							19	20			24																	7-1924170-7	G		
											11	12							19	20													33	34						7-1924170-8	G		
						7	8	9	10	11	12								19	20			24																	7-1924170-9	G		
						7	8	9	10	11	12								19	20													33	34						8-1924170-0	G		
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G		
								9	10	11	12						17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G	
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38			8-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16			19	20																		37	38	39	40	8-1924170-5	G	
1	2					7	8	9	10	11	12			14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-6	G		
1	2					7	8	9	10				13	14	15	16					21	22		24										35	36	37	38	39	40	8-1924170-7	G		
1	2					7	8	9	10				13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12			14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-9	G		
1	2	3	4			7	8	9	10	11	12			14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38		9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38		9-1924170-1	G			
		3	4	5	6						11	12																							35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12																								35	36	37	38		9-1924170-3	G		
											11	12																							35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6						11	12								19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24											33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-8	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G		
											11	12							19	20																				0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G			
						7	8	9	10	11	12																												0-1924171-4	G			
											11	12																											0-1924171-5	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12																									35	36				0-1924171-7	G	
											11	12	13	14	15	16																							0-1924171-8	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-192			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1924170-6](#)