



RECOMMENDED STRIP LENGTH

 1 CABLE USED WITHOUT SPACER

△ CABLE USED WITH SPACER

3. SEE INSTRUCTION SHEET 408-2798

4. PARTS PACKAGED UNASSEMBLED

5 USE WITH HAND TOOL FRAME 354940-1

6 USE WITH HANDTOOL 69710-1, OR
PNEUMATIC TOOL 69365 & 69365-3

 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

| | | CABLE SIZE | DIE SET  | DIE SET  | CRIMP TOOL | VIEW | A | ⑥ TUBING, HEAT SHRINK QTY=1 | ⑤ TUBING QTY=1 | ④ SPACER QTY=1 | ③ FERRULE QTY=1 | ② CONTACT, PLUG QTY=1 | ① PLUG ASSY, COM BNC QTY=1 | PART NUMBER | |
|---------------------------|--|--|---|---|------------|----------|-------|-----------------------------|----------------|----------------|-----------------|-----------------------|----------------------------|-------------|----------|
| | OBsolete | H.P. RED TRIAXIAL | - | 58330-1 | 69477-4 | C | 1.090 | 1-938013-3 | - | - | 9-32941-0 | 9-22732-0 | 43330-6 | 4-227079-0 | |
| | OBsolete | RG-180/U, 180A/U, 180B/U & 195/U | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-32941-0 | 9-22167-4 | 43330-5 | 3-227079-7 | |
| SUPERSEDED by 8-227079-2 | RG-188/U DOUBLE BRAIDED | | - | 58330-1 | 69477-4 | A | 1.090 | - | 227194-1 | - | 9-32949-0 | 9-22732-0 | 43330-6 | 3-227079-3 | |
| | OBsolete | BELDEN 9248 | - | 220244-1 | 220247-1 | A | 1.090 | - | - | - | 9-50427-0 | 1-22167-7 | 43330-3 | 3-227079-2 | |
| | OBsolete | BELDEN 9248 | - | 220244-1 | 220247-1 | A | 1.090 | - | - | - | 9-50427-0 | 1-22167-8 | 43330-3 | 3-227079-1 | |
| | OBsolete | BELDEN 9248 & 9114 | - | 220244-1 | 220247-1 | A | 1.090 | - | - | - | 9-50427-0 | 1-22167-6 | 43330-3 | 3-227079-0 | |
| | | RG-179/U & 187/U | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 22732-2 | 227074-2 | 2-227079-2 | |
| SUPERSEDED BY 2-227079-2 | RG-179/U & 187/U | | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 22732-2 | 43330-6 | 2-227079-1 | |
| SUPERSEDED BY 2-5227079-0 | RG-179/U & 187/U | | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 9-22732-1 | 43330-6 | 2-227079-0 | |
| | | BELDEN 8218, AMPHENOL 21-597 & BELDEN NH SPECIAL | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-32941-0 | 2-22167-2 | 43330-5 | 1-227079-9 | |
| SUPERSEDED BY 1-227079-9 | BELDEN 8218, AMPHENOL 21-597 & BELDEN NH SPECIAL | | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-32941-0 | 2-22167-1 | 43330-5 | 1-227079-8 | |
| | OBsolete | BELDEN 8218, AMPHENOL 21-597 & BELDEN NH SPECIAL | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-32941-0 | 9-22167-3 | 43330-5 | 1-227079-7 | |
| SUPERSEDED BY 1-5227079-6 | RG-174/U & 188/U | | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 22732-2 | 227074-2 | 1-227079-6 | |
| SUPERSEDED BY 1-227079-6 | RG-174/U & 188/U | | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 22732-2 | 43330-6 | 1-227079-5 | |
| | OBsolete | RG-174/U & 188/U | 220217-3 | 220210-1 | 22009-5 | A | 1.090 | - | 227194-1 | - | 9-32866-0 | 9-22732-0 | 43330-6 | 1-227079-4 | |
| | OBsolete | BELDEN 9266 | - | 220189-5 | - | A | 1.090 | - | - | - | 9-50428-0 | 22160-7-5 | 43330-2 | 1-227079-3 | |
| | OBsolete | RG-71/U & 71A/U | 220217-2 | 220189-2 | 220187-2 | B | 1.090 | - | - | 227423-1 | 1-32946-1 | 22160-7-8 | 43330-2 | 1-227079-2 | |
| | | RG-59/U, 59A/U & 59B/U | | | | A | | | | | | | | | |
| | | RG-62/U, 62A/U & 62B/U | | 220217-2 | 220189-2 | 220187-2 | B | 1.090 | - | 227423-1 | 9-50428-0 | 22160-7-8 | 43330-2 | 1-227079-1 | |
| | | | | | | B | 1.090 | - | - | 227423-1 | 9-50428-0 | 22160-7-8 | 43330-2 | 1-227079-1 | |
| SUPERSEDED BY 227079-6 | RG-55/U, 55A/U, 55B/U, & 223/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.280 | - | - | - | 9-22532-0 | 22160-7-7 | 227074-1 | 1-227079-0 | |
| | | RG-58/U, 58A/U, 58B/U, 58C/U & 141/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 22160-7-7 | 227074-1 | 227079-9 |
| | | RG-59/U, 59A/U & 59B/U | | 220217-2 | 220189-2 | 220187-2 | A | | | | | | | | |
| | | RG-62/U, 62A/U & 62B/U | | | | B | 1.090 | - | - | 227423-1 | 9-50428-0 | 22160-7-6 | 227080-1 | 227079-7 | |
| | | | | | | B | 1.090 | - | - | 227423-1 | 9-50428-0 | 22160-7-6 | 227080-1 | 227079-7 | |
| | | RG-55/U, 55A/U, 55B/U, & 223/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.280 | - | - | - | 9-22532-0 | 22160-7-5 | 227074-1 | 227079-6 |
| | | RG-58/U, 58A/U, 58B/U, 58C/U & 141/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 22160-7-5 | 227074-1 | 227079-5 |
| OBsolete | RG-71/U & 71A/U | | 220217-2 | 220189-2 | 220187-2 | B | 1.090 | - | - | 227423-1 | 1-32946-1 | 9-22160-7-1 | 43330-2 | 227079-4 | |
| OBsolete | RG-59/U, 59A/U & 59B/U | | | | | A | | | | | | | | | |
| | | RG-62/U, 62A/U & 62B/U | | 220217-2 | 220189-2 | 220187-2 | B | 1.090 | - | 227423-1 | 9-50428-0 | 9-22160-7-1 | 43330-2 | 227079-3 | |
| SUPERSEDED BY 227079-6 | RG-55/U, 55A/U, 55B/U, & 223/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.280 | - | - | - | 9-22532-0 | 9-22160-7-0 | 227074-1 | 227079-2 | |
| OBsolete | RG-58/U, 58A/U, 58B/U, 58C/U & 141/U | | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 9-22160-7-0 | 227074-1 | 227079-1 | |

| | | | | | | |
|---|---|-----------------------------|---|--------------------|------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN D.LAMAN 10-9-89 | TE Connectivity | | | |
| DIMENSIONS: INCHES | | CHK R.E.RUTH 10/27/89 | | | | |
|  | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD J. GIBBS 11/06/89 | | | |
| | 0 PLC \pm - | | PRODUCT SPEC | | | |
| | 1 PLC \pm - | | 108-12044 | | | |
| | 2 PLC \pm - | | APPLICATION SPEC | | | |
| | 3 PLC \pm .016 | | — | | | |
| 4 PLC \pm - | | — | | | | |
| ANGLES \pm - | | — | NAME PLUG, COMMERCIAL, BNC | | | |
| MATERIAL — | FINISH — | WEIGHT — | | | | |
| CUSTOMER DRAWING | | | SIZE A1 | CAGE CODE 00779 | DRAWING NO C-227079 | RESTRICTED TO — |
| | | | SCALE 4:1 | SHEET 1 OF 2 | REV AV4 | |

| | | | | | | | | | | | | | | |
|---------------------------|--|-------------|----------|----------|----------|-------|-------|----------|----------|------------|------------|------------|------------|------------|
| OBSOLETE | BELDEN 9907 | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 1-221607-6 | 227074-1 | 9-227079-4 | |
| △ OBSOLETE | HI-TEMP RG62A/U, TIMES PL62, BERK-TEK BTDC 62 & BELDEN 89269 | 220217-2 | 220189-2 | 220187-2 | B | 1.312 | - | - | 227423-1 | 9-228784-0 | 221607-6 | 413530-2 | 9-227079-3 | |
| △ OBSOLETE | BELDEN 8218, AMPHENOL 21-597 AND BELDEN NH SPECIAL | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-329461-0 | 2-221607-2 | 413530-5 | 9-227079-2 | |
| OBSOLETE | BELDEN YR40862 | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 2-221607-8 | 227074-1 | 9-227079-1 | |
| OBSOLETE | C&M 17189 | 220217-3 | 220210-1 | 220009-5 | A | 1.090 | - | 414932-2 | - | 9-328666-0 | 227322-8 | 227074-2 | 9-227079-0 | |
| OBSOLETE | BELDEN 9907 AND RG-141A/U | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 1-221607-6 | 227074-1 | 8-227079-9 | |
| OBSOLETE | CUSTOM CABLE: C/C=Φ.014, DIELECTRIC=Φ.062, JACKET=Φ.103 | - | 220210-1 | - | A | 1.090 | - | 227194-1 | - | 9-328666-0 | 1-227322-4 | 413530-6 | 8-227079-8 | |
| OBSOLETE | BELDEN 9266 | - | 220189-5 | - | A | 1.090 | - | - | - | 9-50428-0 | 221607-5 | 413530-2 | 8-227079-7 | |
| OBSOLETE | BELDEN 89907 | - | 318452-2 | - | A | 1.312 | - | - | - | 9-228783-0 | 1-221607-6 | 227074-1 | 8-227079-6 | |
| OBSOLETE | RG-59/U, 59A/U, 59B/U | 220217-2 | 220189-2 | 220187-2 | A | 1.090 | - | - | 227423-1 | 9-50428-0 | 9-221607-1 | 413530-2 | 8-227079-5 | |
| OBSOLETE | RG-62/U, 62A/U, 62B/U | - | 58330-1 | 69477-4 | A | - | - | 227194-1 | - | 9-329049-0 | 227322-8 | 413530-6 | 8-227079-2 | |
| OBSOLETE | RG-58/U,58A/U,58B/U,58C/U AND 141/U | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 221607-5 | 227074-1 | 8-227079-4 | |
| OBSOLETE | BELDEN 9555 | - | 220189-2 | 220187-2 | A | 1.090 | - | - | - | 9-50428-0 | 221607-6 | 413530-2 | 8-227079-3 | |
| OBSOLETE | RG-188 DOUBLE BRAID AND RG-316 DOUBLE BRAID | - | 58330-1 | 69477-4 | A | - | - | 227194-1 | - | 9-329049-0 | 227322-8 | 413530-6 | 8-227079-2 | |
| △ A | RG-59/U,59A/U AND 59B/U | 220217-2 | 220189-2 | 220187-2 | A | 1.090 | - | - | 227423-1 | 9-50428-0 | 221607-6 | 413530-2 | 8-227079-1 | |
| △ A | RG-62/U,62A/U AND 62B/U | - | 58330-2 | 69477-4 | A | 1.090 | - | - | - | 9-50427-1 | 221607-5 | 227074-1 | 8-227079-0 | |
| OBSOLETE | GORE CXN1426A | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-329049-0 | 1-221607-6 | 413530-5 | 7-227079-9 | |
| OBSOLETE | SPECIAL CUSTOMER CABLE-110 OHM LOW NOISE | - | 58086-1 | - | A | 1.090 | - | - | - | 9-50427-0 | 2-221607-6 | 413530-3 | 7-227079-7 | |
| OBSOLETE | BELDEN 88241,TIMES PL62,BERK-TEK BTDC 59 AND BTDC 62 | 220217-2 | 220189-2 | 220187-2 | A | 1.312 | - | - | 227423-1 | 9-228784-0 | 221607-8 | 413530-2 | 7-227079-6 | |
| OBSOLETE | BELDEN 88240, AND BERK-TEK BTDC-58 | 220217-1 | 220189-1 | 220187-1 | A | 1.312 | - | - | - | 9-228783-0 | 221607-5 | 227074-1 | 7-227079-5 | |
| OBSOLETE | RG-62/U,62A/U AND 62B/U | 220217-2 | 220189-2 | 220187-2 | B | 1.090 | - | - | 227423-1 | 9-50428-0 | 9-221607-1 | 413530-2 | 7-227079-4 | |
| OBSOLETE | RG-59/U,59A/U AND 59B/U | 220217-2 | 220189-2 | 220187-2 | A | 1.090 | - | - | - | 9-50427-1 | 9-221607-0 | 227074-1 | 7-227079-3 | |
| OBSOLETE | RG-58/U,58A/U,58B/U,58C/U AND 141/U | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 221607-8 | 413530-2 | 7-227079-2 | |
| OBSOLETE | BELDEN 9275 | - | 220189-5 | - | A | 1.090 | - | - | - | 9-50428-1 | 9-221607-0 | 413530-2 | 7-227079-0 | |
| OBSOLETE | C & M COAXIAL Q-81-13059 | - | 58330-1 | 69477-4 | A | 1.090 | - | 227194-1 | - | 9-329461-0 | 227322-8 | 413530-6 | 6-227079-9 | |
| SUPERSEDED BY 6-5227079-8 | BELDEN 89907 | - | 318452-2 | - | A | 1.312 | - | - | - | 9-228783-0 | 1-221607-6 | 227074-1 | 6-227079-8 | |
| SUPERSEDED BY 6-5227079-5 | BELDEN 9907 AND RG-141A/U | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 1-221607-6 | 227074-1 | 6-227079-7 | |
| B | OBSOLETE | BELDEN 9907 | 220217-1 | 220189-1 | 220187-1 | A | 1.090 | - | - | - | 9-50427-1 | 1-221607-6 | 227074-1 | 6-227079-4 |
| OBSOLETE | RG-180/U,180A/U,180B/U AND 195/U | - | 58330-1 | 69477-4 | A | 1.090 | - | - | - | 9-329461-0 | 2-221607-4 | 413530-5 | 6-227079-3 | |
| SUPERSEDED BY 6-5227079-1 | RG-142/U,142A/U, AND 142B/U | 220217-1 | 220189-1 | 220187-1 | A | 1.280 | - | - | - | 9-225382-0 | 1-221607-7 | 227074-1 | 6-227079-2 | |
| OBSOLETE | RG-142/U,142A/U, AND 142B/U | 220217-1 | 220189-1 | 220187-1 | A | 1.280 | - | - | - | 9-225382-0 | 1-221607-6 | 227074-1 | 6-227079-1 | |
| OBSOLETE | RG-174/U (SPECIAL APPLICATION) | - | - | - | A | 1.090 | - | 227194-1 | - | 9-50427-1 | 227322-8 | 413530-6 | 5-227079-9 | |
| OBSOLETE | BELDEN 8281 | - | - | 220043-1 | A | 1.250 | - | - | - | 9-50427-2 | 221607-5 | 413530-3 | 5-227079-8 | |
| SUPERSEDED BY 1-227079-1 | RG-59U,59A/U AND 59B/U | 220217-2 | 220189-2 | 220187-2 | A | 1.090 | - | - | - | 9-50428-0 | 221607-8 | 413530-2 | 5-227079-7 | |
| OBSOLETE | C & M COAXIAL 6P267B33TC20PC055520 | - | - | - | A | 1.090 | - | 227194-1 | - | 9-329049-1 | 9-227322-0 | 413530-6 | 5-227079-6 | |
| OBSOLETE | RC-174/U AND 188/U TYPE (SPECIAL) | - | 58330-1 | 69477-4 | - | - | - | 227194-1 | - | - | 227322-8 | 413530-6 | 5-227079-5 | |
| OBSOLETE | BELDEN 8281 | 220088-1 | 220189-6 | 220043-1 | A | 1.250 | - | - | - | 9-50427-2 | 221607-7 | 413530-3 | 5-227079-4 | |
| SUPERSEDED | HI TEMP RG-59/U,TIMES PL59 AND PLF59 | - | 220189-5 | - | A | 1.312 | - | - | - | 9-228784-0 | 221607-5 | 413530-2 | 5-227079-3 | |
| OBSOLETE | HI TEMP RG-59/U,TIMES PL59 AND PLF59 | - | 220189-5 | - | A | 1.312 | - | - | - | 9-228784-0 | 221607-7 | 413530-2 | 5-227079-2 | |
| OBSOLETE | TIMES MI-2040 DBL BRAIDED RG-59/U | - | - | 59894-1 | A | 1.187 | - | - | - | 9-50427-0 | 1-221607-4 | 413530-2 | 5-227079-0 | |
| OBSOLETE | HI TEMP RG62A/U, TIMES PL62, BERK-TEK BTDC 62 & BELDEN 89269 | 220217-2 | 220189-2 | 220187-2 | B | 1.312 | - | - | 227423-1 | 9-228784-0 | 221607-6 | 413530-2 | 4-227079-9 | |
| OBSOLETE | BELDEN 88241,BERK-TEK BTDC 59 | 220217-2 | 220189-2 | 220187-2 | A | 1.312 | - | - | - | 9-228784-0 | 221607-8 | 413530-2 | 4-227079-8 | |
| OBSOLETE | HI TEMP RG-62A/U,TIMES PL62,BERK-TEK BTDC 62 | 220217-2 | 220189-2 | 220187-2 | B | 1.312 | - | - | 227423-1 | 9-228784-0 | 221607-8 | 413530-2 | 4-227079-7 | |
| OBSOLETE | BELDEN 88241,BERK-TEK BTDC 59 | 220217-2 | 220189-2 | 220187-2 | A | 1.312 | - | - | - | 9-228783-0 | 221607-5 | 227074-1 | 4-227079-3 | |
| OBSOLETE | BELDEN 88240 AND BERK-TEK BTDC-58 | 220217-1 | 318452-2 | - | A | 1.312 | - | - | - | 9-228783-0 | 221607-7 | 227074-1 | 4-227079-2 | |
| OBSOLETE | BELDEN 882 | | | | | | | | | | | | | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-227079-2](#)