






KEYING OPTION "B"
1438082-2 




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics Corporation IT IS SUBJECT TO THE TERMS AND CONDITIONS OF THE ASSOCIATING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION		DWN R. VESTAL 01AUG2003 CHN D. STRAUSSER 01AUG2003 APVD D. STRAUSSER 01AUG2003		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±°		46 Way PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL SEE TABLE		FINISH SEE TABLE		SIZE CAGE CODE DRAWING NO RESTRICTED TO A 101779 C=1438082 -	
WEIGHT -				CUSTOMER DRAWING	
SCALE 4:1				SHEET 1 OF 5 REV \$1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

	45	43			39	37	36	35			31					24					18	17	16		14	13	12			9		7	6			2	1	9-1438082-7	2LIT-14A464-SD-051								
			42																	20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050							
			42																	20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049							
			42																	20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048						
								35						27																										9-1438082-3	2LIT-14A464-SD-047						
	45	43					36	35			32	31				24		21		19	18	17	16		14	12						7	6					1	9-1438082-1	2LIT-14A464-SD-046							
46											31																													9-1438082-0	2LIT-14A464-SD-045						
											31					24							16									8					3	2		8-1438082-9	2LIT-14A464-SD-044						
														27																										8-1438082-8	2LIT-14A464-SD-043						
	45	44	43	42		40		38	37	36		33	31		29																	9	8					3		8-1438082-7	2LIT-14A464-SD-042						
	45	44	43	42		40		38	37	36		33	31		29																		9	8					2		8-1438082-6	2LIT-14A464-SD-041					
46												31																													8-1438082-5	2LIT-14A464-SD-040					
			43	42			39		37											20	19	18						11	10	9								2	1	8-1438082-4	2LIT-14A464-SD-039						
			43									31		29								18																		8-1438082-3	2LIT-14A464-SD-038						
	45	44	43	42		40		38	37	36		33	31		29																		9	8					2		8-1438082-0	2LIT-14A464-SD-037					
	45		43							36	35					31							16		14	12							7	6				2	1	7-1438082-9	2LIT-14A464-SD-036						
	45		43							36	35					31							16		14	12							7	6				2	1	7-1438082-8	2LIT-14A464-SD-035						
			43	42			39	38	37				32										16						10	9											7-1438082-5	2LIT-14A464-SD-034					
	45	44	43	42		40		38	37	36		33	31		29																		9	8					2		7-1438082-4	2LIT-14A464-SD-033					
	45	44	43	42		40		38	37	36		33	31																					9	8					2		7-1438082-3	2LIT-14A464-SD-032				
						40								29																				9							6-1438082-6	2LIT-14A464-SD-031					
																																									6-1438082-3	2LIT-14A464-SD-030					
																																									6-1438082-2	2LIT-14A464-SD-029					
																																									6-1438082-1	2LIT-14A464-SD-028					
															29	28			25					18		16															5-1438082-6	2LIT-14A464-SD-027					
															29	28			25						16																5-1438082-5	2LIT-14A464-SD-026					
															30	29									16																	5-1438082-2	2LIT-14A464-SD-025				
			43	42			39		37																15	14			11	10	9	8	7				4	3	2	1	5-1438082-0	2LIT-14A464-SD-024					
			42																						15	14			11	10	9	8	7					4	3		1	4-1438082-9	2LIT-14A464-SD-023				
			43	42			39		37																				11	10	9								2	1	4-1438082-8	2LIT-14A464-SD-022					
			42																										11	10	9									1	4-1438082-7	2LIT-14A464-SD-021					
			43	42			39		37																				11	10	9									2	4-1438082-2	2LIT-14A464-SD-020					
	45	43						36	35				31												14	12									7	6				2	1	4-1438082-0	2LIT-14A464-SD-019				
			43	42			39		37																	15	14		11	10	9	8	7				4	3	2		3-1438082-8	2LIT-14A464-SD-018					
			42																							15	14		11	10	9	8	7					4	3			3-1438082-7	2LIT-14A464-SD-017				
			43	42			39		37																				11	10	9									2		3-1438082-6	2LIT-14A464-SD-016				
			42																										11	10	9											3-1438082-5	2LIT-14A464-SD-015				
	45	43				39		37	36	35			31													14	13	12								9		7	6			2	1	3-1438082-4	2LIT-14A464-SD-014		
	45	43				39		37	36	35		33	31													14	13	12										9		7	6			2	1	3-1438082-3	2LIT-14A464-SD-013
	45	43							36	35				31												14	12															2	1	3-1438082-2	2LIT-14A464-SD-012		
			42																							15	14	13			10	9	8	7					4	3			3-1438082-1	2LIT-14A464-SD-011			
			43	42			39		37																		13			10	9											2		3-1438082-0	2LIT-14A464-SD-010		
			42																								13			10	9													2-1438082-9	2LIT-14A464-SD-009		
			43	42			39		37																					10	9	8	7					4	3	2			2-1438082-5	2LIT-14A464-SD-008			
	45					3																																									

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32						22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																		
		44							35		32													12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																		
									35																									6-1438735-2	2LIT-14A464-SD-084																	
			43	42		40	39	37					29					20	18		15	14		11	10	9	8	7		4	3	1	6-1438735-1	2LIT-14A464-SD-083																		
45		43						38	36		31						25	24				18	17	16	14	12			7	6		2	1	5-1438735-0	2LIT-14A464-SD-082																	
45		43						38	36		31						25	24						16	14	12			7	6		2	1	4-1438735-9	2LIT-14A464-SD-081																	
45		43						38	36		32	31					25	24		21	19	18	17	16	14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45		43						39	38	37	36						25	24					18	17	16	14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079															
				42																20	18				13	11	10						2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18				13	11	10							1	3-1438735-7	2LIT-14A464-SD-077																	
45		43						39	38	37	36						25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076															
45		43									31						25	24		21	20	19	18	17		14	12						2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39	37					29							20	18		15	14		11	10	9	8	7		4	3	2	1	3-1438735-3	2LIT-14A464-SD-074															
45		43						39	38	37	36						25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073															
45		43									31						25	24		21	20	19	18	17	16	14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072															
45		43						39	38	37	36						25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45		43									31						25	24		21	20	19			16	14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070															
45		43						39	38	37	36						25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069															
45		43									31						25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068															
											33														13										2-1438735-5	2LIT-14A464-SD-067																
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8				2	1	2-1438735-4	2LIT-14A464-SD-066															
		43										31		29								18							8					2	1	2-1438735-1	2LIT-14A464-SD-065															
45		43									31						25	24		21					16	14	12			7	6			2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43						39	38	37	36	35					25	24					18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063														
45		43									38	36	35		32	31				25	24		21	19	18	17	16	14	12			7	6			1	1-1438735-8	2LIT-14A464-SD-062														
45		43									38	36	35		31					25	24					16	14	12			7	6			2	1	1-1438735-7	2LIT-14A464-SD-061														
45		43									38	36	35		31					25	24		21	19		16	14	12			7	6			2	1	1-1438735-6	2LIT-14A464-SD-060														
45		43									38	36	35		31					25	24				18	17	16	14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059													
45		43						39	38	37	36	35					25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058															
45		43									38	36	35		31					25	24		21	19	18	17	16	14	12			7	6			2	1	1-1438735-3	2LIT-14A464-SD-057													
			42								37									20	18		15	14		11	10	9	8	7		4	3	2	1	1-1438735-2	2LIT-14A464-SD-056															
45		43										36	35		31					24		21	19		16	14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055															
											35									27														3		1-1438735-0	2LIT-14A464-SD-054															
			43									31		29															9	8					2		1438735-9	2LIT-14A464-SD-053														
											35									27										7						1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE A

CAGE CODE 00779

DRAWING NO. C=1438082

RESTRICTED TO -

CUSTOMER DRAWING

SCALE 4:1

SHEET 3 OF 5

REV S 11

Tyco Electronics
Harrisburg, PA 17105-3608

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1438082-5](#)