

			L								
											D
		3.	125	.318	.184	.100	1	2	4-873	48 - 3	
/		2			4.840	4.000	40	40	4-	-2	
	OBSOLETE				4.840	4.000	40	40	4-	— 1	
					3.984	3.900	39	40	4-	-0	
					3.884	3.800	38	39	3-	-9	
					3.784	3.700	37	38	3-	-8	
					3.684	3.600	36	37	3-	-7	
					3.584	3.500	35	36	3-	-6	
					3.484	3.400	34	35	3—	-5	
					3.384	3.300	33	34	3—	-4	
					3.284	3.200	32	33	3—	-3 -2	
					3.184	3.100	31	32	3-		
					3.840	3.000	30	31	3-	— 1	
					2.984	2.900	29	30	3-	-0	
					2.884	2.800	28	29	2-	-9	С
					2.784	2.700	27	28	2-	-8 -7	
					2.684	2.600	26	27	2-	7	
					2.584	2.500	25	26	2-	-6	
					2.484	2.400	24	25	2-	-5	
					2.384	2.300	23	24	2-	-4	
					2.284	2.200	22	23	2-	-3	
						2.100	21	22	2-	-2	
					2.084	2.000	20	21	2-	1	
					1.984	1.900	19	20	2-	-0	
					1.884	1.800	18	19	1-	-9	
					1.784	1.700	17	18	1—	-8	
					1.684	1.600	16	17	1—	-7	
					1.584	1.500	15	16	1-	-6	
					1.484	1.400	14	15	1-	-5	
					1.384	1.300	13	14	1—	-4	348
					1.284	1.200	12	13	1—	-3	87
					1.184	1.100	1 1	12	1—	-2	R
					1.840	1.000	10	11	1—	1	D
					.984	.900	9	10	1—	-0	
					.884	.800	8	9		-9	
					.784	.700	7	8		-8	
					.684	.600	6	7		-7	
					.584	.500	5	6		-6	
					.484	.400	4	5		-5	
					.384	.300	3	4			
					.284	.200	2	3		-3	
					.184	.100	1	2		-2	
		<u>/2</u> ·	125	.318	.084	0	0	1	873	548-1	
FOR ND FREE		FINISH	E	D	С	В	A	NO OF POS	ASSEN PAF NUMI	RT	
	THIS DRAWING IS A	CONTROLLED DOCUMENT.	dwn K HELM								
	DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK R. FEIDT APVD R. FEIDT PRODUCT SPEC		6-89	ASSEMBLY, MOD II, HEADER, SINGLE ROW, .100 C/L, VERTICAL, .025 SQ POSTS					А
	INCHES	0 PLC ±1 PLC ± -			6-89 NAME						
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	APPLICATIO	N SPEC		0405 0055 1		_	I		
	MATERIAL	4 PLC ± – ANGLES ± – FINISH				CAGE CODE DRAW			RE	ESTRICTED TO	
	MATERIAL -	SEE TABLE	WEIGHT	_	A2	00779 🕞					
			CUSTON	IER DRAW	ING		SCALE	4:1 SHEE	т 1 оғ 2	K2	

2

DIST

38

LOC

AD

K2 PART STATUS UPDATED IN THE PARTS LIST TABLE 22DEC2015 KJK PS

REVISIONS

DESCRIPTION

4			3	
THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	-,		
C COPYRIGHT – By –	ALL RIGHTS RESERVED.			

D

С

В

А

+	4	.125	.318	3.984	3.900	39	40	9-87	348 -
				3.884	3.800	38	39	8-	<u> </u>
Ť				3.784	3.700	37	38	8-	T –
Ť				3.684	3.600	36	37	8-	
				3.584	3.500	35	36	8-	_
				3.484	3.400	34	35	8-	
-				3.384	3.300	33	34	8-	
-				3.284	3.200	32	33	8-	
-				3.184	3.100	31	32	8-	
+				3.840	3.000	30	31	8— 8—	
+				2.884	2.800	29 28	30	0-	-
+				2.784	2.700	20	29 28	7-	-
÷				2.684	2.600	26	20	7-	-
+				2.584	2.500	25	26	7-	
ł				2.484	2.400	24	25	7-	-
ł				2.384	2.300	23	24	7-	
Ť				2.284	2.200	22	23	7-	_
Ī				2.184	2.100	21	22	7-	-
Ī				2.084	2.000	20	21	7-	-
					1.900	19	20	7-	
					1.800	18	19	6-	
				1.784		17	18	6-	
-				1.684		16	17	6-	
-				1.584		15	16	6-	-
-				1.484	1.400	14	15	6-	-
-				1.284		12	13	6— 6—	
-				1.184		1 1	12	6-	
-				1.840	1.000	10	1 1	6-	
-				.984	.900	9	10	6-	
-				.884	.800	8	9	5-	_
-				.784	.700	7	8	5-	
-				.684	.600	6	7	5-	
				.584	.500	5	6	5-	_
				.484	.400	4	5	5-	
F				.384	.300	3	4	5-	
				.284	.200	2	3	5-	
-			740	.184	.100	1	2	5-	<u> </u>
	4	.125	.318	.084	0	0	1	5-87	348 –
	FINISH	E	D	С	В	A	NO OF	ASSEMBLY PART	
							POS		1BER
THIS DRAWING IS A	CONTROLLED DOCUME	NT. DWN KHE CHK	ĹΜ	6-89		TE	TE C	Connectivity	/
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIE	D: APVD		6-89 6-89 NAME					
INCHES	0 PLC ± -		R. FEIDT PRODUCT SPEC ASSEMBLY, MOD II, HEADER, SINGLE RO .100 C/L, VERTICAL, .025 SQ POSTS						
	$\begin{array}{cccc} 1 & PLC & \pm & -\\ 2 & PLC & \pm & - \end{array}$				.100 C/	L, VERIIC	JAL, .025	SQ PUSIS	2

LOC AD 38

DIST

LTR

\_

2

REVISIONS DESCRIPTION DATE DWN APVD SEE SHEET 1 \_ \_\_\_\_ \_

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 5-87348-1