

## Antenna cable - RAD-CON-SMA-N-SS - 2867403

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Adapter cable, pigtail 120 cm SMA(m) -> N(m)



### Product Features

- Various cables for connecting different antennas



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	58.7 g
Custom tariff number	85442000
Country of origin	United States

### Technical data

#### Dimensions

Fixed cable length	1.2 m
External diameter	2.50 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

#### General

Connection 1	Connector connection
Connection method	Type SMA (male)
Connection 2	Connector connection
Connection method	Type N (female)
Cable type	RG 316
Outer sheath, material	Fluorinated ethylene propylene (FEP)

## Antenna cable - RAD-CON-SMA-N-SS - 2867403

### Technical data

#### General

Minimum bending radius	25.40 mm
Impedance	50 Ω

### Classifications

#### eCl@ss

eCl@ss 4.0	27060805
eCl@ss 4.1	27060805
eCl@ss 5.0	27061805
eCl@ss 5.1	27061805
eCl@ss 6.0	27061805
eCl@ss 7.0	27061805
eCl@ss 8.0	27061802

#### ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 5.0	EC001682

#### UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608
UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121608

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2867403](#)