

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A3	ECR-16-009821	18JUL2016	GK	SD

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2836084-2


FOR REPLACEMENT PARTS FOR APPLICATOR 1385661
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385661

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity					
		CHK	GOPALAKRISHNA HV							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME					
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		STOUGH DALE		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
				PRODUCT SPEC						
				APPLICATION SPEC						
				WEIGHT						
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV A3

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	FIRST USED
1385661-1	A	122500-1
1385661-2	A	565435-5
1385661-3	A	354500-1



TERMINAL NAME: Ø.093 SOCKET						
AMP TERM PN		MFR TERM PN	PAD LTR	MOLEX TERMINAL		AMP CRIMP SPECS
		PIN				
1572331-1		02-09-2101		CRIMP HEIGHT		WIRE SIZE
1572331-2		02-09-6100	A	.071 ±.002 [1.8 ±0.05mm]		14
1572331-3		02-09-6101	B	.058 ±.002 [1.47 ±0.05mm]		16
			C	.051 ±.002 [1.29 ±0.05mm]		18
			D	.046 ±.002 [1.17 ±0.05mm]		20
SOCKET						
1572332-1		02-09-1102		CRIMP	SIZE	TYPE
1572332-2		02-09-5100				RANGE
1572332-3		02-09-5102		WIRE	.080 [2.03mm]	F
1572332-4		02-09-1205				20-14
1572332-5		02-09-5169		INSUL	.130 [3.3mm]	F
						Ø.065-.161
WIRE STRIP LENGTH		TERM APPL	SPEC	FEED	APPL INSTRUCTION	SET UP GAGE
.156-.188		NONE		.498	408-8040	L2888
						458637-1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1385661-2](#)