

	2	1	
		REVISIONS	
	AD 00 P LTR	DESCRIPTION	DATE DWN APVD
	A2	REVISED PER ECO-11-004917	11MAR11 RK HMR
2 TYP YP	 FOR ADDITIONAL SPECIFICATI SPEC 108-7532. SWITCH SHOWN IN OPEN PO 3. ALL CHARACTERS AND ROCKI IS BLUE. 	OSITION. ERS ARE WHITE, HOUSING	
5±.010 <u>5</u>	4. STAMPING WILL VARY ON 2 Due to space restriction		
<u> </u>	5.315 DIMENSION APPLIES AT TERMINALS ARE .300 +.010 000) AT MOUNTING SURFACE.	
F	6 ALL MATERIALS AND FINISHE DIRECTIVE 2002 /95/EC OF		
	A MATERIAL: HOUSING AND RC CONTACT & SOLE		YC
	8 FINISH: CONTACT – GOLD C SOLDER LEAD – TIN	VER NICKEL J OVER NICKEL	
) obsolete parts: obsolete o	IS STREAMLINING PER D.REN	IAUD/D.SINISI

	<u>)</u> 0	BSOLETE	FIG	7		.58	5	8-5435668-7	00
						.58	5	3-5435668-5	668
						.48	4	3-5435668-4	43566
						.38	3	3-5435668-3	11 -
		BSOLETE			FIG 1	1.28	12	3-5435668-2	E
		BSOLETE				1.18		3-5435668-1	
						1.08	10	3-5435668-0	
		BSOLETE				.98	9	2-5435668-9	
						.88	8	2-5435668-8	
						.78	7	2-5435668-7	
			FIG	2		.28	2	2-5435668-6	
				~		.68	6	2-5435668-5	
						1.08	10	5435668-9	
						.88	8	5435668-7	
						.68	6	5435668-5	
						.58	5	5435668-4	
						.48	4	5435668-3	
		BSOLETE				.28	2	-5435668-1	
			MARKI	NG	SEALING TAPE	А	NO OF POSN	PART NO	
THIS DRAWING IS A CO		DWN BSV CHK	08JAN05 –			TE	TE	Connectivity	
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	_	NAME					
	0 PLC ± - 1 PLC ± -	PRODUCT SPEC					SY, DIP, T SPST I ON	W PROFILE	
$\bigcirc \square$	2 PLC ± - 3 PLC ± .005		0	-	, 100	0211120,	01 01, 20		
↓ · · · ·	4 PLC ± - ANGLES ± -	_		SIZE	CAGE CODE DRA	WING NO		RESTRICTED TO	
	FINISH	WEIGHT	_	A2	00779 C	- 54356	568	_	
$\angle 7 $	<u> </u>	CUSTOMER	DRAWING	· · · ·		SCAL	E / · 1 SH		1

$\begin{pmatrix} 1 \end{pmatrix}$	2	3	4	5	6
	\square	\square	\square	\square	$\square \parallel$
			$\left - \right $		\square
	$\left \right $		$\left - \right $		\vdash
OF	F				






FIG 7

D

С

В

Z								
L	_OC	DIST			REVISIONS			
,	AD	00	Р	LTR	DESCRIPTION	DATE	DWN	APVD
_				_	SEE SHEET 1	_	—	_

D

С

В

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 08JAN05 BSV	TE Connectivity	
	1	СНК —		А
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	NAME	
INCHES		_	SWITCH ASSY, DIP, TYPE C,	
	0 PLC ± -	PRODUCT SPEC		
	1 PLC ± - 2 PLC ± -	_	7100 SERIES, SPST, LOW PROFILE	
	3 PLC ± .005	APPLICATION SPEC	-	
	4 PLC ± - ANGLES ± -	_	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	A2 00779 C- 5435668 -	
		CUSTOMER DRAWING	SCALE 4:1 SHEET 2 OF 2 A2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 3-5435668-3