

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018645](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Daughter Card Module Installation Press-In Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	800756963730
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents

ATS-622018645, TM-622018799



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123](#) Series

Use With

Impact Daughtercard Signal Module, [76160](#) Series

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm [1703401016](#)

Plus 4 Pair, Right-Angle Daughtercard, Unguided, 16 Columns, 192 Circuits, Plated Through Hole Dimension 0.46mm, Lead Free

Impact 85 Ohm [1703401026](#)

Plus 4 Pair, Right-Angle Daughtercard, Unguided, 16 Columns, 192 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free

Impact 85 Ohm Plus 1703403026

4 Pair, Right-Angle
Daughtercard, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus 1703405026

4 Pair, Right-Angle
Daughtercard, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 761601016

4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761601026

4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603016

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761603026

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603126

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761605016
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605026
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605126
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 765001604
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765001607
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001608
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001617
4 Pair RAM Right-
Angle Header,

Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001618
4 Pair RAM Right-
Angle Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001627
4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001628
4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765003607
4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765003608
4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765005607
4 Pair RAM Right-

Angle Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [765005608](#)

4 Pair RAM Right-
Angle Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [765005618](#)

4 Pair RAM Right-
Angle Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm [765007607](#)

4 Pair RAM Right-
Angle Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [765007608](#)

4 Pair RAM Right-
Angle Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [765009608](#)

4 Pair RAM Right-
Angle Header, Right
Guided, Left Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 03/27/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION