

Data cable - PSM-KAD 9 SUB 25/BS - 2761295

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter cable, 9-pos. D-SUB socket to 25-pos. D-SUB male

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 064648
Weight per Piece (excluding packing)	63.78 g
Custom tariff number	85444290
Country of origin	Germany

Technical data

Dimensions

Fixed cable length	0.15 m
--------------------	--------

General

Connection 1	D-SUB connection
Connection method	D-SUB-9 female connector
Number of positions	9
Connection 2	D-SUB connection
Connection method	D-SUB-25 male connector
Number of positions	25
Pin assignment	1-8, 2-3, 3-2, 4-20, 5-7, 6-6, 7-4, 8-5, 9-22 [D-SUB 9 - D-SUB 25]

Classifications

eCl@ss

eCl@ss 4.0	27250312
eCl@ss 4.1	27250312

Data cable - PSM-KAD 9 SUB 25/BS - 2761295

Classifications

eCl@ss

eCl@ss 5.0	27242208
eCl@ss 5.1	27242208
eCl@ss 6.0	27242208
eCl@ss 7.0	27242208
eCl@ss 8.0	27249205

ETIM

ETIM 2.0	EC000310
ETIM 3.0	EC000310
ETIM 4.0	EC000310
ETIM 5.0	EC001408

UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	43201553

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2761295](#)