

9

8

7

6

5

4

3

2

1

NOTES:

1. MATERIAL:

HOUSING: LCP, GLASS-FILLED, UL94V-0,
COLOR: BLACK

TERMINAL: COPPER ALLOY 0.64mm SQ

2. PLATING TYPE:

(1) GOLD FLASH OVER

50 MICRO INCHES MIN. NICKEL OVERALL.

(2) 1 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.

(3) 10 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.

(4) 15 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.

(5) 30 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.

(6) 100 MICRO INCHES MIN. TIN IN SELECTED AREA OVER
50 MICRO INCHES MIN. NICKEL OVERALL.

3. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION

4. THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

5. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.



△6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION
IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN
BODY IS NOT ACCEPTABLE

7. RECOMMENDED PCB THICKNESS = 1.60±0.10mm




8. THE ABOVE CKT 14 IS FOR ILLUSTRATION PURPOSE ONLY


9. PRODUCT SPECIFICATION: PS-87920-019

10.PACKAGING SPECIFICAITON: PK-89990-519



RECOMMENDED PCB HOLE LAYOUT



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX				molex					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 614341 DRWN: VNANDAM CHK'D: SCS02 APPR: ISHWARG 2019/03/04 2019/03/25 2019/03/25 CUSTOMER HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A PRODUCT CUSTOMER DRAWING									
										MM		INCH	
4 PLACES	±		±										
3 PLACES	±		±										
2 PLACES	±	0.2	±										
1 PLACE	±		±										
0 PLACES	±		±										
ANGULAR TOL				± 3.0 °		DOCUMENT NUMBER SD-87911-015 DOC TYPE PSD DOC PART 001 REVISION C							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		87911		SEE TABLE		GENERAL MARKET		1 OF 9	

DOCUMENT STATUS

P1

RELEASE DATE

2019/03/25

11:37:01

FORMAT: Mef-lega-master-ib-prod-A3

REVISION: D

DATE: 2018/01/18

9

8

7

6


5

4

3


2

1



PART IN TUBE ORIENTATION

[illegible]

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX			molex								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 614341			CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A								
		MM	INCH												
4 PLACES		±	±	DRWN: VNANDAM			2019/03/04								
3 PLACES		±	±	CHK'D: SCS02			2019/03/25								
2 PLACES		±	0.2	±	APPR: ISHWARG			2019/03/25							
1 PLACE		±	±	INITIAL REVISION:			DOCUMENT NUMBER SD-87911-015 DOC TYPE PSD DOC PART 001 REVISION C								
0 PLACES		±	±	DRWN: KSEE									2004/11/30		
ANGULAR TOL ± 3.0°				APPR: SCLOW									2004/12/16		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87911		SEE TABLE		GENERAL MARKET		2 OF 9	

DOCUMENT STATUS	P1	RELEASE DATE	2019/03/25	11:37:01
-----------------	----	--------------	------------	----------

9		8		7		6		5		4		3		2		1								
PACKAGING OPTION PART NO.							DIMENSION					PACKAGING OPTION PART NO.							DIMENSION					
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E	TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E	
									M	P											M	P		
E	-----	87911-0801	-----	-----	8	-----	1	10.16	7.62	5.84	2.29	1.52	-----	87911-1401	-----	-----	14	-----	1	17.78	15.24	5.84	2.29	1.52
	-----	87911-0802	-----	-----	8	-----	2	10.16	7.62	5.84	2.29	1.52	-----	87911-1402	-----	-----	14	-----	2	17.78	15.24	5.84	2.29	1.52
	-----	87911-0803	-----	-----	8	-----	3	10.16	7.62	5.84	2.29	1.52	-----	87911-1403	-----	-----	14	-----	3	17.78	15.24	5.84	2.29	1.52
	-----	87911-0804	-----	-----	8	-----	4	10.16	7.62	5.84	2.29	1.52	-----	87911-1404	-----	-----	14	-----	4	17.78	15.24	5.84	2.29	1.52
	-----	87911-0805	-----	-----	8	-----	5	10.16	7.62	5.84	2.29	1.52	-----	87911-1405	-----	-----	14	-----	5	17.78	15.24	5.84	2.29	1.52
	-----	87911-0806	-----	-----	8	-----	6	10.16	7.62	5.84	2.29	1.52	-----	87911-1406	-----	-----	14	-----	6	17.78	15.24	5.84	2.29	1.52
	-----	87911-0807	-----	-----	8	-----	1	10.16	7.62	8.13	2.79	2.61	-----	87911-1407	-----	-----	14	-----	1	17.78	15.24	8.13	2.79	2.61
	-----	87911-0808	-----	-----	8	-----	2	10.16	7.62	8.13	2.79	2.61	-----	87911-1408	-----	-----	14	-----	2	17.78	15.24	8.13	2.79	2.61
	-----	87911-0809	-----	-----	8	-----	3	10.16	7.62	8.13	2.79	2.61	-----	87911-1409	-----	-----	14	-----	3	17.78	15.24	8.13	2.79	2.61
	-----	87911-0811	-----	-----	8	-----	1	10.16	7.62	6.10	3.18	2.27	-----	87911-1411	-----	-----	14	-----	1	17.78	15.24	6.10	3.18	2.27
D	-----	87911-0812	-----	-----	8	-----	2	10.16	7.62	6.10	3.18	2.27	-----	87911-1412	-----	-----	14	-----	2	17.78	15.24	6.10	3.18	2.27
	-----	87911-0813	-----	-----	8	-----	3	10.16	7.62	6.10	3.18	2.27	-----	87911-1413	-----	-----	14	-----	3	17.78	15.24	6.10	3.18	2.27
	-----	87911-0800	-----	-----	8	-----	1	10.16	7.62	6.10	2.79	2.29												
	-----	87911-0814	-----	-----	8	-----	1	10.16	7.62	5.80	3.60	1.81	-----	87911-1600	-----	-----	16	-----	5	20.32	17.78	4.00	4.50	1.52
	-----												-----	87911-1601	-----	-----	16	-----	1	20.32	17.78	5.84	2.29	1.52
	-----	87911-1001	-----	-----	10	-----	1	12.70	10.16	5.84	2.29	1.52	-----	87911-1602	-----	-----	16	-----	2	20.32	17.78	5.84	2.29	1.52
	-----	87911-1002	-----	-----	10	-----	2	12.70	10.16	5.84	2.29	1.52	-----	87911-1603	-----	-----	16	-----	3	20.32	17.78	5.84	2.29	1.52
	-----	87911-1003	-----	-----	10	-----	3	12.70	10.16	5.84	2.29	1.52	-----	87911-1604	-----	-----	16	-----	4	20.32	17.78	5.84	2.29	1.52
	-----	87911-1004	-----	-----	10	-----	4	12.70	10.16	5.84	2.29	1.52	-----	87911-1605	-----	-----	16	-----	5	20.32	17.78	5.84	2.29	1.52
	-----	87911-1005	-----	-----	10	-----	5	12.70	10.16	5.84	2.29	1.52	-----	87911-1606	-----	-----	16	-----	6	20.32	17.78	5.84	2.29	1.52
C	-----	87911-1006	-----	-----	10	-----	6	12.70	10.16	5.84	2.29	1.52	-----	87911-1607	-----	-----	16	-----	1	20.32	17.78	8.13	2.79	2.61
	-----	87911-1007	-----	-----	10	-----	1	12.70	10.16	8.13	2.79	2.61	-----	87911-1608	-----	-----	16	-----	2	20.32	17.78	8.13	2.79	2.61
	-----	87911-1008	-----	-----	10	-----	2	12.70	10.16	8.13	2.79	2.61	-----	87911-1609	-----	-----	16	-----	3	20.32	17.78	8.13	2.79	2.61
	-----	87911-1009	-----	-----	10	-----	3	12.70	10.16	8.13	2.79	2.61	-----	87911-1611	-----	-----	16	-----	1	20.32	17.78	6.10	3.18	2.27
	-----	87911-1011	-----	-----	10	-----	1	12.70	10.16	6.10	3.18	2.27	-----	87911-1612	-----	-----	16	-----	2	20.32	17.78	6.10	3.18	2.27
	-----	87911-1012	-----	-----	10	-----	2	12.70	10.16	6.10	3.18	2.27	-----	87911-1613	-----	-----	16	-----	3	20.32	17.78	6.10	3.18	2.27
	-----	87911-1013	-----	-----	10	-----	3	12.70	10.16	6.10	3.18	2.27	-----	87911-1614	-----	-----	16	-----	5	20.32	17.78	3.35	2.34	1.52
	-----	87911-1015	-----	-----	10	-----	5						-----	87911-1615	-----	-----	16	-----	4	20.32	17.78	3.35	2.34	1.52
	87911-1016	-----	-----	-----	10	-----	5	12.70	10.16	2.46	2.46	1.52	-----	-----	-----	87911-1617	16	CKT 3, 4, 7, 8 11 & 12	4	20.32	17.78	6.10	2.00	2.61
	-----	87911-1017	-----	-----	10	-----	5	12.70	10.16	8.80	3.18	2.59												
87911-1019	-----	-----	-----	10	-----	1	12.70	10.16	3.00	10.00	2.12													
B	-----												-----	87911-1801	-----	-----	18	-----	1	22.86	20.32	5.84	2.29	1.52
	-----	87911-1201	-----	-----	12	-----	1	15.24	12.70	5.84	2.29	1.52	-----	87911-1802	-----	-----	18	-----	2	22.86	20.32	5.84	2.29	1.52
	-----	87911-1202	-----	-----	12	-----	2	15.24	12.70	5.84	2.29	1.52	-----	87911-1803	-----	-----	18	-----	3	22.86	20.32	5.84	2.29	1.52
	-----	87911-1203	-----	-----	12	-----	3	15.24	12.70	5.84	2.29	1.52	-----	87911-1804	-----	-----	18	-----	4	22.86	20.32	5.84	2.29	1.52
	-----	87911-1204	-----	-----	12	-----	4	15.24	12.70	5.84	2.29	1.52	-----	87911-1805	-----	-----	18	-----	5	22.86	20.32	5.84	2.29	1.52
	-----	87911-1205	-----	-----	12	-----	5	15.24	12.70	5.84	2.29	1.52	-----	87911-1806	-----	-----	18	-----	6	22.86	20.32	5.84	2.29	1.52
	-----	87911-1206	-----	-----	12	-----	6	15.24	12.70	5.84	2.29	1.52	-----	87911-1807	-----	-----	18	-----	1	22.86	20.32	8.13	2.79	2.61
	-----	87911-1207	-----	-----	12	-----	1	15.24	12.70	8.13	2.79	2.61	-----	87911-1808	-----	-----	18	-----	2	22.86	20.32	8.13	2.79	2.61
	-----	87911-1208	-----	-----	12	-----	2	15.24	12.70	8.13	2.79	2.61	-----	87911-1809	-----	-----	18	-----	3	22.86	20.32	8.13	2.79	2.61
	-----	87911-1209	-----	-----	12	-----	3	15.24	12.70	8.13	2.79	2.61	-----	87911-1811	-----	-----	18	-----	1	22.86	20.32	6.10	3.18	2.27
A	-----	87911-1211	-----	-----	12	-----	1	15.24	12.70	6.10	3.18	2.27	-----	87911-1812	-----	-----	18	-----	2	22.86	20.32	6.10	3.18	2.27
	-----	87911-1212	-----	-----	12	-----	2	15.24	12.70	6.10	3.18	2.27	-----	87911-1813	-----	-----	18	-----	3	22.86	20.32	6.10	3.18	2.27
	-----	87911-1213	-----	-----	12	-----	3	15.24	12.70	6.10	3.18	2.27												
	87911-1215	-----	-----	-----	12	-----	2	15.24	12.70	11.57	4.47	4.43												
DOCUMENT STATUS				P1	RELEASE DATE		2019/03/25		11:37:01															
9		8		7		6		5		4		3		2		1								
9		8		7		6		5		4		3		2		1								

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.2

±

1 PLACE

±

±

0 PLACES

±

±


ANGULAR TOL

±

3.0 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION



DRAWING

A3-SIZE

SERIES

87911

CURRENT REV DESC: REMASTERED IN NX

EC NO: 614341

DRWN: VNANDAM

CHK'D: SCS02

APPR: ISHWARG

2019/03/04

2019/03/25

2019/03/25

INITIAL REVISION:

DRWN: KSEE

APPR: SCLOW

2004/11/30

2004/12/16

DOCUMENT NUMBER

SD-87911-015

DOC TYPE

PSD

DOC PART

001

REVISION

C

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET


SHEET NUMBER

3 OF 9

9				8			7			6		
PACKAGING OPTION PART NO.									DIMENSION			
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E	
									M	P		
E	-----	87911-2001	-----	20	-----	1	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2002	-----	20	-----	2	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2003	-----	20	-----	3	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2004	-----	20	-----	4	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2005	-----	20	-----	5	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2006	-----	20	-----	6	25.40	22.86	5.84	2.29	1.52	
	-----	87911-2007	-----	20	-----	1	25.40	22.86	8.13	2.79	2.61	
	-----	87911-2008	-----	20	-----	2	25.40	22.86	8.13	2.79	2.61	
	-----	87911-2009	-----	20	-----	3	25.40	22.86	8.13	2.79	2.61	
	-----	87911-2011	-----	20	-----	1	25.40	22.86	6.10	3.18	2.27	
D	-----	87911-2012	-----	20	-----	2	25.40	22.86	6.10	3.18	2.27	
	-----	87911-2013	-----	20	-----	3	25.40	22.86	6.10	3.18	2.27	
	-----	87911-2201	-----	22	-----	1	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2202	-----	22	-----	2	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2203	-----	22	-----	3	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2204	-----	22	-----	4	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2205	-----	22	-----	5	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2206	-----	22	-----	6	27.94	25.40	5.84	2.29	1.52	
	-----	87911-2207	-----	22	-----	1	27.94	25.40	8.13	2.79	2.61	
	-----	87911-2208	-----	22	-----	2	27.94	25.40	8.13	2.79	2.61	
C	-----	87911-2209	-----	22	-----	3	27.94	25.40	8.13	2.79	2.61	
	-----	87911-2211	-----	22	-----	1	27.94	25.40	6.10	3.18	2.27	
	-----	87911-2212	-----	22	-----	2	27.94	25.40	6.10	3.18	2.27	
	-----	87911-2213	-----	22	-----	3	27.94	25.40	6.10	3.18	2.27	
	-----	87911-2401	-----	24	-----	1	30.48	27.94	5.84	2.29	1.52	
	-----	87911-2402	-----	24	-----	2	30.48	27.94	5.84	2.29	1.52	
	-----	87911-2403	-----	24	-----	3	30.48	27.94	5.84	2.29	1.52	
	-----	87911-2404	-----	24	-----	4	30.48	27.94	5.84	2.29	1.52	
	-----	87911-2405	-----	24	-----	5	30.48	27.94	5.84	2.29	1.52	
	-----	87911-2406	-----	24	-----	6	30.48	27.94	5.84	2.29	1.52	
B	-----	87911-2407	-----	24	-----	1	30.48	27.94	8.13	2.79	2.61	
	-----	87911-2408	-----	24	-----	2	30.48	27.94	8.13	2.79	2.61	
	-----	87911-2409	-----	24	-----	3	30.48	27.94	8.13	2.79	2.61	
	-----	87911-2411	-----	24	-----	1	30.48	27.94	6.10	3.18	2.27	
	-----	87911-2412	-----	24	-----	2	30.48	27.94	6.10	3.18	2.27	
	-----	87911-2413	-----	24	-----	3	30.48	27.94	6.10	3.18	2.27	
	-----	87911-2414	-----	24	-----	5	30.48	27.94	3.35	2.34	1.52	
	-----	87911-2415	-----	24	-----	4	30.48	27.94	3.35	2.34	1.52	

A				
	DOCUMENT STATUS	P1	RELEASE DATE	2019/03/25 11:37:01

	4			3		2		1			
PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-2601	-----	-----	26	-----	1	33.02	30.48	5.84	2.29	1.52
-----	87911-2602	-----	-----	26	-----	2	33.02	30.48	5.84	2.29	1.52
-----	87911-2603	-----	-----	26	-----	3	33.02	30.48	5.84	2.29	1.52
-----	87911-2604	-----	-----	26	-----	4	33.02	30.48	5.84	2.29	1.52
-----	87911-2605	-----	-----	26	-----	5	33.02	30.48	5.84	2.29	1.52
-----	87911-2606	-----	-----	26	-----	6	33.02	30.48	5.84	2.29	1.52
-----	87911-2607	-----	-----	26	-----	1	33.02	30.48	8.13	2.79	2.61
-----	87911-2608	-----	-----	26	-----	2	33.02	30.48	8.13	2.79	2.61
-----	87911-2609	-----	-----	26	-----	3	33.02	30.48	8.13	2.79	2.61
-----	87911-2610	-----	-----	26	-----	3	33.02	30.48	4.00	2.79	1.32
-----	87911-2611	-----	-----	26	-----	1	33.02	30.48	6.10	3.18	2.27
-----	87911-2612	-----	-----	26	-----	2	33.02	30.48	6.10	3.18	2.27
-----	87911-2613	-----	-----	26	-----	3	33.02	30.48	6.10	3.18	2.27
-----	87911-2801	-----	-----	28	-----	1	35.56	33.02	5.84	2.29	1.52
-----	87911-2802	-----	-----	28	-----	2	35.56	33.02	5.84	2.29	1.52
-----	87911-2803	-----	-----	28	-----	3	35.56	33.02	5.84	2.29	1.52
-----	87911-2804	-----	-----	28	-----	4	35.56	33.02	5.84	2.29	1.52
-----	87911-2805	-----	-----	28	-----	5	35.56	33.02	5.84	2.29	1.52
-----	87911-2806	-----	-----	28	-----	6	35.56	33.02	5.84	2.29	1.52
-----	87911-2807	-----	-----	28	-----	1	35.56	33.02	8.13	2.79	2.61
-----	87911-2808	-----	-----	28	-----	2	35.56	33.02	8.13	2.79	2.61
-----	87911-2809	-----	-----	28	-----	3	35.56	33.02	8.13	2.79	2.61
-----	87911-2811	-----	-----	28	-----	1	35.56	33.02	6.10	3.18	2.27
-----	87911-2812	-----	-----	28	-----	2	35.56	33.02	6.10	3.18	2.27
-----	87911-2813	-----	-----	28	-----	3	35.56	33.02	6.10	3.18	2.27
-----	87911-3001	-----	-----	30	-----	1	38.10	35.56	5.84	2.29	1.52
-----	87911-3002	-----	-----	30	-----	2	38.10	35.56	5.84	2.29	1.52
-----	87911-3003	-----	-----	30	-----	3	38.10	35.56	5.84	2.29	1.52
-----	87911-3004	-----	-----	30	-----	4	38.10	35.56	5.84	2.29	1.52
-----	87911-3005	-----	-----	30	-----	5	38.10	35.56	5.84	2.29	1.52
-----	87911-3006	-----	-----	30	-----	6	38.10	35.56	5.84	2.29	1.52
-----	87911-3007	-----	-----	30	-----	1	38.10	35.56	8.13	2.79	2.61
-----	87911-3008	-----	-----	30	-----	2	38.10	35.56	8.13	2.79	2.61
-----	87911-3009	-----	-----	30	-----	3	38.10	35.56	8.13	2.79	2.61
-----	87911-3011	-----	-----	30	-----	1	38.10	35.56	6.10	3.18	2.27
-----	87911-3012	-----	-----	30	-----	2	38.10	35.56	6.10	3.18	2.27
-----	87911-3013	-----	-----	30	-----	3	38.10	35.56	6.10	3.18	2.27

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX				molex						
mm		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 614341				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A						
	MM	INCH												
4 PLACES	±	±		DRWN: VNANDAM				2019/03/04						
3 PLACES	±	±		CHK'D: SCS02				2019/03/25						
2 PLACES	± 0.2	±		APPR: ISHWARG				2019/03/25						
1 PLACE	±	±		INITIAL REVISION:				PRODUCT CUSTOMER DRAWING						
0 PLACES	±	±		DRWN: KSEE										
ANGULAR TOL ± 3.0°				APPR: SCLOW				2004/11/30		2004/12/16				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 87911		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
										SD-87911-015		PSD	001	C
								MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
								SEE TABLE		GENERAL MARKET		4 OF 9		

FORMAT: Met-lega-master-0-prod-A3 REVISION: 0 DATE: 2018/01/18										9	8	7	6	5	4	3	2	1
--	--	--	--	--	--	--	--	--	--	---	---	---	---	---	---	---	---	---

A

</

9				8			7		6		
PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-4401	-----	-----	44	-----	1	55.88	53.34	5.84	2.29	1.52
-----	87911-4402	-----	-----	44	-----	2	55.88	53.34	5.84	2.29	1.52
-----	87911-4403	-----	-----	44	-----	3	55.88	53.34	5.84	2.29	1.52
-----	87911-4404	-----	-----	44	-----	4	55.88	53.34	5.84	2.29	1.52
-----	87911-4405	-----	-----	44	-----	5	55.88	53.34	5.84	2.29	1.52
-----	87911-4406	-----	-----	44	-----	6	55.88	53.34	5.84	2.29	1.52
-----	87911-4407	-----	-----	44	-----	1	55.88	53.34	8.13	2.79	2.61
-----	87911-4408	-----	-----	44	-----	2	55.88	53.34	8.13	2.79	2.61
-----	87911-4409	-----	-----	44	-----	3	55.88	53.34	8.13	2.79	2.61
-----	87911-4411	-----	-----	44	-----	1	55.88	53.34	6.10	3.18	2.27
-----	87911-4412	-----	-----	44	-----	2	55.88	53.34	6.10	3.18	2.27
-----	87911-4413	-----		44	-----	3	55.88	53.34	6.10	3.18	2.27

-----	87911-4601	-----	-----	46	-----	1	58.42	55.88	5.84	2.29	1.52
-----	87911-4602	-----	-----	46	-----	2	58.42	55.88	5.84	2.29	1.52
-----	87911-4603	-----	-----	46	-----	3	58.42	55.88	5.84	2.29	1.52
-----	87911-4604	-----	-----	46	-----	4	58.42	55.88	5.84	2.29	1.52
-----	87911-4605	-----	-----	46	-----	5	58.42	55.88	5.84	2.29	1.52
-----	87911-4606	-----	-----	46	-----	6	58.42	55.88	5.84	2.29	1.52
-----	87911-4607	-----	-----	46	-----	1	58.42	55.88	8.13	2.79	2.61
-----	87911-4608	-----	-----	46	-----	2	58.42	55.88	8.13	2.79	2.61
-----	87911-4609	-----	-----	46	-----	3	58.42	55.88	8.13	2.79	2.61
-----	87911-4611	-----	-----	46	-----	1	58.42	55.88	6.10	3.18	2.27
-----	87911-4612	-----	-----	46	-----	2	58.42	55.88	6.10	3.18	2.27
-----	87911-4613	-----		46	-----	3	58.42	55.88	6.10	3.18	2.27

-----	87911-4801	-----	-----	48	-----	1	60.96	58.42	5.84	2.29	1.52
-----	87911-4802	-----	-----	48	-----	2	60.96	58.42	5.84	2.29	1.52
-----	87911-4803	-----	-----	48	-----	3	60.96	58.42	5.84	2.29	1.52
-----	87911-4804	-----	-----	48	-----	4	60.96	58.42	5.84	2.29	1.52
-----	87911-4805	-----	-----	48	-----	5	60.96	58.42	5.84	2.29	1.52
-----	87911-4806	-----	-----	48	-----	6	60.96	58.42	5.84	2.29	1.52
-----	87911-4807	-----	-----	48	-----	1	60.96	58.42	8.13	2.79	2.61
-----	87911-4808	-----	-----	48	-----	2	60.96	58.42	8.13	2.79	2.61
-----	87911-4809	-----	-----	48	-----	3	60.96	58.42	8.13	2.79	2.61
-----	87911-4811	-----	-----	48	-----	1	60.96	58.42	6.10	3.18	2.27
-----	87911-4812	-----	-----	48	-----	2	60.96	58.42	6.10	3.18	2.27
-----	87911-4813	-----		48	-----	3	60.96	58.42	6.10	3.18	2.27

4				3			2		1		
PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-5001	-----	-----	50	-----	1	63.50	60.96	5.84	2.29	1.52
-----	87911-5002	-----	-----	50	-----	2	63.50	60.96	5.84	2.29	1.52
-----	87911-5003	-----	-----	50	-----	3	63.50	60.96	5.84	2.29	1.52
-----	87911-5004	-----	-----	50	-----	4	63.50	60.96	5.84	2.29	1.52
-----	87911-5005	-----	-----	50	-----	5	63.50	60.96	5.84	2.29	1.52
-----	87911-5006	-----	-----	50	-----	6	63.50	60.96	5.84	2.29	1.52
-----	87911-5007	-----	-----	50	-----	1	63.50	60.96	8.13	2.79	2.61
-----	87911-5008	-----	-----	50	-----	2	63.50	60.96	8.13	2.79	2.61
-----	87911-5009	-----	-----	50	-----	3	63.50	60.96	8.13	2.79	2.61
-----	87911-5011	-----	-----	50	-----	1	63.50	60.96	6.10	3.18	2.27
-----	87911-5012	-----	-----	50	-----	2	63.50	60.96	6.10	3.18	2.27
-----	87911-5013	-----		50	-----	3	63.50	60.96	6.10	3.18	2.27

-----	87911-5201	-----	-----	52	-----	1	66.04	63.50	5.84	2.29	1.52
-----	87911-5202	-----	-----	52	-----	2	66.04	63.50	5.84	2.29	1.52
-----	87911-5203	-----	-----	52	-----	3	66.04	63.50	5.84	2.29	1.52
-----	87911-5204	-----	-----	52	-----	4	66.04	63.50	5.84	2.29	1.52
-----	87911-5205	-----	-----	52	-----	5	66.04	63.50	5.84	2.29	1.52
-----	87911-5206	-----	-----	52	-----	6	66.04	63.50	5.84	2.29	1.52
-----	87911-5207	-----	-----	52	-----	1	66.04	63.50	8.13	2.79	2.61
-----	87911-5208	-----	-----	52	-----	2	66.04	63.50	8.13	2.79	2.61
-----	87911-5209	-----	-----	52	-----	3	66.04	63.50	8.13	2.79	2.61
-----	87911-5211	-----	-----	52	-----	1	66.04	63.50	6.10	3.18	2.27
-----	87911-5212	-----	-----	52	-----	2	66.04	63.50	6.10	3.18	2.27
-----	87911-5213	-----		52	-----	3	66.04	63.50	6.10	3.18	2.27

-----	87911-5401	-----	-----	54	-----	1	68.58	66.04	5.84	2.29	1.52
-----	87911-5402	-----	-----	54	-----	2	68.58	66.04	5.84	2.29	1.52
-----	87911-5403	-----	-----	54	-----	3	68.58	66.04	5.84	2.29	1.52
-----	87911-5404	-----	-----	54	-----	4	68.58	66.04	5.84	2.29	1.52
-----	87911-5405	-----	-----	54	-----	5	68.58	66.04	5.84	2.29	1.52
-----	87911-5406	-----	-----	54	-----	6	68.58	66.04	5.84	2.29	1.52
-----	87911-5407	-----	-----	54	-----	1	68.58	66.04	8.13	2.79	2.61
-----	87911-5408	-----	-----	54	-----	2	68.58	66.04	8.13	2.79	2.61
-----	87911-5409	-----	-----	54	-----	3	68.58	66.04	8.13	2.79	2.61
-----	87911-5411	-----	-----	54	-----	1	68.58	66.04	6.10	3.18	2.27
-----	87911-5412	-----	-----	54	-----	2	68.58	66.04	6.10	3.18	2.27
-----	87911-5413	-----		54	-----	3	68.58	66.04	6.10	3.18	2.27

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87911

CURRENT REV DESC: REMASTERED IN NX

EC NO: 614341

DRWN: VNANDAM

CHK'D: SCS02

APPR: ISHWARG

2019/03/04

2019/03/25

2019/03/25

INITIAL REVISION:

DRWN: KSEE

APPR: SCLOW

2004/11/30

2004/12/16

DOCUMENT NUMBER

SD-87911-015

DOC TYPE

PSD

DOC PART

001

REVISION

C

CUSTOMER

GENERAL MARKET

SHEET NUMBER

6 OF 9

DOCUMENT STATUS

P1

RELEASE DATE

2019/03/25

11:37:01

9

8

7

6

5

4

3

2

1

FORMAT: Mef-lega-master-ib-prod-A3

REVISION: D

DATE: 2018/01/18

9				8		7		6				
PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E	
									M	P		
E	-----	87911-5601	-----	-----	56	-----	1	71.12	68.58	5.84	2.29	1.52
	-----	87911-5602	-----	-----	56	-----	2	71.12	68.58	5.84	2.29	1.52
	-----	87911-5603	-----	-----	56	-----	3	71.12	68.58	5.84	2.29	1.52
	-----	87911-5604	-----	-----	56	-----	4	71.12	68.58	5.84	2.29	1.52
	-----	87911-5605	-----	-----	56	-----	5	71.12	68.58	5.84	2.29	1.52
	-----	87911-5606	-----	-----	56	-----	6	71.12	68.58	5.84	2.29	1.52
	-----	87911-5607	-----	-----	56	-----	1	71.12	68.58	8.13	2.79	2.61
	-----	87911-5608	-----	-----	56	-----	2	71.12	68.58	8.13	2.79	2.61
	-----	87911-5609	-----	-----	56	-----	3	71.12	68.58	8.13	2.79	2.61
D	-----	87911-5611	-----	-----	56	-----	1	71.12	68.58	6.10	3.18	2.27
	-----	87911-5612	-----	-----	56	-----	2	71.12	68.58	6.10	3.18	2.27
	-----	87911-5613	-----	-----	56	-----	3	71.12	68.58	6.10	3.18	2.27
	-----	87911-5801	-----	-----	58	-----	1	73.66	71.12	5.84	2.29	1.52
	-----	87911-5802	-----	-----	58	-----	2	73.66	71.12	5.84	2.29	1.52
	-----	87911-5803	-----	-----	58	-----	3	73.66	71.12	5.84	2.29	1.52
	-----	87911-5804	-----	-----	58	-----	4	73.66	71.12	5.84	2.29	1.52
	-----	87911-5805	-----	-----	58	-----	5	73.66	71.12	5.84	2.29	1.52
	-----	87911-5806	-----	-----	58	-----	6	73.66	71.12	5.84	2.29	1.52
C	-----	87911-5807	-----	-----	58	-----	1	73.66	71.12	8.13	2.79	2.61
	-----	87911-5808	-----	-----	58	-----	2	73.66	71.12	8.13	2.79	2.61
	-----	87911-5809	-----	-----	58	-----	3	73.66	71.12	8.13	2.79	2.61
	-----	87911-5811	-----	-----	58	-----	1	73.66	71.12	6.10	3.18	2.27
	-----	87911-5812	-----	-----	58	-----	2	73.66	71.12	6.10	3.18	2.27
	-----	87911-5813	-----	-----	58	-----	3	73.66	71.12	6.10	3.18	2.27
	-----	87911-6001	-----	-----	60	-----	1	76.20	73.66	5.84	2.29	1.52
	-----	87911-6002	-----	-----	60	-----	2	76.20	73.66	5.84	2.29	1.52
	-----	87911-6003	-----	-----	60	-----	3	76.20	73.66	5.84	2.29	1.52
B	-----	87911-6004	-----	-----	60	-----	4	76.20	73.66	5.84	2.29	1.52
	-----	87911-6005	-----	-----	60	-----	5	76.20	73.66	5.84	2.29	1.52
	-----	87911-6006	-----	-----	60	-----	6	76.20	73.66	5.84	2.29	1.52
	-----	87911-6007	-----	-----	60	-----	1	76.20	73.66	8.13	2.79	2.61
	-----	87911-6008	-----	-----	60	-----	2	76.20	73.66	8.13	2.79	2.61
	-----	87911-6009	-----	-----	60	-----	3	76.20	73.66	8.13	2.79	2.61
	-----	87911-6011	-----	-----	60	-----	1	76.20	73.66	6.10	3.18	2.27
	-----	87911-6012	-----	-----	60	-----	2	76.20	73.66	6.10	3.18	2.27
	-----	87911-6013	-----	-----	60	-----	3	76.20	73.66	6.10	3.18	2.27

5		4		3		2		1					
	PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
	TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E	
										M	P		
	-----	87911-6201	-----	-----	62	-----	1	78.74	76.20	5.84	2.29	1.52	E
	-----	87911-6202	-----	-----	62	-----	2	78.74	76.20	5.84	2.29	1.52	
	-----	87911-6203	-----	-----	62	-----	3	78.74	76.20	5.84	2.29	1.52	
	-----	87911-6204	-----	-----	62	-----	4	78.74	76.20	5.84	2.29	1.52	
	-----	87911-6205	-----	-----	62	-----	5	78.74	76.20	5.84	2.29	1.52	
	-----	87911-6206	-----	-----	62	-----	6	78.74	76.20	5.84	2.29	1.52	
	-----	87911-6207	-----	-----	62	-----	1	78.74	76.20	8.13	2.79	2.61	
	-----	87911-6208	-----	-----	62	-----	2	78.74	76.20	8.13	2.79	2.61	
	-----	87911-6209	-----	-----	62	-----	3	78.74	76.20	8.13	2.79	2.61	
	-----	87911-6211	-----	-----	62	-----	1	78.74	76.20	6.10	3.18	2.27	
	-----	87911-6212	-----	-----	62	-----	2	78.74	76.20	6.10	3.18	2.27	
	-----	87911-6213	-----	-----	62	-----	3	78.74	76.20	6.10	3.18	2.27	
	-----	87911-6401	-----	-----	64	-----	1	81.28	78.74	5.84	2.29	1.52	D
	-----	87911-6402	-----	-----	64	-----	2	81.28	78.74	5.84	2.29	1.52	
	-----	87911-6403	-----	-----	64	-----	3	81.28	78.74	5.84	2.29	1.52	
	-----	87911-6404	-----	-----	64	-----	4	81.28	78.74	5.84	2.29	1.52	
	-----	87911-6405	-----	-----	64	-----	5	81.28	78.74	5.84	2.29	1.52	
	-----	87911-6406	-----	-----	64	-----	6	81.28	78.74	5.84	2.29	1.52	
	-----	87911-6407	-----	-----	64	-----	1	81.28	78.74	8.13	2.79	2.61	
	-----	87911-6408	-----	-----	64	-----	2	81.28	78.74	8.13	2.79	2.61	
	-----	87911-6409	-----	-----	64	-----	3	81.28	78.74	8.13	2.79	2.61	
	-----	87911-6411	-----	-----	64	-----	1	81.28	78.74	6.10	3.18	2.27	
	-----	87911-6412	-----	-----	64	-----	2	81.28	78.74	6.10	3.18	2.27	
	-----	87911-6413	-----	-----	64	-----	3	81.28	78.74	6.10	3.18	2.27	
	-----	87911-6601	-----	-----	66	-----	1	83.82	81.28	5.84	2.29	1.52	C
	-----	87911-6602	-----	-----	66	-----	2	83.82	81.28	5.84	2.29	1.52	
	-----	87911-6603	-----	-----	66	-----	3	83.82	81.28	5.84	2.29	1.52	
	-----	87911-6604	-----	-----	66	-----	4	83.82	81.28	5.84	2.29	1.52	
	-----	87911-6605	-----	-----	66	-----	5	83.82	81.28	5.84	2.29	1.52	
	-----	87911-6606	-----	-----	66	-----	6	83.82	81.28	5.84	2.29	1.52	
	-----	87911-6607	-----	-----	66	-----	1	83.82	81.28	8.13	2.79	2.61	
	-----	87911-6608	-----	-----	66	-----	2	83.82	81.28	8.13	2.79	2.61	
	-----	87911-6609	-----	-----	66	-----	3	83.82	81.28	8.13	2.79	2.61	
	-----	87911-6611	-----	-----	66	-----	1	83.82	81.28	6.10	3.18	2.27	
	-----	87911-6612	-----	-----	66	-----	2	83.82	81.28	6.10	3.18	2.27	
	-----	87911-6613	-----	-----	66	-----	3	83.82	81.28	6.10	3.18	2.27	
													B

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS mm	SCALE NTS	CURRENT REV DESC: REMASTERED IN NX EC NO: 614341 DRWN: VNANDAM2019/03/04 CHK'D: SCS022019/03/25 APPR: ISHWARG2019/03/25 INITIAL REVISION: DRWN: KSEE2004/11/30 APPR: SCLOW2004/12/16	molex																								
GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES ±</td><td></td><td>±</td></tr><tr><td>3 PLACES ±</td><td></td><td>±</td></tr><tr><td>2 PLACES ±</td><td>0.2</td><td>±</td></tr><tr><td>1 PLACE ±</td><td></td><td>±</td></tr><tr><td>0 PLACES ±</td><td></td><td>±</td></tr><tr><td colspan="2">ANGULAR TOL ±</td><td>3.0 °</td></tr></table>				MM	INCH	4 PLACES ±		±	3 PLACES ±		±	2 PLACES ±	0.2	±	1 PLACE ±		±	0 PLACES ±		±	ANGULAR TOL ±		3.0 °	CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A			
				MM	INCH																						
			4 PLACES ±		±																						
			3 PLACES ±		±																						
			2 PLACES ±	0.2	±																						
1 PLACE ±			±																								
0 PLACES ±		±																									
ANGULAR TOL ±		3.0 °																									
PRODUCT CUSTOMER DRAWING																											
DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																							
SD-87911-015		PSD	001	C																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																				
			A3-SIZE	87911	SEE TABLE	GENERAL MARKET	7 OF 9																				

DOCUMENT STATUS		P1	RELEASE DATE	2019/03/25	11:37:01												
9		8		7		6		5		4		3		2		1	
FORMAT: Met-lega-master-db-prod-A3 REVISION: D DATE: 2018/01/18																	

A

[illegible]

PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-8001	-----	-----	80	-----	1	101.60	99.06	5.84	2.29	1.52
-----	87911-8002	-----	-----	80	-----	2	101.60	99.06	5.84	2.29	1.52
-----	87911-8003	-----	-----	80	-----	3	101.60	99.06	5.84	2.29	1.52
-----	87911-8004	-----	-----	80	-----	4	101.60	99.06	5.84	2.29	1.52
-----	87911-8005	-----	-----	80	-----	5	101.60	99.06	5.84	2.29	1.52
-----	87911-8006	-----	-----	80	-----	6	101.60	99.06	5.84	2.29	1.52
-----	87911-8007	-----	-----	80	-----	1	101.60	99.06	8.13	2.79	2.61
-----	87911-8008	-----	-----	80	-----	2	101.60	99.06	8.13	2.79	2.61
-----	87911-8009	-----	-----	80	-----	3	101.60	99.06	8.13	2.79	2.61
-----	87911-8011	-----	-----	80	-----	1	101.60	99.06	6.10	3.18	2.27
-----	87911-8012	-----	-----	80	-----	2	101.60	99.06	6.10	3.18	2.27
-----	87911-8013	-----	-----	80	-----	3	101.60	99.06	6.10	3.18	2.27

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87911

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

9 OF 9

CURRENT REV DESC: REMASTERED IN NX

EC NO: 614341

DRWN: VNANDAM

CHK'D: SCS02

APPR: ISHWARG

2019/03/04

2019/03/25

2019/03/25

2019/03/25

INITIAL REVISION:

DRWN: KSEE

APPR: SCLOW

2004/11/30

2004/12/16

2004/12/16

molex

CUSTOM HEADER

2.54MM DUAL ROW HEADER SINGLE WAFER, R/A

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-87911-015

DOC TYPE

PSD

DOC PART

001

REVISION

C

FORMAT: Mef-lega-master-ib-prod-A3

REVISION: D

DATE: 2018/01/18

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[87911-3614](#)