

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-13-019325	24DEC2013	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151356-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426155
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426155


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME			
		PRODUCT SPEC		SIDE FEED HD-I APPLICATOR			
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A3		©- 1426155	
CUSTOMER ACCESSIBLE PRODUCTION DRAWING				SCALE		SHEET 1 OF 2	REV C1

THIS DRAWING IS UNPUBLISHED.

1426155 1426155

home.us024474.tecnod

	-	1	1	1	1	1	1	1426155	PRINT, APPLICATOR LOG SHEET	73
	-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	72
										70
										69
										68
	-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
	-	2	2	2	2	2	2	21017-2	SCR,DRIVE (#2x.19) ID PLATE	66
										65
	-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
	-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET (M6X6) RAM	63
	-	1	1	1	1	1	1	18023-9	SCR,5HC (M4X6) INS DISC	62
	-	2	2	2	2	2	2	1-18024-5	SCR,BHC (M5X25) DRAG	61
	-	1	1	1	1	1	1	18024-7	SCR,BHC (M4X10) ANVIL	60
	-	1	1	1	1	1	1	5-18022-2	SCR,HEX (M4X8) FEED FINGER	59
										58
										57
	-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
										55
	-	4	4	4	4	4	4	18024-8	SCR,BHC (M4x12) SHEAR HOLDER	54
										53
	-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52
	-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
	-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
	-	1	1	1	1	1	1	18024-3	SCR,BHC (M3X10) CAM	49
	-	-	1	-	-	1	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48
	-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47
	-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46
	-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45
	-	1	1	1	1	1	1	1338660-1	RAM	44
	-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	43
	-	1	1	1	1	1	1	690124-1	WASHER, RAM	42
	-	1	1	1	1	1	1	2-18024-6	SCR,BHC (M8X25) RAM	41
	-	1	1	1	1	1	1	23241-1	BALL, STEEL	40
	-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	39
	-	1	1	1	1	1	1	1-1320922-0	DISC, INSULATION	38
	-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	37
	-	1	1	1	1	1	1	22480-5	WASHER, SPRING	36
	-	1	1	1	1	1	1	690212-1	POST, RAM	35
	-	1	1	1	1	1	1	1-1320934-3	SUPPORT, TERMINAL	34
	-	2	2	2	2	2	2	1-18024-0	SCR,BHC (M4X20) STRIP GUIDE	33
	-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	32
	-	3	3	3	3	3	3	1-18023-2	SCR,SKT CAP (M4X12) MOUNT BLOCK	31
	-	1	1	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30
	-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29
	-	1	1	1	1	1	1	2-455888-5	SPACER, FRONT SHEAR DEP	28
	-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27
	-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
	-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25
	-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
	-	1	1	1	1	1	1	980371-4	SCR,5HC SHLD	23
	-	1	-	1	1	-	1	690472-2	STRIPPER	22
	-	1	1	1	1	1	1	1-18023-1	SCR,5HC (M4X10) STRIPPER	21
	-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	20
	-	-	1	-	-	1	-	690472-1	STRIPPER	19
↑	-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	18
										17
										16
										15
										14
										13
	-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12
	-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
↑	-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
↑	-	1	1	1	1	1	1	462006-1	SHEAR, FLOAT (FRONT)	9
↑	1	2	2	2	1	1	1	1-1333207-3	ANVIL	8
										7
										6
	-	1	1	1	1	1	1	2-455889-7	DEPRESSOR, SHEAR (FRONT)	5
	-	1	1	1	1	1	1	238011-4	SPACER, BLOCK CRIMPER	4
↑	1	2	2	2	1	1	1	683453-1	CRIMPER, INSULATION	3
										2
↑	1	2	2	2	1	1	1	456408-2	CRIMPER, WIRE	1

[illegible]

VIEW B ROTATED 180°

POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE

LOC
A
DIST
66

ITEM 34 LOCATION

						DIMENSIONS: mm (INCHES)	MATL	-	HT TR	-	FIN	-
						DO NOT SCALE PRINT.						
						TOLERANCES UNLESS OTHERWISE SPECIFIED:	DR	08FEB01	APP	08FEB01		
						1 PLC DEC ±0.5 (.02 IN)	L LOFTHOUSE	F BACKHURST				
						2 PLC DEC ±-	CHK -	REL	14MAR01			
						3 PCL DEC ±-			L LOFTHOUSE			
C		0150-1158-04	RK	SEP04		ANGLES &	NAME	SIDE FEED HD-I APPLICATOR			MACHINE REF	
B		0150-0692-04	BH	MAY04		SURF TEXTURE ✓	SCALE	-	D	DWG NO	1426155	HD-I APPL
A		SEE ECN 015A-0230-01	LJL	MAR01		REMOVE BURRS, BREAK SHARP EDGES RO .38 MAX					SHEET 1 OF 1	REV C
P	F	LTR				REVISION RECORD						
						APP DATE						
3							CAGE CODE 00779			CUSTOMER AND ASSEMBLY DRAWING		RESTRICTED TO —

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1426155-6](#)