




REF -50 OPTION SCREW  
(WHERE APPLICABLE)




## NOTES:

1. MATERIAL: SEE TABLE
2. INCH DIMENSIONS ARE SHOWN IN BRACKETS [.XXX].
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
4. ALL COMPONENTS ARE ROHS COMPLIANT.



4 CIRCUIT SHOWN



|   |    |                                                  |               |                    |
|---|----|--------------------------------------------------|---------------|--------------------|
| 6 | XX | SCREW&WASHER, 6-32X.250, PAN, PH/SL (-50 OPTION) | STEEL         | ZN, CLEAR CHROMATE |
| 5 | XX | SCREW, 6-32X.250, BHD, PHIL-SLOT (-49 OPTION)    | BRASS         | NICKEL             |
| 4 | XX | SCREW, 6-32X.250, BHD, PHIL-SLOT (STANDARD)      | STEEL         | ZN, CLEAR CHROMATE |
| 3 | XX | TERMINAL, SOLDER TURRET                          | BRASS         | TIN                |
| 2 | XX | MOUNTING PLATE                                   | BRASS         | NICKEL             |
| 1 | 1  | INSULATOR, SR, W/MTG                             | THERMOPLASTIC | BLACK              |

| ITEM | QTY | DESCRIPTION | MATERIAL | FINISH |
|------|-----|-------------|----------|--------|
|------|-----|-------------|----------|--------|

|                                                                                                                          |                               |                                       |                          |              |                      |                        |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|--------------------------|--------------|----------------------|------------------------|
| INITIAL RELEASE<br>EC NO: ETC2007-0073<br>DRW: JHLE 2006/09/28<br>CHKD: JMACNEIL 2006/09/28<br>APPR: JMACNEIL 2006/09/29 | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE<br>MM/IN | SCALE<br>2:1 | DESIGN UNITS<br>INCH | THIRD ANGLE PROJECTION |
|                                                                                                                          |                               |                                       |                          |              |                      |                        |
|                                                                                                                          |                               |                                       |                          |              |                      |                        |
|                                                                                                                          |                               |                                       |                          |              |                      |                        |

| mm                                                      | INCH   |
|---------------------------------------------------------|--------|
| 4 PLACES ± ---                                          | ± ---  |
| 3 PLACES ± ---                                          | ± .005 |
| 2 PLACES ± 0.13                                         | ± .01  |
| 1 PLACE ± 0.25                                          | ± ---  |
| ANGULAR ± 2 °                                           |        |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN WITHIN DIMENSIONS |        |

| DRAWN BY     | DATE         |
|--------------|--------------|
| EHILE        | 2006/09/13   |
| CHECKED BY   | DATE         |
| JMACNEIL     | 2006/09/13   |
| APPROVED BY  | DATE         |
| JMACNEIL     | 2006/09/13   |
| MATERIAL NO. | DOCUMENT NO. |
| SEE CHART    | SD-38720-010 |

| TITLE                                                            | SHEET NO. |
|------------------------------------------------------------------|-----------|
| 9.53MM [.375] SR BTS<br>ASSY, INSULATED TURRET<br>TERMINAL W/MTG | 1 OF 2    |
| MOLEX INCORPORATED                                               |           |

F

5

A

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

38720-3209