

Within Series Adaptor 31_TNC-50-0-1/133_N

Description

Adaptor jack/jack
TNC jack (female) / TNC jack (female)

Interface standard
Series TNC - IEC 60169-17_MIL-STD-348A/313_CECC 22200



Technical Data

Electrical Data

Impedance 50 Ω
 Interface frequency max. 11 GHz
 VSWR DC - 11 GHz
 $\leq 1.06 + 0.15 f \text{ (GHz)}$

Mechanical Data

Number of matings 500
 Weight 0.0137 kg

Environmental Data

Operating temperature -65 °C to 165 °C
 2011/65/EU (RoHS) compliant

Material Data

Interface - TNC jack (female)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Brass	SUCOPLATE (R) Plating
Body	Brass	SUCOPLATE (R) Plating
Insulator	PFA / PTFE	

Interface - TNC jack (female)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Brass	SUCOPLATE (R) Plating
Body	Brass	SUCOPLATE (R) Plating
Insulator	PFA / PTFE	

Related Documents

Outline drawing DOU-00013753

Ordering Information

Single package 31_TNC-50-0-1/133_NE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HUBER+SUHNER:

[31_TNC-50-0-1/133_NE](#)