








1		2		3		
PRODUCT NUMBER ("LF" DENOTES LEAD-FREE)	CONTACT PLATING NOTE	MATING LENGTH, DIM "X"				ROHS COMPATIBILITY
		POSN 1	POSN 2	POSN 3	POSN 4	
10028916-4444P00	2	1.10	1.10	1.10	1.10	N/A
10028916-4444P00LF	3					SEE NOTE 9
10028916-5555P00	2	2.60	2.60	2.60	2.60	N/A
10028916-5555P00LF	3					SEE NOTE 9
10028916-4555P00	2	1.10	2.60	2.60	2.60	N/A
10028916-4555P00LF	3					SEE NOTE 9
10028916-5455P00	2	2.60	1.10	2.60	2.60	N/A
10028916-5455P00LF	3					SEE NOTE 9
10028916-5545P00	2	2.60	2.60	1.10	2.60	N/A
10028916-5545P00LF	3					SEE NOTE 9
10028916-5554P00	2	2.60	2.60	2.60	1.10	N/A
10028916-5554P00LF	3					SEE NOTE 9
10028916-4554P00	2	1.10	2.60	2.60	1.10	N/A
10028916-4554P00LF	3					SEE NOTE 9
10028916-4455P00	2	1.10	1.10	2.60	2.60	N/A
10028916-4455P00LF	3					SEE NOTE 9
10028916-5544P00	2	2.60	2.60	1.10	1.10	N/A
10028916-5544P00LF	3					SEE NOTE 9
10028916-5445P00	2	2.60	1.10	1.10	2.60	N/A
10028916-5445P00LF	3					SEE NOTE 9



spec ref	GS-12-220			dr	Chen-Hong Tan	2005/08/04			size	A2	scale	6:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Terry Luo	2021/05/27			ecm no	ELX-DG-41001-1			
ASME Y14.5				chr	-	-			product family	2mm High Power		rel level	Released
				appr	Heaven Cen	2021/06/03							
surface 3.2  ASME Y14.5	linear	0.X	±.3		2X2 VERTICAL RECEPTACLE ASSY					dwg no	10028916	rev	N
		0.XX	±.1		AIRMAX POWER								
		0.XXX	±.05										
	angular	0°	±2°		cat. no.	-	Product - Customer Drw						



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10028916-4455P00](#) [10028916-5455P00](#) [10028916-5545P00](#) [10028916-5554P00](#) [10028916-4444P00](#) [10028916-5555P00](#)