




TWO STEP BAND STRAP - STRAIGHT





BND-0812X SCREEN TERMINATION BAND-BAND LENGTH IN INCHES-BAND WIDTH IN INCHES **BAND CONFIGURATION** S - STRAIGHT (FLAT) P - PRE-COILED

NOTES:

- 1. THE BAND STRAPS ARE CONSTRUCTED FROM 300 SERIES PASSIVATED CORROSION RESISTING STEEL.
- 2. THE PRODUCT SHALL BE IDENTIFIED ON THE PACKAGE LABEL.
- 3. PART MARKING:

ONE STEP BAND STRAP WILL BE PERMANENTLY MARKED WITH TE LOGO. TWO STEP BAND STRAP WILL BE PERMANENTLY MARKED WITH TE LOGO.

4. RECOMMENDED INSTALLATION TOOLS:


BND-0812X: M81306/1-02 OR EQUIVALENT.

BND-1412X: TF1700 OR EQUIVALENT.

BND-1425X: M81306/1-01 OR EQUIVALENT. BND-1225X: M81306/2-01 OR EQUIVALENT.

5. THE INSTALLATION TOOL FOR ONE STEP BAND AND TWO STEP BAND ARE NOT INTERCHANGEABLE.

DRAV	K.WINCZURA	02/06/2016		PROJECTION NOT TO	TITLE:	
CHEC	KED	02/06/2016		SCALE	BND-****	
APPRO	VED K.SHEPPARD	30/10/2015	ALL DIMENSI	HERWISE SPECIFIED ONS IN MILLIMETRES NERAL TOL		
APPRO	VED D.JONES	26/07/2016	LINEA	R +/-0,25MM ULAR +/- 1°	ASSY USED ON:	Polamco
	REVISIONS					
LTR	DESCRIPTIO	N	DATE	APPROVED	SCREEN TERMINATION BAND	 TE
Е	REVISED PER ECO-16	-000290 08	3/01/2016	H.SMITH]	connectivity
F	REVISED PER ECO-16	-011070 26	6/07/2016	D.JONES	TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING DRAWING NO: DRAWING	REV: SHT
	TE CAG	E CODE: 06	090 PA	SSIVATE	AND THE INFORMATION CET FORTH HEREON AT ANY TIME LICENS CHOULD	1
	POLAMCO/T	E CAGE COD	E: U5792		INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. BND-XXXXX F	1




ONE STEP BAND STRAP - STRAIGHT

PART NUMBER	ENTRY SIZE	A ±1,8 [±.071]	B ±1,0 [±.040]	C ±0,2 [±.010]	D REF.	E REF.
BND-0812S	03 TO 12	206,3 [8.120]	5,0 [.197]	2,9 [.114]	0,4 [.016]	1,8 [.071]
BND-1412S	03 TO 24	362,0 [14.252]	5,0 [.197]	3,0 [.118]	0,4 [.016]	1,8 [.071]
BND-1425S	03 TO 24	362,1 [14.260]	8,9 [.350]	6,2 [.244]	0,5 [.020]	1,9 [.075]


TWO STEP BAND STRAP - STRAIGHT

PART	ENTRY	Α	В	С
		±1,8	±1,0	±0,2
NUMBER	ER SIZE	[±.071]	[±.040]	[±.010]
DND 4005	0 00 TO 04	358,8	8,3	6,2
BND-1225	S 03 TO 24	[14.126]	[.327]	[.244]





ر	<u> DNE STEP BAND STRAP - PRE-COILEL</u>					
	PART	ENTRY	ØA			
	NUMBER	SIZE	REF			
	BND-0812P	03 TO 12	21.8			
	DND-0012P	03 10 12	[.858]			
	DND 4440D	03 TO 24	44.5			
	BND-1412P	03 10 24	[1.752]			
	DND 440ED	02 TO 24	44.5			
	BND-1425P	03 TO 24	[1.752]			



TWO STEP BAND STRAP - PRE-COILED

PART	ENTRY	ØA
NUMBER	SIZE	REF
BND-1225P	03 TO 24	44,5
BND-1225P	03 10 24	[1.752]

DRAWN	K.WINCZURA	DATE 02/06/2016	A	3RD ANGLE PROJECTION
CHECKED		02/06/2016		NOT TO SCALE
APPROVED	K.SHEPPARD	30/10/2015	ALL DIMENSION	RWISE SPECIFIED S IN MILLIMETRE RAL TOL
APPROVED	D.JONES	26/07/2016	LINEAR -	HAL TOL +/-0,25MM AR +/- 1°

REVISIONS

LTR D E REVISED P F REVISED P

POLAMCO/TE CAGE CODE: U5792

DESCRIPTION	DATE	APPROVED
PER ECO-16-000290	08/01/2016	H.SMITH
PER ECO-16-011070	26/07/2016	D.JONES
TE CAGE CODE:	06090	

ASSY USED ON:

TITLE:



BND-****

Polamco **TE**

TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

DRAWING NO: **BND-XXXXX**

DRAWING REV:

SHT



PART NUMBER	DESCRIPTION	BAND SLOT WIDTH (MM)	VISUALISATION
M81306/1-02	PRE-CALIBRATED HAND TOOL FOR ONE STEP MICRO BAND BND-0812S BND-0812P BND-1412S BND-1412P	3,18	
M81306/1-01	PRE-CALIBRATED HAND TOOL FOR ONE STEP STANDARD BANDS BND-1425S BND-1425P	6,35	
TF1700 INCLUDES: - TIGHTENING TOOL - M81306/2-01A - FOLDING TOOL - TF1696 (SLIP JOINT PLIERS)	PRE-CALIBRATED HAND TOOL FOR TWO STEP BAND BND-1225S BND-1225P	6,65	TIGHTENING TOOL CUT-OFF HANDLE M81306/2-01A BAND SLOT AND CUT-OFF MECHANISM FOLDING TOOL TF1696

APPROVED	D.JONES	26/07/2016	GENE	RAL TOL +/-0,25MM
APPROVED	K.SHEPPARD	30/10/2015		RWISE SPECIFIED S IN MILLIMETRES
CHECKED		02/06/2016	Ψ ¬	NOT TO SCALE
DRAWN	K.WINCZURA	DATE 02/06/2016	A 1	3RD ANGLE PROJECTION

LTR DESCRIPTION DATE APPROVED E REVISED PER ECO-16-000290 08/01/2016 H.SMITH F REVISED PER ECO-16-011070 26/07/2016

D.JONES TE CAGE CODE: 06090 POLAMCO/TE CAGE CODE: U5792

TITLE:

RECOMMENDED TOOLING

ASSY USED ON:

SCREEN TERMINATION BAND

TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.


DRAWING NO: **BND-XXXXX**

DRAWING REV:

SHT 3

Polamco

TE



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: BND40AB90-1410A