



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


ALL RIGHTS RESERVED.

© COPYRIGHT - By - TE CONNECTIVITY


| LOC | DIST | REVISIONS | | | | |
|-----|------|------------------------------------|--|-----------|------|------|
| P | LTR | DESCRIPTION | | DATE | DWN | APVD |
| E | | UNIFY GROOVE OF GLUE ECO-15-012528 | | 27Aug2015 | YS.H | CSM |



| Diagram dimension | Tolerance |
|-------------------|-----------|
| 0.99mm max. | ±0.1mm |
| 1 - 2.99mm | ±0.2mm |
| 3mm min. | ±0.3mm |



CONNECTION FIGURE

FIGURE FOR PRINTED CIRCUIT BOARD PROCESSING
(BOTTOM VIEW)

| | | | | | |
|--|--|---|--|-----------------------------------|-------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | | TE Connectivity | |
| DIMENSIONS: | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | CHK | |
| mm | | 0 PLC ± - | | Zhang,XN | |
| | | 1 PLC ± - | | APVD | |
| | | 2 PLC ± - | | Yang,Wen | |
| | | 3 PLC ± - | | PRODUCT SPEC | |
| | | 4 PLC ± - | | — | |
| ANGLES | | FINISH | | APPLICATION SPEC | |
| MATERIAL | | — | | — | |
| — | | WEIGHT | | NAME | |
| — | | — | | OJT-SS-1**LM.000 CUSTOMER DRAWING | |
| A3 | | 00779 | | SIZE CAGE CODE DRAWING NO | |
| C | | 1461492 | | RESTRICTED TO | |
| CUSTOMER DRAWING | | | | SCALE | 5:1 |
| | | | | 1 OF 2 | REV E |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By - TE CONNECTIVITY

LOC
HBDIST
—

REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| — | — | SEE SHEET 1 | — | — | — |

| | | | | | |
|--------------|-----------|------------------|--------|--------------|------|
| 107-79010 | 1461492-7 | OJT-SS-124LM,000 | 24V | OJT-SS-124LM | g |
| 107-79010 | 1461492-6 | OJT-SS-118LM,000 | 18V | OJT-SS-118LM | f |
| 107-79010 | 1461492-5 | OJT-SS-112LM,000 | 12V | OJT-SS-112LM | e |
| 107-79010 | 1461492-4 | OJT-SS-109LM,000 | 9V | OJT-SS-109LM | d |
| 107-79010 | 1461492-3 | OJT-SS-106LM,000 | 6V | OJT-SS-106LM | c |
| 107-79010 | 1461492-2 | OJT-SS-105LM,000 | 5V | OJT-SS-105LM | b |
| 107-79010 | 1461492-1 | OJT-SS-103LM,000 | 3V | OJT-SS-103LM | a |
| PARKING SPEC | PART NO | EC TYPE NAME | PART B | PART A | TYPE |

(C1)
(D1)

RELAY TYPE

(B) NOTES:
1.LOT NO. SYSTEM AS FOLLOWING:




(D2) 2.TERMINAL DIMENSION IS BEFORE SOLDER DIP;
(D2) 3.FOR THE TIN-PLATING OF THE PINS:
+0.1mm FOR WIDTH,THICKNESS AND DIAMETER.
+0.5mm FOR LENGTH.
(D2) 4.MARKING FROM INK TO LASER.

(D2) 5.ADD LOT NO. SYSTEM AS FOLLOWING;


I, DIGITS FOR DAY OF THE WEEK
1...MONDAY IN THIS WEEK;
2...TUESDAY IN THIS WEEK;
...
7...SUNDAY IN THIS WEEK

II, DIGITS FOR SHIFT OF THE DAY
1...DAY SHIFT IN THIS DAY;
2...NIGHT SHIFT IN THIS DAY;

III, ONE CHARACTER DISTINGUISH THE LINE
IDENTITY, SUCH AS: A,B.....Z



| | | EPOXY RESIN | SEAL (BASE & BOBBIN) | 15 |
|------------------|------------|-------------|----------------------|------|
| | | 3UEW | MAGNETIC WIRE | 14 |
| 94V-0 | | P.B.T | CASE | 13 |
| 94V-0 | | P.B.T | BASE | 12 |
| 94V-0 | | P.B.T | BOBBIN | 11 |
| | SOLDER DIP | C.P WIRE | COIL TERMINAL | 10 |
| 94V-0 | | P.B.T | CARD | 9 |
| | | Ag ALLOY | MOVABLE CONTACT | 8 |
| | | Ag ALLOY | NO.CONTACT | 7 |
| | | STEEL | HINGE SPRING | 6 |
| | SOLDER DIP | PBP | NO.TERMINAL | 5 |
| | SOLDER DIP | Cu ALLOY | MOVABLE SPRING | 4 |
| Cu-Ni PLATED | | STEEL | CORE | 3 |
| Cu-Ni PLATED | | STEEL | ARMATURE | 2 |
| Cu-Ni PLATED | | STEEL | YODE | 1 |
| INCOMBUSTIBILITY | TREATMENT | MATERIAL | DESCRIPTION | ITEM |



TE Connectivity

OJT-SS-1**LM.000 CUSTOMER DRAWING

| | | | | | |
|--|--|---|------------------|---|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN Fu.Bo | NAME — | | |
| DIMENSIONS: mm | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | CHK Zhang,XN | PRODUCT SPEC — | |
|  0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES | | ± - | APVD Yang,Wen | APPLICATION SPEC — | |
| MATERIAL — | | FINISH — | WEIGHT — | DRAWING NO A300779 C = 1461492 CUSTOMER DRAWING | |
| | | | | SIZE A3 | RESTRICTED TO — |
| | | | | SCALE 5:1 | HEET 2 OF 2 |
| | | | | REV E | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1461492-7](#)