

Component Video with Stereo Audio over Cat5/Cat6 Extender, Wallplate Remote Receiver, Up to 700-ft.

MODEL NUMBER: **B136-100-WP-1**



Description

The B136-100-WP-1 is a remote extender wallplate for the [B136-004](#), 4-Port Component Video + Audio Extender/Splitter. A 1080i (60Hz) Component Video and Stereo Audio signal can be extended up to 300 ft. when using 24Awg, Solid Wire UTP cable (Tripp Lite [N022-01K-GY](#) or [N222-01K-GY](#)); or, up to 400 ft. when using Zero-Skew UTP cable (Tripp Lite [P524-01K](#)). A 480p (60Hz) Component Video and Stereo Audio signal can be extended up to 500 ft. when using 24Awg, Solid Wire UTP cable (Tripp Lite [N022-01K-GY](#) or [N222-01K-GY](#)); or, up to 700 ft. when using Zero-Skew UTP cable (Tripp Lite [P524-01K](#)). No external power required.

Features

- Remote extender wallplate for the [B136-004](#) 4-port Extender/Splitter
- RJ45 Jack rear connector
- A 1080i (60Hz) Component Video and Stereo Audio signal can be extended up to 300 ft. when using 24Awg, Solid Wire UTP cable (Tripp Lite [N022-01K-GY](#) or [N222-01K-GY](#)); or, up to 400 ft. when using Zero-Skew UTP cable (Tripp Lite [P524-01K](#))
- No external power required

Specifications

COMMUNICATIONS	
Max 1024 x 768 Range (ft)	700
Max 480P Range (ft)	700
Max 1440 x 900 Range (ft)	400
Max 1080i Range (ft)	400
Max 480i Range (ft)	700

Highlights

- Remote extender wallplate for the [B136-004](#) 4-Port Extender/Splitter
- Extends a 1080i (60Hz) Component Video and Stereo Audio signal up to 300 ft. when using 24Awg, Solid Wire UTP cable
- Tripp Lite [N022-01K-GY](#) or [N222-01K-GY](#); or, up to 400 ft. when using Zero-Skew UTP cable (Tripp Lite [P524-01K](#))
- RJ45 Jack rear connection
- No external power required

Package Includes

- B136-100-WP-1 Component Video + Stereo Audio Remote Extender Wallplate
- Wallplate Mounting Screws
- Owner's Manual



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Max 640 x 480 Range (ft)	700
Max 800 x 600 Range (ft)	700
Max 1600 x 1200 Range (ft)	400
Max 720P Range (ft)	400
CONNECTIONS	
Ports	1
Side A - Connector 1	(5) RCA (FEMALE)
Side B - Connector 1	RJ45 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Tripp Lite:](#)

[B136-100-WP-1](#)