

Electronic housing - IEG 2-75 LG/G - 2908540

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Electronic housing for installation distributors, for insertion of a PCB

The figure shows a combination of versions IEG 2-17 LG/G, IEG 2-26 LG/G, IEG 2-35 LG/G, IEG 2-45 LG/G and IEG 2-75 LG/G



Key Commercial Data

Packing unit	10 pc
GTIN	
GTIN	4017918160722

Technical data

General

Housing type	Complete housing
Housing material	Polycarbonate fiber reinforced
Color (RAL)	green

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

Dimensions

Length	75 mm
Width	75 mm
Depth	75 mm

Technical data

Number of positions	28
---------------------	----

Standards and Regulations

Electronic housing - IEG 2-75 LG/G - 2908540

Technical data

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2908540](#)