

2018



Professional Screwdrivers & Nut Drivers



Screwdrivers & Nut Drivers



Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
SoftFinish® Slotted/Phillips Drivers	4-7
Stubby Slotted/Phillips Drivers	7
SoftFinish® Square Drivers	7
SoftFinish® Pozidriv® Drivers	8
SoftFinish® Spanner Drivers	8
Torx®/TR Torx® Screwdrivers	9-10
SoftFinish® TorxPlus® Drivers	11
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	23

Wiha Protorn Screwdrivers

Description	Page
Protorn Torx® Drivers	23

Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	24

Wiha 3K Series Screwdrivers

Description	Page
3K Series Slotted/Phillips	15-16
3K Series Torx Drivers	17
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	15
3K Series Hex Inch & Metric	18

Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	24
TORX Offset Screwdrivers	24

Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	19
Drive-Loc VI Blades	19-20

Wiha Drive-Loc VI Sets

Description	Page
Drive-Loc VI Blade Sets	20-21

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
MicroFinish Slotted Drivers	21-22
MicroFinish Phillips Drivers	21-22
MicroFinish Torx Drivers	22
MicroFinish Bit Holder	21

Wiha Power Blades & Sets

Description	Page
CentroFix Blade Holder	25, 42
90mm Power Blades	25-26
Power Blade Sets	26
Power Blade Nut Drivers 100mm Inch/Metric & Sets	42-43

Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	14, 33

Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	27-28
	Precision Phillips Drivers	27-28
	Precision Pozidriv® Drivers	28
	Precision Hex Drivers	28
	Precision Ball End Drivers	29
	Precision Torx® Drivers	29
	Precision Pentalobe Drivers	30
	Precision Chip Lifters	27
	Precision Pocket Clip & Rack	27
	Precision Screwdriver Sets	30

Wiha Precision PicoFinish Drivers

	Description	Page
	PicoFinish Screwdrivers	31-32
	Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Protturn Precision Screwdrivers

	Description	Page
	Protturn Precision Screwdrivers	33
	Slotted & Phillips	
	Protturn Precision Blade Sets	33





Wiha ESD Safe Precision Handles/Blades

	Description	Page
	SYSTEM 4 Handles/Blades	34-35
	SYSTEM 4 Sets	36-37

Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc Handle & Blades	35
	SYSTEM 4 Drive-Loc Set	35

Wiha Nut Drivers

	Description	Page
	Spanner Nut Drivers	8
	SoftFinish® Nut Drivers	38-39
	Hollow Shaft Nut Drivers	40
	T-handle Nut Drivers	41
	Drive-Loc VI Nut Drivers	42
	Precision Nut Drivers	43
	PicoFinish® Nut Drivers	30
	SYS 4 Nut Driver Blades/Sets	44
	Power Blade Nut Drivers	42-43

Wiha Insulated Screwdrivers



Insulated Slotted
 Insulated Phillips
 Insulated Terminal Block Xeno
 Insulated Square Drivers
 Insulated Hex Metric Drivers
 Insulated Torx® Drivers
 Insulated Nut Drivers
 Insulated Torque Drivers
 Insulated *SlimLine* Drivers

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers
 Slotted/Phillips/Torx

ESD Safe Precision Drivers
 Slotted/Phillips/Torx®/
 TorxPlus®/Hex/Nut Drivers/
 Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
 Handles/Blades/Sets

ESD Safe Drive-Loc VI
 Handles/Blades/Sets



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability

Wiha tips are precision machined to exact tolerances for a perfect fit every time

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	4.0	5/32	186	7.3	30	1.18	.16	10
53015*	4.5	.177	90	3.5	0.8	.031	4.0	5/32	201	7.9	30	1.18	.17	10
53020	5.5	.196	100	3.9	1.0	.039	5.0	13/64	213	8.4	36	1.42	.23	10
53025	6.5	.255	125	5.0	1.2	.047	6.0	1/4	238	9.4	36	1.42	.33	10
53027	8.0	.315	150	5.9	1.2	.047	8.0	5/16	268	10.6	41	1.61	.56	10
53035	10.0	.393	175	7.0	1.6	.063	8.0	5/16	293	11.6	41	1.61	.58	10
53040	12.0	.472	200	8.0	2.0	.079	10.0	25/64	318	12.5	41	1.61	.76	10

*No Hex Bolster



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56	10




53090 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53090	5.5, 6.5, 8.0mm	1.85



53075 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53075	4.5, 5.5, 6.5mm	1.48



53096 6 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53096	3.5, 4.5, 5.5, 6.5mm	1.69

SoftFinish® Extra Heavy Duty



53097 7 Pc. Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted: 3.5, 4.5, 5.5,	
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

SoftFinish® Slotted & Phillips



30276 7 Pc. Slotted & Phillips Set CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	Tip Size	Blade	Tip Style		lbs.
30816	1/4"	4" Hex	Keystone		1.87
30825	5/16"	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		

Wiha SoftFinish® Heavy Duty Screwdriver



308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)

Item																		
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16	10				
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	4.0	5/32	30	1.18	.17	10				
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19	10				
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	6.0	1/4	36	1.42	.22	10				
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23	10				
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23	10				
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	8.0	5/16	41	1.61	.37	10				
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40	10				
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58	10				



312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item																		
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.							
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13	10							
31202	2	100	3.9	6.0	7/32	213	8.4	36	1.42	.21	10							
31203	3	150	5.9	8.0	5/16	271	10.7	41	1.61	.37	10							



30892 5 Piece Slotted & Phillips Set

Item	Slotted:	
No.	5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33



30898 8 Piece Slotted & Phillips Set

Item	Slotted: 5.5, 6.5,	
No.	7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52



30896 6 Piece Slotted & Phillips Set

Item	Slotted: 3.5, 4.5,	
No.	5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34

Wiha SoftFinish® Handle - Standard Series



302 Slotted Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05	10
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05	10
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06	10
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06	10
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07	10
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07	10
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07	10
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09	10
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11	10
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12	10
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14	10
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11	10
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12	10
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12	10
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15	10
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24	10
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20	10
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17	10
30223	6.5	.255	100	3.9	1.0	.039	218	8.6	36	1.42	.20	10
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22	10
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	36	1.42	.22	10
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29	10
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30	10
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36	10
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36	10
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52	10

*Cabinet Tips



311 Phillips Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18	10
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25	10
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30	10
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51	10



30294 6 Pc. Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30294	4.0	100	1	80	1.29
	6.5	150	2	100	
	8.0	150			
	4.0*	25			

*Stubby screwdriver with Wiha SoftFinish® handle



30298 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30298	3.0	100	1	80	1.87
	4.0	100	2	100	
	5.5	125	3	150	
	6.5	150			
	8.0	175			



30297 12 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30297	3.0	100	0	60	2.48
	4.0	100	1	80	
	5.5	125	2*	25	
	6.5	150	2	100	
	6.5*	25	3	150	
	8.0	175			
	10	200			

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Stubby Screwdrivers



302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item	↓	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	34	1.34	.09	10
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	34	1.34	.09	10
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	34	1.34	.10	10



311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
31135	1	25	1.0	4.5	.177	75	3.0	34	1.34	.09	10	
31140	2	25	1.0	6.0	.236	75	3.0	34	1.34	.10	10	



31193 2 Pc. Slotted Stubby Screwdriver Set

Item	↓	⌚	⌚	⌚	⌚
No.	mm	mm	mm	mm	lbs.
31193	4.0	25	6.5	25	.24



31192 2 Pc. Phillips Stubby Screwdriver Set

Item	⌚	⌚	⌚	⌚	⌚
No.	Size	mm	Size	mm	lbs.
31192	1	25	2	25	.24

Wiha SoftFinish® Handle - Square Drivers



358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35800	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11	10
35801	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12	10
35802	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19	10
35803	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22	10



30290 10 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item	Slotted: 3.0, 3.5, 4.5, 6.5mm	⌚
No.	Phillips: 0, 1, 2	lbs.
30290	Square: 1, 2, 3	1.54



31190 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item	↓	⌚	⌚	⌚	⌚
No.	mm	mm	Size	mm	lbs.
31190	4.0	25	1	25	.24



31191 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item	↓	⌚	⌚	⌚	⌚
No.	mm	mm	Size	mm	lbs.
31191	6.5	25	2	25	.24



30289 8 Piece Slotted, Phillips & Square Cushion Grip Drivers In Molded Case

Item	Slotted: 3.0, 4.5, 5.5, 6.5mm	⌚
No.	Phillips: #1, 2	lbs.
30289	Square: #0, 1	1.69



35894 4 Pc. SoftFinish® Square Tip Screwdriver Set Round blade high alloy CVM steel, hardened, hard chromed.

Item	⌚	⌚	⌚	⌚	⌚
No.	Size	mm	Size	mm	lbs. .77
35894	0	80	2	150	
	1	100	3	150	



30291 6 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item	Slotted: 4.5, 6.5mm	⌚
No.	Phillips: 1, 2	lbs.
30291	Square: 1, 2	1.00

Wiha SoftFinish® Pozidriv®



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10

Wiha SoftFinish® Slotted Spanner Nut Drivers



305 Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	mm	mm	Inch	mm	Inch	pkg.
30517	M1.7	80	3.1	0.5	4.0	184	7.2	23	.91	1
30520	M2	80	3.5	1.0	4.5	184	7.2	23	.91	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	30	1.18	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	30	1.18	1
30530	M3	100	3.9	1.2	6.0	211	8.3	30	1.18	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	36	1.42	1
30540	M4	100	3.9	1.4	8.0	218	8.6	36	1.42	1
30550	M5	125	4.9	2.0	10.0	243	9.6	36	1.42	1
30560	M6	125	4.9	2.5	11.0	243	9.6	36	1.42	1
30580	M8	150	5.9	3.0	14.0	274	10.8	41	1.61	1

Soft Grip BiCut SuperCut & Screwdriver Set



32644 7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut:

32644 8.0"/200mm BiCut SuperCut

Screwdrivers: Phillips: #0, #1, #2

Slotted: 3.0, 4.0, 6.5mm

Industrial BiCut SuperCut & Screwdriver Set



30942 7 Pc. Industrial BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut:

30942 8.0"/200mm BiCut SuperCut

Screwdrivers: Phillips: #0, #1, #2

Slotted: 3.0, 4.0, 6.5mm

Wiha SoftFinish® Handle - Standard Series Sets



30299 20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm

No. Phillips: 0, 1, 2

30299 TORX®: T6, T8, T10, T15, T20, T25, T30


Square: 1, 2, 3

Pozidriv®: 1, 2

Wiha SoftFinish® CushionGrip Drivers



*Inch & Metric scale on #2 Phillips



Perfect for measuring small parts on the go

30295 5 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30295	3.0	100	1	80	1.02
	4.0	100	2*	100	
	6.5	150			

Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades


 Inch and
Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Precision machined exact fit tips
- Hard chrome surfaces for incredible wear resistance



31194 2 Pc Slotted & Phillips Measuring Scale Screwdriver Set

Item	Slotted	Phillips			
No.	mm	mm	Size	mm	lbs.
31194	5.5	125	2	100	.37

Inch & Metric scales



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	mm	lbs.	pkg.
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16 10

Inch & Metric scales



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item										mm		
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
31137	2	100	3.9	6.0	1/4	218	8.6	36	1.42	20-90	.21	10

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring


 Screw
Holding
TORX®

 Laser Welded
MagicSpring Assembly


362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Torx	Torx	Torx	Torx	Torx	Torx	Torx	Torx	Torx	lbs.	pkg.
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21	10



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item	Torx	Torx	Torx	Torx	Torx
No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31	10



36294 8 Piece TORX® Set

Item No.	TORX®:	lbs.
36294	T6, T8, T10, T15, T20, T25, T27, T30	1.38



36267 12 Piece TORX® Set

Item No.	TORX®:	lbs.
36267	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	2.03



36291 6 Piece TORX® SoftFinish® -

Cusion Grip Set Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 Set 6 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	

Wiha Security TORX® Drivers



36298 Set 7 Pcs. Security TORX®

Item No.	Security TORX®:	lbs.
36298	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.95



36259 Set 10 Pcs. Security TORX®

Item No.	Security TORX®:	lbs.
36259	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	1.5

Wiha Security TORX® Screwdrivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed.
 Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



In clamshell for hanging

Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle In Clamshell

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed.
 Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	1



36296 Set 6 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.62
	IP7	60	IP10	80	
	IP8	60	IP15	80	



36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	.99
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			




36297 Set 8 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36297	IP6	60	IP10	80	1.47
	IP7	60	IP15	80	
	IP8	60	IP20	100	
	IP9	60	IP25	100	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
36710*	.050	3.1	80	179	7.0	23	.91	.06	10	
36713*	1/16	3.1	80	204	8.0	23	.91	.06	10	
36716*	5/64	3.9	100	204	8.0	23	.91	.07	10	
36719*	3/32	3.9	100	204	8.0	23	.91	.07	10	
36723*	7/64	3.9	100	211	8.3	23	.91	.07	10	
With MagicRing										
36726	1/8	3.9	100	243	9.6	30	1.18	.12	10	
36728	9/64	3.9	100	243	9.6	30	1.18	.12	10	
36732	5/32	5.0	125	271	10.7	30	1.18	.12	10	
36734	3/16	6.0	150	271	10.7	30	1.18	.16	10	
36736	7/32	6.0	150	271	10.7	36	1.42	.23	10	
36738	1/4	6.0	150	271	10.7	36	1.42	.25	10	
36742	5/16	8.0	200	271	10.7	36	1.42	.37	10	
36744	3/8	8.0	200	271	10.7	41	1.61	.54	10	

* Standard Ball - No Ring



36791 13 Piece MagicRing Inch Ball End Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.


Item No.	Hex	Inch	Inch	Inch	lbs.
36791	.050*	3.0	5/32	5.0	2.58
	1/16*	3.0	3/16	6.0	
	5/64*	4.0	7/32	6.0	
	3/32*	4.0	1/4	6.0	
	7/64*	4.0	5/16	8.0	
	1/8	4.0	3/8	8.0	
	9/64	4.0			

* Standard Ball - No Ring



36793 8 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	Inch	lbs.
36793	1/8	4.0	7/32	6.0	2.25
	9/64	4.0	1/4	6.0	
	5/32	5.0	5/16	8.0	
	3/16	6.0	3/8	8.0	



36794 6 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	Inch	lbs.
36794	1/8	4.0	3/16	6.0	1.34
	9/64	4.0	7/32	6.0	
	5/32	5.0	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36715*	1.5	75	3.0	179	7.0	23	.91	.06	10
36720*	2.0	100	3.9	204	8.0	23	.91	.07	10
36725*	2.5	100	3.9	204	8.0	23	.91	.07	10
With MagicRing									
36730	3.0	100	3.9	204	8.0	23	.91	.07	10
36740	4.0	125	5.0	211	8.3	30	1.18	.12	10
36750	5.0	150	5.0	243	9.6	30	1.18	.16	10
36760	6.0	150	5.0	243	9.6	36	1.42	.23	10
36780	8.0	200	8.0	268	10.6	36	1.42	.37	10
36786	10.0	200	8.0	271	10.7	41	1.61	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

Don't Drop That Screw!

Save Valuable Time!

Improve Productivity!

Make The Job Easy!



36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36790	1.5*	75	5.0	150	2.06
	2.0*	100	6.0	150	
	2.5*	100	8.0	200	
	3.0	100	10.0	200	
	4.0	125			

* Standard Ball - No Ring



36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36792	3.0	100	6.0	150	1.86
	4.0	125	8.0	200	
	5.0	150	10.0	200	

Magnetic



384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Pkg. 1

 For working in confined spaces

Plastic coated
flexible metal



Adjustable Blade Length Magnetic Bit Holder



Item				
No.	Inch	Extends	lbs.	pkg.
28489	1/4"	1-3/4" to 4-7/8"	.36	1



NOTES:

400 10

demagnetize

magnetize C8

+

-

www.wihatool.com

Sudplex

(-) to Demagnetize

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets

Hole in handle
for hanging

Blades made of
CVM tool steel,
chromed shaft

Exact fit precision
machined black tips

Dual material handle has
molded soft grip panels

Dual material handle has molded soft
grip panels

Blades made of CVM tool steel,
chromed shaft

Exact fit precision machined
black tips



46099 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler Blade CVM steel, hardened. With 16" tool box

Item	Slotted:
No.	2.5, 3.0, 3.5, 4.0, 4.5x100,
46099	4.5x150, 4.5x200, 5.5, 6.0x100,
	6.0x150, 6.0x200, 6.5x40,
lbs.	6.5x150, 8.0, 10mm
10.4	 Phillips: 0x60, 1x80, 1x200,
	2x100, 2x150, 2x200, 2x40, 3x150
	 TORX®: T6, T7, T8, T9, T10, T15,
	T20, T25, T27, T30, T40, T45, T50
	 Pozidriv®: 1x80, 2x100
	3K 1/4" Magnetic Bit Holder
	61601 Folding Ruler

Wiha 3K Series Bit Holder



48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	244	9.6	.24	1

Wiha 3K Series Square Tip Screwdrivers



458 Square Tip Screwdriver, With Wiha-3K Series Handle Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.  Pkg. 1

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	
45831	1	80	3.1	187	7.3	.14	
45832	2	100	3.9	210	8.3	.16	
45833	3	150	5.9	271	10.7	.24	



45891 3 Pc. Square Tip 3K Driver Set Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item	Slotted:		lbs.
No. 45891	#1, 2, 3		.52

Wiha 3K Series Screwdrivers and Sets



450 Slotted Screwdriver, With Wiha-3K Series Handle Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
45061	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
45069	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064

** Cabinet Tip



451 Phillips Screwdriver, With Wiha-3K Series Handle pkg. 10

Item No.	mm	mm	Inch	mm	Inch	lbs.
45135	0	60	2.4	145	5.7	.06
45137	1	80	3.1	187	7.3	.13
45140	1	200	8.0	307	12.0	.16
45142	2	100	3.9	218	8.5	.21
45144	2	150	5.9	268	10.5	.23
45147	2	200	8.0	318	12.5	.25
45150*	2	40	1.6	90	3.5	.08
45152	3	150	5.9	268	10.5	.31

* Stubby screwdriver with Wiha Powerhandle - 45150

1/4" Insert Bits



45190 18 Pc. Phillips 3K Driver & Bit Set

Item No. Screwdrivers: #0x60, #1x80, #1x200,

45190 #2x100, #2x150, #2x200, #3x150mm

Insert Bits: #0(2), #1(2), #2(4), #3(2)

lbs. 1.62 Stubby Phillips: #2x40mm



46098 4 Pc. Slotted/Phillips 3K Driver Set

Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted:	lbs.
46098	4.5, 6.0mm	.83
46098	Phillips: #1, 2	



46095 5 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46095	4.5, 6.0mm	
46095	Phillips: #0, 1, 2	1.04



46094 6 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46094	3.0, 4.5, 5.5, 6.5mm	
46094	Phillips: #1, 2	.91



46097 8 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46097	3.0, 4.5, 6.0, 8.0mm	
46097	Phillips: #1, 2, 3	1.70
46097	Stubby Phillips: #2	

Wiha TORX® 3K Series Drivers and Sets



455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



45597 11 Pc. TORX® Screwdriver Set

Item No.	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	lbs.
45597		1.88



45595 8 Pc. TORX® Screwdriver Set

Item No.	TORX®: T8, T9, T10, T15, T20, T25, T27, T30	lbs.
45595		1.36



45593 5 Pc. TORX® Set Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	TORX®: T8, T10, T15, T20, T25	lbs.
45593		.86



45598 6 Pc. TORX® Screwdriver Set

Item No.	TORX®: T6, T7, T8, T9, T10, T15	lbs.
45598		.88

Wiha 3K Series Pozidriv® Screwdrivers



452 Pozidriv® Screwdriver, With Wiha-3K Series Handle

Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10

Wiha Ball End 3K Series Screwdrivers & Sets



Fast angle entry

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips

Yellow = Inch
Red = Metric



467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.


Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
46715	1.5	75	3.0	161	6.3	.07	10
46720	2.0	100	3.9	186	7.3	.07	10
46725	2.5	100	3.9	186	7.3	.07	10
46730	3.0	100	3.9	186	7.3	.07	10
46740	4.0	100	3.9	197	7.8	.11	10
46750	5.0	100	3.9	197	7.8	.13	10
46760	6.0	150	5.9	257	10.1	.21	10
46786	10.0	200	8.0	319	12.6	.52	10



467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.


Item							
No.	Inch	Inch	mm	Inch	mm	lbs.	pkg.
46702	.050	2.9	75	6.3	160	.07	10
46704	1/16	2.9	75	6.3	160	.07	10
46706	5/64	3.9	100	7.3	185	.07	10
46708	3/32	3.9	100	7.3	185	.07	10
46710	7/64	3.9	100	7.3	185	.07	10
46712	1/8	3.9	100	7.7	196	.09	10
46714	9/64	3.9	100	7.7	196	.10	10
46716	5/32	3.9	100	7.7	196	.11	10
46718	3/16	3.9	100	7.7	196	.12	10
46722	7/32	5.9	150	10.0	254	.19	10
46724	1/4	5.9	150	10.0	254	.22	10
46726	5/16	7.9	200	12.0	305	.34	10
46728	3/8	7.9	200	12.5	318	.48	10



46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item	Hex Inch: .050,	
No.	1/16, 5/64, 3/32, 7/64	lbs.
46797	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40




46796 7 Piece Metric Ball End Hex Screwdriver Set

Item	Metric Hex:	
No.	1.5, 2.0, 2.5, 3.0,	lbs.
46796	4.0, 5.0, 6.0mm	1.15



46799 9 Piece Metric Ball End Hex Screwdriver Set

Item	Hex Metric:	
No.	1.5, 2.0, 2.5, 3.0, 4.0,	lbs.
46799	5.0, 6.0, 8.0, 10.0mm	1.93



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item	Hex Inch:	
No.	.050, 1/16, 5/64, 3/32,	lbs.
46793	7/64, 1/8, 9/64, 5/32"	1.19



46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item	Hex Inch:	
No.	1/8, 9/64, 5/32,	lbs.
46794	3/16, 7/32, 1/4"	.97

Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip

See Drive-Loc VI Nut drivers on Page 42

Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Adjust interchangeable blades from 40 to 120mm

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21

28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20

10810 Drive-Loc VI Standard Narrow Profile Tech Handle

Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16

281 Slotted Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	mm + mm	lbs.	pkg.		
28106	3.5 4.5	.10	1		
28108	5.5 6.5	.10	1		

281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	mm + Size	lbs.	pkg.		
28107	3.0 0	.10	1		
28109	4.0 1	.10	1		
28110	6.0 2	.10	1		

28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	Size + Size	lbs.	pkg.		
28112	1 2	.10	1		

28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	Size + Size	lbs.	pkg.		
28137	1 2	.10	1		

28114 Pozidriv® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	Size + Size	lbs.	pkg.		
28114	1 2	.10	1		

281 Tri-wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	Size + Size	lbs.	pkg.		
28138	0 1	.10	1		
28139	2 3	.10	1		
28140	4 5	.10	1		

281 Torq Set® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					
No.	Size + Size	lbs.	pkg.		
28142	2 4	.08	1		
28143	6 8	.10	1		

281 TORX® Drive-Loc VI Interchangeable Blade

OAL 150mm/5.9"

Item					
No.	Size + Size	lbs.	pkg.		
28126	T6 T8	.10	1		
28127	T7 T9	.10	1		
28128	T10 T15	.10	1		
28129	T20 T25	.10	1		
28130	T30 T40	.10	1		

281 Security TORX® Drive-Loc VI Interchangeable Blade

OAL 150mm/5.9"

Item					
No.	Size + Size	lbs.	pkg.		
28132	T6s T8s	.10	1		
28133	T7s T9s	.10	1		
28134	T10s T15s	.10	1		
28135	T20s T25s	.10	1		
28136	T30s T40s	.10	1		

Wiha Drive-Loc VI Blades

281 Hex Metric Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	No.	mm + mm	lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1

281 Hex Inch Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	No.	Inch + Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1

281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item	No.	mm + mm	lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1

Drive-Loc VI Interchangeable Blade Sets

28187 32 Pc. ESD Safe Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch

Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187	lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha ESD Safe SoftFinish® Cushion Grip	

28188 32 Pc. Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch

Set includes Drive-Loc VI handle & 31 Drive-Loc VI blades.

Item No. 28188	lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip	

Wiha Drive-Loc VI Blade 5 Pack Sets

28483 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	lbs.
No. 28483	.35
Slotted/Phillips: 3.0+#0, 4.0+#1, 6.0+#2	
Square: #1+#2 & Pozidriv®: #1+#2	

28479 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	lbs.
No. 28479	.35
Tri-Wing: #0+#1, #2+#3, #4+#5	
Torq Set: #2+#4, #6+#8	

28477 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	lbs.
No. 28477	.35
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	

28474 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	lbs.
No. 28474	.36
Hex Metric: 3.0+4.0, 5.0+6.0mm	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"	

28476 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	lbs.
No. 28476	.36
Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm	

28485 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item No. 28485	lbs. .35
TORX®:	.35
T6+T8, T7+T9, T10+T15, T20+T25, T30+T40	

Drive-Loc VI Interchangeable Blade Set In Tool Box Tray

Tool box set in blow molded tray

28191 33 Pc. Drive-Loc VI Interchangeable Blade Set, In Tool Box Tray

Set includes Drive-Loc VI handles & 31 Drive-Loc VI blades.

Item No. 28191	lbs. 3.48
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles	



28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item No. 28194  lbs.

Slotted: 3.5+4.5, 5.5+6.5 .80

Phillips: 1+2 **Square:** 1+2

SoftFinish® Cushion Grip Blade Lock Handle



28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.

No. 28197 .83

Security TORX®: T6s+T8s, T7s+T9s,

T10s+T15s, T20s+T25s, T30s+T40s

SoftFinish® Cushion Grip Blade Lock Handle



28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199  lbs.

Slot/Ph: 4.0+1, 6.0+2 1.11

TORX®: T6+T8, T7+T9, T10+T15, T20+T25

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"

SoftFinish® Cushion Grip Blade Lock Handle



28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189  lbs. 1.75

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2

Security TORX®: T6s+T8s, T7s+T9s,

T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

SoftFinish® Cushion Grip Blade Lock Handle

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish

Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Hex bolster & steel strike cap on 533 & 534 series



520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.16	10
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.17	10
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.20	10
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	30	1.18	.21	10
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.28	10
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.37	10
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.50	10

*Cabinet Tips



521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52105	1	80	3.1	191	7.5	30	1.18	.15	10
52110	1	200	8.0	311	12.2	30	1.18	.21	10
52115	2	100	3.9	218	8.6	36	1.42	.26	10
52120	2	200	8.0	318	12.5	36	1.42	.34	10
52125	3	150	5.9	274	10.8	41	1.61	.41	10



52090 5 Piece Slotted & Phillips

Screwdriver Set Blade CVM steel, hardened, hard chromed.

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52090	Phillips: 1x80, 2x100mm	1.23



52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	 lbs.
52099	Phillips: 1x80, 1x200, 2x100, 2x200, 3x150mm	4.20



52097 7 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52097	Phillips: #1x80, #1x200, #2x100, #2x200mm	1.35



52098 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	 lbs.
52098	Phillips: 1x80, 2x100, 3x150mm	2.58

Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	1	2	3	4	5	6	7	8	9	10	11	12
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61	.65	10

*No hex bolster



534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
53405	1	80	3.1	186	7.3	30	1.18	.22	10	
53410	2	100	3.9	213	8.4	36	1.42	.37	10	
53425	3	150	5.9	268	10.6	41	1.61	.71	10	

Wiha TORX® MicroFinish Handle Non-Slip Grip



527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	1	2	3	4	5	6	7	8	9	10	11	12
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
52711	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.15	10	
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10	
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10	
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15	10	
52722	T25	100	3.9	4.5	.177	211	8.3	30	1.18	.16	10	
52726	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.25	10	
52729	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.27	10	
52732	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.40	10	



52791 Set 8 Pcs. TORX® Blade CVM steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
52791	T9, T10, T15, T20, T25, T27, T30, T40										



53390 5 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
53390	Phillips: #1, 2										



53398 8 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
53398	Phillips: #1, 2, 3										

*No hex bolster



52790 Set 5 Pcs. TORX® Blade CVM steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
52790	T10, T15, T20, T25, T30										

Wiha MicroFinish Non-Slip Grip Bit Holder



52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item	1	2	3	4	5	6	7	8	9	10
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.			
52650	1/4	125	5.0	244	9.6	.24	10			

Wiha Powerhandle TORX® Made in Germany


362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



36292 8 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	T6, T8, T10, T15, lbs.
36292	T20, T25, T27, T30 1.45



36293 6 Pc. Set TORX®

Item No.	T6, T7, T8, T9, lbs.
36293	T10, T15 .78

Wiha TORX® Protturn Screwdrivers

protturn **TORX®**

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel
Black finish blades



45589 Set 11 Pcs. TORX®

Item No.	TORX® :
45589	T6, T7x50mm, T8, T9x60mm, lbs. T10, T15x80mm, T20, T25x100mm, 2.0 T27, T30x115mm, T40x130mm



45591 Set 6 Pcs. TORX®

Item No.	TORX® :	lbs.
45591	T7, T8, T9, T10, T15, T20	.72



45592 Set 8 Pcs. TORX®

Item No.	T8, T9, T10, T15, lbs.
45592	T20, T25, T27, T30 1.10



455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



Retainer out of stainless steel

48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4	125	5.0	243	9.6	.24	10

Wiha Cabinet Tip Slotted & Phillips Screwdrivers



186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle Blade CVM steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
18601	2.0	.08	40	1.6	0.40	.02	100	4.0	14	.55	.02	10
18603	2.5	.10	50	2.0	0.40	.02	110	4.3	14	.55	.02	10
18606	3.0	.12	75	3.0	0.50	.02	150	5.9	19	.75	.05	10
18609	3.0	.12	100	3.9	0.50	.02	175	6.9	19	.75	.06	10
18612	3.0	.12	150	5.9	0.50	.02	225	8.9	19	.75	.06	10
18615	3.0	.12	200	8.0	0.50	.02	285	11.2	22	.87	.08	10
18624	4.0	.16	100	3.9	0.60	.02	185	7.3	22	.87	.08	10
18627	4.0	.16	150	5.9	0.60	.02	235	9.3	22	.87	.10	10
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	22	.87	.11	10
18645	5.0	.20	150	5.9	0.70	.03	245	9.6	24	.94	.15	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	24	.94	.17	10
18651	5.0	.20	300	12.0	0.70	.03	395	15.6	24	.94	.20	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	28	1.10	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	28	1.10	.21	10
18663	6.0	.24	300	12.0	0.90	.04	405	15.9	28	1.10	.29	10
18678	8.0	.32	300	12.0	1.20	.05	415	16.3	32	1.26	.39	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	32	1.26	.37	10



153 Phillips Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
15305	0	60	2.4	3.0	.12	135	5.3	19	.75	.05	10
15310	1	80	3.1	4.5	.18	175	6.9	24	.94	.11	10
15315	1	200	8.0	4.5	.18	295	11.6	24	.94	.15	10
15325	2	100	3.9	6.0	.24	205	8.1	28	1.10	.18	10
15330	2	250	10.0	6.0	.24	355	14.0	28	1.10	.27	10
15335	2	350	13.7	6.0	.24	455	17.8	28	1.10	.33	10
15340	3	150	5.9	8.0	.32	265	10.4	32	1.26	.33	10



222 Pozidriv® Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
22220	1	200	8.0	4.5	.17	295	11.6	.15	10
22230	2	250	9.8	6.0	.23	355	13.9	.27	10
22240	3	150	5.9	8.0	.31	265	10.4	.30	10

Wiha Offset Screwdrivers



161 Phillips Offset Screwdriver, With Handle For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10
16134	3 + 4	200	8.0	10.0	.315	.33	10



207 Slotted Offset Screwdriver, With Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20705	4.0	5/32	100	3.9	0.8	.03	.03	10
20710	5.5	7/32	125	5.0	1.0	.04	.06	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20720	8.0	5/16	150	5.9	1.2	.05	.15	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10



20790 5 Piece Slotted & Phillips Offset Screwdriver Set

Item No.	lbs.	Set includes:
20790	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



207 TORX® Offset Screwdriver With Molded Handle Working in confined spaces. CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



20799 TORX® Offset Screwdriver Set, 5 Pcs. Molded Handle.

Item No.	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs.	pkg.
20799		.24	1

Wiha Power Blades



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

90mm Power Blades

CentroFix quick release bit holder with magnet



Ergonomic SoftFinish® cushion grip handle

Blades high quality CVM steel, hard chrome finish



760 Slotted Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76035	2.5	.02	1
76036	3.0	.02	1
76037	4.5	.03	1
76038	5.5	.03	1
76039	6.0	.04	1



760 Square Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76056	1	.02	1
76057	2	.03	1
76058	3	.04	1



760 Spanner Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76022	6	.03	1
76023	8	.04	1
76024	10	.04	1



76093 5 Piece Slotted Blade Set

Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm



76095 3 Piece Square Blade Set

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm



76089 3 Piece Spanner Blade Set

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm



760 Phillips Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76041	0	.01	1
76042	1	.02	1
76043	2	.03	1
76044	3	.04	1



760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76011	1	.03	1
76012	2	.04	1
76013	3	.04	1



760 Tri-Wing Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76031	1	.02	1
76032	2	.02	1
76033	3	.03	1
76034	4	.04	1



76094 4 Piece Phillips Blade Set

Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm



76091 3 Piece Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm



76088 4 Piece Tri-Wing Blade Set

Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm

Wiha 90mm Power Blades & Sets



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1



76090 4 Piece Security Hex Blade Set

Item No.	lbs.	Set includes:
76090	.12	Metric: 2.5, 3.0, 4.0, 5.0 x 90mm



760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item No.	Inch	lbs.	pkg.
76045	1/16*	.01	1
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1

* 1/16" Standard Inch Hex Only



76096 10 Piece Security Hex Blade Set

Item No.	lbs.	Set includes:
76096	.32	Inch: 1/16*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only



760 Security TORX® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	Size	lbs.	pkg.
76008	T8s	.02	1
76009	T9s	.02	1
76010	T10s	.02	1
76015	T15s	.02	1
76020	T20s	.02	1
76025	T25s	.03	1
76027	T27s	.03	1
76030	T30s	.04	1
76040	T40s	.04	1



76092 9 Piece Security TORX® Blade Set

Item No.	lbs.	Set includes:
76092	.30	T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case

Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

Item No. 76087 lbs. 1.34

90mm Power Blades: Slotted: 4.5, 5.5, 6.0mm

Phillips: #1, 2, 3 & Square: #1, 2, 3

75mm Security TORX® Bits: T10s, T15s,

T20s, T25s, T27s, T30s

MicroBits: Phillips: #000, 00, 0, 1, 2,

Slotted: .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32,

7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

Magnetic Nut Setters: 1/4, 5/16, 3/8"



76098 36 Pc. Power Blade Set, In Durable Belt Pack

Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

Item No. 76098 lbs. 1.86

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s,

T20s, T25s, T27s, T30s, T40s

Security Hex Metric: 2.5, 3.0, 4.0, 5.0mm

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

Spanner: #6, 8, 10 & Tri-Wing: #1, 2, 3, 4

Cushion Grip CentroFix Blade Holder



76099 37 Pc. Power Blade Set, In Durable Belt Pack

Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099 lbs. 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s,

T20s, T25s, T27s, T30s

Security Hex Inch: 1/16*, 5/64, 3/32, 7/64,

1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

* 1/16" Standard Inch Hex Only



76079 Canvas Belt Wallet Storage Pouch

Holds 38 90mm power blades. Folding pouch.

Item No.	Size	lbs.	pkg.
76079	7-1/8" x 6" x 2"	.42	1

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel,
Hard chrome finished

Tip
precision ground for exact fit,
hard chromed non-slip surface



Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter

Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item	No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1	

*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision

Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all	lbs.	pkg.
26001	Precision handles	.01	1



26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	lbs.	Pkg.
26000	Precision screwdrivers	.08	1

Wiha Precision Slotted/Phillips Drivers



260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02
26010	1.0	.039	40	1.6	0.18	120	4.7	.02
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02
26018	1.8	.070	40	1.6	0.30	120	4.7	.02
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate



26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



26099 8 Piece Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26102	000	40	1.6	2.0	.08	120	4.7	.02
26100	00	40	1.6	2.0	.08	120	4.7	.02
26101	00	75	3.0	2.0	.08	155	6.1	.02
26105	0	50	2.0	3.0	.12	145	5.7	.02
26108	0	75	3.0	3.0	.12	170	6.7	.03
26107	0	100	3.9	3.0	.12	195	7.6	.05
26109	0	150	5.9	3.0	.12	245	9.6	.06
26110	1	60	2.4	4.0	.16	170	6.7	.05
26113	1	80	3.1	4.0	.16	190	7.5	.05
26114	1	100	3.9	4.0	.16	210	8.2	.06
26115	1	150	5.9	4.0	.16	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate



26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set

Item No. Slotted: 1.5 x 40mm

26190 2.0, 2.5 x 50mm, 3.0 x 60mm

Phillips: 00 x 40mm

lbs. .72 0 x 50mm, 1 x 60mm

Industrial Long Nose Pliers
6.3"/160mm OAL



26190.MC/26197 7 Pc. Precision Slotted & Phillips Set

Item No. Slotted: 1.5 x 40mm

26197 2.0, 2.5 x 50mm, 3.0 x 60mm

Phillips: 00 x 40mm

lbs. .31 0 x 50mm, 1 x 60mm




26199 8 Pc. Precision Slotted/Phillips Set

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm	



In canvas storage pouch

Wiha Precision Slotted/Phillips Drivers



26092 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26092	Slotted:	lbs.
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	
26194	000, 00 x 40mm	lbs.
	0 x 50mm, 1 x 60mm	.18



26192 5 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	
26192	2.5, 3.0, 4.0 x 150mm	lbs. .44
	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26205	0	50	2.0	3.0	.12	145	5.7	.03
26210	1	60	2.4	4.0	.16	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series



263 Inch **Inch Hex Driver, With Precision Handle** Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item							
No.	Inch	mm	mm	Inch	mm	Inch	lbs.
26307	0.028	0.7	40	1.6	120	4.7	.02
26309	0.035	0.9	40	1.6	120	4.7	.02
26313	0.05	1.3	40	1.6	120	4.7	.02
26316	1/16	-	50	2.0	145	5.7	.03
26320	5/64	2.0	50	2.0	145	5.7	.03
26323	3/32	-	60	2.4	170	6.7	.04
26327	7/64	-	60	2.4	170	6.7	.04
26331	1/8	-	60	2.4	170	6.7	.04
26333	9/64		60	2.4	170	6.7	.05
26336	5/32		60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26391	Hex Inch:	lbs.
	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



26399 8 Pc. Precision Hex Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	
26399	.028, .035, .050 x 1.6"	lbs. .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Metric **Metric Hex Driver, With Precision Handle** Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26390 7 Pc. Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26390	Hex Metric:	lbs.
	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	.050	40	1.6	120	4.7	.02	10	
26416	1/16	50	2.0	145	5.7	.03	10	
26419	5/64	50	2.0	145	5.7	.03	10	
26423	3/32	50	2.0	145	5.7	.03	10	
26427	7/64	60	2.4	170	6.7	.03	10	
26431	1/8	60	2.4	170	6.7	.05	10	
26436	9/64	60	2.4	170	6.7	.05	10	
26439	5/32	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10	
26415	1.5	-	50	2.0	145	5.7	.03	10	
26420	2.0	-	50	2.0	145	5.7	.03	10	
26425	2.5	-	60	2.4	170	6.7	.04	10	
26430	3.0	-	60	2.4	170	6.7	.05	10	
26440	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm		.31
	1.5, 2.0 x 50mm		
	2.5, 3.0 x 60mm		



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Hex Inch:	lbs.
26490	1/16, 5/64, 3/32 x 2.0,		.40
	7/64, 1/8, 9/64,		
	5/32 x 2.4"		



In canvas storage pouch

26499 8 Pc. Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	Ball End Hex Inch:	lbs.
26499	.050 x 1.6"	.62
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha TORX® Precision Series



26792 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm		.33
	T9, T10 x 50mm		
	T15 x 60mm		

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10	
26702	T2	40	1.6	120	4.7	.02	10	
26703	T3	40	1.6	120	4.7	.02	10	
26704	T4	40	1.6	120	4.7	.02	10	
26705	T5	40	1.6	120	4.7	.02	10	
26706	T6	40	1.6	120	4.7	.02	10	
26707	T7	40	1.6	120	4.7	.02	10	
26708	T8	40	1.6	120	4.7	.03	10	
26709	T9	50	2.0	145	5.7	.03	10	
26710	T10	50	2.0	145	5.7	.03	10	
26715	T15	60	2.4	170	6.7	.05	10	
26720	T20	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm		.30
	T9, T10 x 50mm		
	T15 x 60mm		

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	T1, T2, T3, T4,
26791	T5, T6, T7, T8



26799 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

In canvas storage pouch

Item	TORX®: T3, T4, T5,	
No.	T6, T7, T8 x 40mm	lbs.
26799	T9 x T10 x 50mm	.50

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)



26794 6 Pc. Precision Pentalobe

Screwdriver Set Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35



92191 51 Pc. Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	Phillips:	Torx:	Metric Hex:	Inch Hex:	Metric Nut Drivers:	26810 Chip Lifter
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	#000, #00, #0, #1	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	1.27, 1.5, 2.0, 2.5, 3.0, 4.0	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	

Wiha Precision Screwdriver Sets



92189 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	Phillips:	Pentalobe:	TORX:	Metric Hex:	Inch Hex:	Metric Nut Drivers:	26810 Chip Lifter
92189	1.5, 2.0, 2.5, 3.0, 3.5, 4.0	#000, #00, #0, #1	PL1, PL2, PL3, PL4	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	1.27, 1.5, 2.0, 2.5, 3.0	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	



92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	Phillips:	TORX:	Metric Hex:	Inch Hex:	Metric Nut Drivers:	26810 Chip Lifter
92190	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	#000, #00, #0, #1	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	1.27, 1.5, 2.0, 2.5, 3.0	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	

PicoFinish Soft Grip Nut Drivers



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch	pkg.
26571	3/32	2.4	6.3	.71	10
26572	7/64	2.4	6.3	.71	10
26573	1/8	2.4	6.3	.71	10
26574	9/64	2.4	6.3	.71	10
26575	5/32	2.4	6.3	.71	10
26576	3/16	2.4	6.3	.71	10
26577	7/32	2.4	6.3	.71	10
26578	1/4	2.4	6.3	.71	10

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	mm	pkg.
26579	1.5	60	160	2.5	3.0	18	10
26581	2.0	60	160	3.2	4.0	18	10
26582	2.5	60	160	4.0	4.0	18	10
26583	3.0	60	160	5.0	5.0	18	10
26584	3.5	60	160	5.3	6.0	18	10
26585	4.0	60	160	5.5	6.0	18	10
26586	4.5	60	160	6.2	7.0	18	10
26587	5.0	60	160	6.8	7.0	18	10
26588	5.5	60	160	7.6	8.0	18	10
26589	6.0	60	160	8.2	9.0	18	10

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Tri-Wing

(Used in iPhone 7 or higher series)



266 Tri-Wing Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item	No.	Size	mm	Inch	mm	Inch	mm	Inch
26631	000	40	1.6	2.0	.08	140	5.5	



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	T6	40	1.6	140	5.5	.03		10
26723	T7	40	1.6	140	5.5	.03		10
26725	T8	40	1.6	140	5.5	.03		10
26727	T9	50	2.0	150	5.9	.04		10
26729	T10	50	2.0	150	5.9	.04		10
26731	T15	60	2.4	160	6.3	.04		10

*Metric dimensions actual - Inch dimensions approximate



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item	No.	MagicSpring TORX®	lbs.
26798	T6, T7, T8 x 40mm		.50
	T9, T10, T15 x 50mm		



260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item	No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3			Pkg.
26051	1.0	.04	40	1.6	134	5.3			10
26052	1.2	.05	40	1.6	134	5.3			10
26053	1.5	.06	40	1.6	134	5.3			10
26054	1.5	.06	60	2.4	154	6.1			10
26055	1.8	.07	40	1.6	134	5.3			10
26056	1.8	.07	60	2.4	154	6.1			10
26060	2.0	.08	40	1.6	140	5.5			10
26061	2.0	.08	60	2.4	160	6.3			10
26063	2.0	.08	100	3.9	200	7.9			10
26065	2.5	.09	50	2.0	150	5.9			10
26066	2.5	.09	75	3.0	175	6.9			10
26068	2.5	.09	100	3.9	200	7.9			10
26070	3.0	.13	50	2.0	150	5.9			10
26072	3.0	.13	100	3.9	200	7.9			10
26073	3.0	.13	150	5.9	250	9.8			10
26074	3.5	.14	60	2.4	160	6.3			10
26076	4.0	.16	60	2.4	160	6.3			10
26079	4.0	.16	100	3.9	200	7.9			10
26080	4.0	.16	150	5.9	250	9.8			10

*Metric dimensions actual - Inch dimensions approximate



26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle In storage pouch

Item	No.	Slotted	lbs.
26093	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm		.54



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item	No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	000	40	1.6	2.0	.08	134	5.3		Pkg.
26132	00	40	1.6	2.0	.08	134	5.3		10
26133	00	60	2.4	2.0	.08	154	6.1		10
26135	0	50	2.0	3.0	.12	150	5.9		10
26136	0	75	3.0	3.0	.12	175	6.9		10
26140	1	60	2.4	4.0	.16	160	6.3		10
26142	1	80	3.1	4.0	.16	180	7.1		10
26145	1	150	5.9	4.0	.16	250	9.8		10

*Metric dimensions actual - Inch dimensions approximate



26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	Slotted:	lbs.
No.	1.0, 1.5, 2.0 x 40mm	
26193	2.5 x 50mm, 3.5 x 60mm	.55
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	lbs.
No.	T1, T2, T3, T4,	
26793	T5, T6, T7, T8	.50

In storage pouch



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	lbs.
No.	T5, T6, T7, T8 x 40mm	.57
26796	T9, T10 x 50mm, T15, T20 x 60mm	

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	.028(0.7)	40	1.6	134	5.3	10
26343	.035(0.9)	40	1.6	134	5.3	10
26345	.050(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	lbs.
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



26493 7 Pc. Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	lbs.
No.	Ball End Hex Inch: .27
26493	1/16, 5/64, 3/32 x 2.0"
	7/64, 1/8, 9/64, 5/32 x 2.4"



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate


Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter Blade CVM steel, hardened, hard chromed.

Item	mm	mm	mm	mm	Inch
No.	1	3.5	50	150	5.9
26815	Standard Soft PicoFinish handle				

Wiha Protturn Precision Screwdrivers



62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

↓ ⚙ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** #000, #00, #0, #1

↔ **lbs.** .15



62993 9 Pc. Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

↓ ⚙ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** #000, #00, #0, #1

⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .64

95190 6 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. Blade high alloy CVM tool steel, black finish.

Item No.	Slotted:	lbs.
95190	2.5x50mm, 3.5x60mm	.27

Item No.	Phillips:	lbs.
95190	00x40mm, 0x50mm, 1x60mm	.27



65090 9 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. CVM tool steel, black finish blades.

Item No.	Slotted:
65090	1.5x40mm, 2.0x50mm, 2.5, 3.0, 3.5, 4.0x60mm
	Phillips: 00x40mm, 0x50mm, 1x60mm



96800 Protturn Precision Chip Lifter Molded on precision handle. Blade CVM tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



62995 22 Pc. Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Protturn precision ball retainer handle & 21 interchangeable blades. In canvas storage pouch

62995 Set includes the following blades:

↓ ⚙ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** #000, #00, #0, #1

⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20

⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⬠ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .87

62994 14 Pc. Inch/Metric Ball End Hex Work Tech Pack Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⬠ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .66

Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap. **Advantages:**

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap. **Advantages:**

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04

Rotating Cap for precise turning and control

Tapered Handle allows rapid rotation, requires less clearance

Precision Handle high quality plastic. ESD Safe or Standard styles

Tips Exact fit, precision machined

Blades CVM steel, hardened, hard chromed. On 4mm Hex shafts

15mm

Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"

95mm



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000	120	4.7	.05	
26972	2.0 + 00	120	4.7	.05	
26973	3.0 + 0	120	4.7	.05	
26974	4.0 + 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	Inch	mm	Inch	lbs.	
28021	.050	120	4.7	.06	
28023	1/16	120	4.7	.06	
28024	5/64	120	4.7	.06	
28025	3/32	120	4.7	.06	
28026	7/64	120	4.7	.06	
28027	1/8	120	4.7	.06	
28028	9/64	120	4.7	.06	
28029	5/32	120	4.7	.06	

Wiha SYSTEM 4 Precision Blades

269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06

269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06

269 SYSTEM 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 + T8		.03
26952	T7 + T9		.03
26953	T10 + T15		.03
26954	T15 + T20		.03

269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Ball End Hex & Hex Metric Drive-Loc Reversible Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28009	1.5 + 1.8		.02 Reversible
28010	2.0 + 2.5		.02 Reversible
28011	3.0 + -		.02
28012	3.2 + -		.02
28013	3.5 + -		.02
28014	4.0 + -		.02
28015	4.5 + -		.02
28016	5.0 + -		.02
28017	5.5 + -		.02




26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch

Item No.	
26985	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

ESD Technicians Kit

Precision Screwdrivers & Tweezers



44590 12 Pc. Slotted, Phillips & TORX®

Precision Interchangeable Blade Set ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.


44590 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T5, T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

44501	Fine Point - AA SA	
44509	Extra Fine Point - 5 SA	
44505	Flat and Blunt - 2a SA	lbs.
44510	Curved Fine Point - 7a SA	.60

Slotted, Phillips, TORX® Set



In steel box




28094 11 Pc. Slotted, Phillips & TORX®

Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

-  ● **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- lbs. ⊕ **Phillips:** 000, 00, 0, 1
- 1.51 ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

Slotted & Phillips Set



In steel box




26993 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

Precision Interchangeable Blade Sets In Metal Box



26996 5 Pc. Slotted & Phillips

Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.

26996 ⊕ Phillips: 000, 00, 0, 1

‡ ● **Slotted:** 1.5, 2.0, 3.0, 3.5mm

 lbs. .54




26995 5 Pc. TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.

26995 ⊗ TORX®: T6, T7, T8, T9, T10, T15, T20

 lbs. .52



26997 9 Pc. Slotted, Phillips and TORX®

Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26997 ⊕ Phillips: 000, 00, 0, 1

‡ ● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊗ **TORX®:** T6, T7, T8, T9, T10, T15

 lbs. .64



26987 8 Pc. TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

- ⊗ **TORX® standard blades:** T3, T4, T5
- ⊗ **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20

 lbs. .62



26989 9 Pc. Hex Inch Precision Blade Set


Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26989 ⊠ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 lbs. .64

Wiha Canvas Pouch Sets

Canvas Pouch



26990 4 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.


26990 Set includes the following blades:

● **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

🔧 lbs. .17

Canvas Pouch



26991 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 5 Wiha interchangeable blades. In canvas pouch.


26991 Set includes the following blades:

↑ ● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

🔧 lbs. .29

Canvas Pouch



26992 17 Pc. Slotted, Phillips & Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 15 Wiha interchangeable blades.

26992 Set includes the following blades:

● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1


● **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"

● **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

🔧 lbs. .63

Canvas Pouch



28080 22 Pc. Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:

● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

● **Hex:** .028, .035


● **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

🔧 lbs. .33

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28097 9 Pc. Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:


↑ ● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T5, T6, T7, T8, T9, T10, T15

🔧 lbs. .33

ESD Safe



28084 13 Pc. Slotted, Phillips & Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↑ ● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

● **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

🔧 lbs. .44

ESD Safe



28087 8 Pc. TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Includes the following blades:

⊗ **TORX® Standard blades:** T3, T4, T5


⊗ **TORX® Reversible blades:**

T6, T7, T8, T9, T10, T15, T20

🔧 lbs. .29

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28091 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

↑ ● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

🔧 lbs. .25

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Handle is molded directly onto the blade for a permanent bond

Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability



341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
No.	Inch	Inch	mm	mm	Inch	Inch	mm	lbs.	pkg.
34134	9/64	5.0	125	238	9.4	1.18	30	.18	10
34135	5/32	5.0	125	238	9.4	1.18	30	.24	10
34136	3/16	5.0	125	238	9.4	1.18	30	.25	10
34137	7/32	5.0	125	238	9.4	1.18	30	.26	10
34138	1/4	5.0	125	246	9.7	1.42	36	.38	10
34139	5/16	5.0	125	246	9.7	1.42	36	.40	10
34140	11/32	5.0	125	246	9.7	1.42	36	.40	10
34141	3/8	5.0	125	246	9.7	1.42	36	.40	10
34142	7/16	5.0	125	246	9.7	1.61	41	.40	10
34143	1/2	5.0	125	246	9.7	1.61	41	.40	10
34144	9/16	5.0	125	246	9.7	1.61	41	.40	10
34145	5/8	5.0	125	246	9.7	1.61	41	.40	10

341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Item No.									
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34120	5.0	125	5.0	238	9.4	30	1.18	.14	10
34121	5.5	125	5.0	238	9.4	30	1.18	.14	10
34122	6.0	125	5.0	238	9.4	30	1.18	.15	10
34123	7.0	125	5.0	238	9.4	36	1.42	.25	10
34124	8.0	125	5.0	238	9.4	36	1.42	.25	10
34126	10.0	125	5.0	238	9.4	36	1.42	.27	10
34127	11.0	125	5.0	247	9.7	41	1.61	.37	10
34128	12.0	125	5.0	247	9.7	41	1.61	.40	10
34129	13.0	125	5.0	247	9.7	41	1.61	.40	10
34130	14.0	125	5.0	247	9.7	41	1.61	.40	10
34131	15.0	125	5.0	247	9.7	41	1.61	.40	10
34132	16.0	125	5.0	249	9.8	41	1.61	.42	10
34133	17.0	125	5.0	249	9.8	41	1.61	.42	10

341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle

Item No.							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
34152	5.5	125	5.0	238	9.4	.14	10
34154	5.5	250	9.8	361	14.2	.21	10
34158	7.0	125	5.0	238	9.4	.15	10



34193 7 Pcs. Nut Driver Set Inch sizes.

Blade CVM steel, hardened.

Deep drawn 1" socket.

Item No.					
No.	Inch	Inch	Inch	Inch	lbs.
34193	3/16	5.0	3/8	5.0	1.89
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	
	11/32	5.0			



34195 10 Piece Nut Driver Set Inch sizes

Item No.					
No.	Inch	Inch	Inch	Inch	lbs.
34195	3/16	5.0	3/8	5.0	3.12
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	



34194 7 Piece Nut Driver Set Metric sizes

Item No.					
No.	mm	mm	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			

Wiha SoftFinish® Heavy Duty Nut Drivers



347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item No.											
	mm	mm	Inch	mm	mm	Inch	mm	mm	Inch	lbs.	pkg.
34712	7.0	125	5.0	10.0	238	9.4	36	1.42	.25	10	
34715	8.0	125	5.0	10.0	238	9.4	36	1.42	.25	10	
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26	10	
34721	10.0	125	5.0	10.0	238	9.4	36	1.42	.27	10	
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37	10	
34727	12.0	125	5.0	13.0	247	9.7	41	1.61	.40	10	
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40	10	



347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item No.											
	Inch	Inch	mm	Inch	mm	Inch	mm	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18	10	
34759	1/4	5.0	125	3/8	238	9.4	36	1.42	.24	10	
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25	10	
34771	3/8	5.0	125	3/8	238	9.4	36	1.42	.26	10	
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38	10	
34777	1/2	5.0	125	1/2	246	9.7	41	1.61	.40	10	



34791 5 Piece Nut Driver Set Metric sizes

Item No.					
	mm	mm	mm	mm	lbs.
34791	5.0*	125	10.0	125	1.42
	6.0*	125	11.0	125	
	8.0	125			

*Standard blade - no hex bolster



34792 6 Piece Nut Driver Set Inch sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
34792	3/16	5.0	3/8	5.0	1.94
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	

Wiha SoftFinish® Metric Nut Drivers - Hollow Shaft

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Hardened for maximum torque and wear resistance
- Heavy duty hollow shaft - 3.7" depth
- Chrome plated anti corrosion finish



343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.										
	mm	mm	Inch	mm	Inch	mm	mm	Inch	lbs.	pkg.
34302	5.0	70	2.75	175	7.0	36	1.42	.14	10	
34304	5.5	70	2.75	175	7.0	36	1.42	.14	10	
34306	6.0	70	2.75	175	7.0	36	1.42	.15	10	
34308	7.0	70	2.75	182	7.5	41	1.61	.25	10	
34310	8.0	70	2.75	182	7.5	41	1.61	.25	10	
34312	10.0	70	2.75	187	7.6	41	1.61	.27	10	
34314	13.0	70	2.75	187	7.6	41	1.61	.40	10	



34391 7 Piece Hollow Shaft Nut Driver Set Metric Sizes

Item No.					
	mm	mm	mm	mm	lbs.
34391	5.0	70	8.0	70	1.41
	5.5	70	10.0	70	
	6.0	70	13.0	70	
	7.0	70			

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	30	1.18	.30	1
37222	1/4	5.9	150	261	10.2	36	1.42	.42	1
37224	5/16	5.9	150	261	10.2	36	1.42	.44	1
37226	3/8	6.9	175	261	10.2	36	1.42	.44	1
37228	7/16	6.9	175	261	10.2	41	1.61	.44	1
37230	1/2	6.9	175	261	10.2	41	1.61	.44	1



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	30	1.18	.16	1
37236	5.5	150	5.9	261	10.2	30	1.18	.16	1
37237	6.0	150	5.9	261	10.2	30	1.18	.17	1
37238	7.0	150	5.9	261	10.2	36	1.42	.28	1
37239	8.0	150	5.9	261	10.2	36	1.42	.28	1
37241	10.0	175	6.9	261	10.2	41	1.61	.44	1
37244	13.0	175	6.9	261	10.2	41	1.61	.44	1



37290 6 Piece Flexible Shaft Nut Driver
Set, Inch Sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
37290	3/16	5.9	3/8	6.9	2.50
	1/4	5.9	7/16	6.9	
	5/16	5.9	1/2	6.9	



37291 7 Piece Flexible Shaft Nut Driver
Set, Metric Sizes

Item No.					
	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			

Wiha SoftFinish® Inch Nut Drivers - Hollow Shaft



343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item No.									
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	30	1.18	.18	10
34338	1/4	2.75	70	175	7.0	30	1.18	.24	10
34339	5/16	2.75	70	175	7.0	36	1.42	.25	10
34340	11/32	2.75	70	182	7.5	36	1.42	.25	10
34341	3/8	2.75	70	182	7.5	36	1.42	.26	10
34342	7/16	2.75	70	187	7.6	41	1.61	.38	10
34343	1/2	2.75	70	187	7.6	41	1.61	.40	10



34390 7 Piece Hollow Shaft Nut Driver
Set Inch Sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
34390	3/16	2.75	3/8	2.75	1.55
	1/4	2.75	7/16	2.75	
	5/16	2.75	1/2	2.75	
	11/32	2.75			



Inch Color
Coded To
Size


Wiha SoftFinish® Triangle Nut Drivers



344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18	.17	10
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18	.19	10
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18	.21	10
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42	.23	10
34480	M10	15.1	.592	125	5"	243	9.6	36	1.42	.25	10
34482	M12	16.1	.651	125	5"	243	9.6	41	1.61	.27	10



Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated.

Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.	pkg.
33653	3/16	6.0	150	7.2	182	4.0	100	.16	10
33659	1/4	6.0	150	7.2	182	4.0	100	.18	10
33665	5/16	6.0	150	7.2	182	4.0	100	.19	10
33671	3/8	6.0	150	7.2	182	4.0	100	.20	10
33674	7/16	6.0	150	7.2	182	4.0	100	.26	10
33677	1/2	6.0	150	7.2	182	4.0	100	.30	10



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha

T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
33603	6.0	125	4.9	157	6.2	100	4.0	.16	10
33606	8.0	125	4.9	157	6.2	100	4.0	.18	10
33607	8.0	200	7.9	232	9.1	100	4.0	.22	10
33609	9.0	125	4.9	157	6.2	100	4.0	.23	10
33612	10.0	125	4.9	157	6.2	100	4.0	.24	10
33614	10.0	230	9.0	262	10.3	100	4.0	.26	10
33620	12.0	125	4.9	157	6.2	100	4.0	.26	10
33622	13.0	125	4.9	157	6.2	100	4.0	.27	10
33623	13.0	230	9.0	262	10.3	100	4.0	.30	10



33690 6 Pc. Nut Driver T-handle Set

Inch Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	Inch	Inch	lbs.
33690	3/16	6.0	3/8	6.0	1.61
	1/4	6.0	7/16	6.0	
	5/16	6.0	1/2	6.0	



33691 5 Piece Nut Driver T-handle Set

Metric Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	mm	mm	lbs.
33691	6.0	125	10.0	125	1.57
	8.0	125	13.0	125	
	9.0	125			

Wiha Drive-Loc VI Nut Drivers



Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" in 1/8" increments)

See Drive-Loc VI Handles & Screwdrivers on pages 19-20

Drive-Loc VI

For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")



281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"

SoftFinish® Cushion Grip Blade Lock Handle



28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm

SoftFinish® Cushion Grip Blade Lock Handle



28144 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

Wiha Power Blade Nut Drivers - 100mm



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26




76085 9 Pc. Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76085	.96

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"



76086 12 Pc. Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76086	1.22

Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



76084 12 Pc. Power Blade Inch & Metric Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76084	2.97

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm

Cushion Grip CentroFix Blade Holder



Wiha Power Blade Nut Drivers - 100mm



760 Power Blade Inch Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	mm	mm	Inch	lbs.
76059	3/16	100	3.9	.12
76060	7/32	100	3.9	.14
76061	1/4	100	3.9	.14
76062	9/32	100	3.9	.14
76063	5/16	100	3.9	.14
76064	11/32	100	3.9	.15
76065	3/8	100	3.9	.15
76066	7/16	100	3.9	.15
76067	1/2	100	3.9	.18



760 Power Blade Metric Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	mm	mm	Inch	lbs.
76068	4.0	100	3.9	.12
76069	4.5	100	3.9	.12
76070	5.0	100	3.9	.12
76071	5.5	100	3.9	.14
76072	6.0	100	3.9	.14
76073	7.0	100	3.9	.14
76074	8.0	100	3.9	.14
76075	9.0	100	3.9	.14
76076	10.0	100	3.9	.14
76077	11.0	100	3.9	.15
76078	12.0	100	3.9	.18
76080	13.0	100	3.9	.19

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle Metric sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle Inch sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Nut Driver Sets Precision Series



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finish.

Item No. Metric Nut Drivers:

26590 2.5, 3.0, 3.5, 4.0, 4.5, lbs. .48
5.0, 5.5, 6.0mm x 60mm

26592 Set 7 Pcs. Nut Driver Metric

Item No. 1.5, 1.8, 2.0, 2.5,

26592 3.0, 3.5, 4.0mm



26598 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finished.

Item Metric Nut Drivers:

No. 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, lbs. .70
26598 5.5, 6.0mm x 60mm



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No.

26591 Inch Nut Drivers: lbs. 47
3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4" x 2.4"



26599 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item Inch Nut Drivers:

No. 3/32, 7/64, 1/8, lbs. .72
26599 9/64, 5/32, 3/16,
7/32, 1/4" x 2.4"



In canvas storage pouch



In canvas storage pouch



269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04

269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item					
No.	mm	mm	Inch	Inch	lbs.
26940	1.5 + 1.8		.12	.12	.03
26941	2.0 + 2.5		.16	.16	.03
26938	1.5 -		.11	.11	.04
26939	1.8 -		.12	.12	.04
26949	2.0 -		.13	.13	.06
26950	2.5 -		.16	.16	.06
26942	3.0 -		.20	.20	.06
26943	3.2 -		.20	.20	.06
26944	3.5 -		.22	.24	.06
26945	4.0 -		.22	.24	.06
26946	4.5 -		.25	.28	.06
26947	5.0 -		.27	.28	.06
26948	5.5 -		.30	.32	.06

SYSTEM 4 Compact Fold-out box Sets & Pouch Sets

See **SYSTEM 4 Handles & Blades** on pages 33-36



- ESD Safe Precision Handle
- High alloy CVM steel, hardened
- Exact fit tips
- In metal storage box

SYSTEM 4 Nut Driver Sets



26988 9 Pc. Nut Driver Inch Precision Blade Set Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades.
26988 Set includes the following blades:
Nut Driver Inch:
 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
lbs. .65

In metal storage boxes



26998 9 Pc. Nut Driver Metric Precision Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.
26998 Set includes the following blades:
Nut Driver Metric:
 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm
lbs. .68



28088 9 Piece Nut Driver Inch Precision Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.
28088 Set includes the following blades:
Nut Driver Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
lbs. .37



28098 8 Pc. Nut Driver Metric Precision Blade Set Wiha ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.
28098 Set includes the following blades:
Nut Driver Metric:
 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm
lbs. .40

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
10810 19	26042 27	26340 28	26563 43	26792 29	26966 44
15305 24	26050 31	26341 32	26570 43	26793 32	26967 44
15310 24	26051 31	26343 32	26571 30	26794 30	26968 44
15315 24	26052 31	26345 32	26572 30	26796 32	26969 44
15325 24	26053 31	26347 32	26573 30	26798 31	26971 34
15330 24	26054 31	26349 32	26574 30	26799 29	26972 34
15335 24	26055 31	26351 32	26575 30	26810 27	26973 34
15340 24	26056 31	26353 32	26576 30	26815 32	26974 34
16112 24	26060 31	26363 32	26577 30	26900 34	26975 35
16134 24	26061 31	26367 32	26578 30	26901 34	26976 35
18601 24	26063 31	26369 32	26579 30	26903 34	26977 35
18603 24	26065 31	26371 32	26581 30	26904 34	26978 35
18606 24	26066 31	26390 28	26582 30	26905 34	26979 35
18609 24	26068 31	26391 28	26583 30	26911 34	26980 35
18612 24	26070 31	26392 32	26584 30	26912 34	26981 35
18615 24	26072 31	26393 32	26585 30	26913 35	26982 35
18624 24	26073 31	26399 28	26586 30	26914 35	26985 35
18627 24	26074 31	26413 29	26587 30	26916 35	26987 36
18630 24	26076 31	26415 29	26588 42	26917 35	26988 44
18645 24	26079 31	26416 29	26589 42	26918 35	26989 36
18648 24	26080 31	26419 29	26590 43	26919 35	26990 37
18651 24	26090 27	26420 29	26591 43	26920 35	26991 37
18654 24	26092 28	26423 29	26592 43	26921 35	26992 37
18657 24	26093 31	26425 29	26593 30	26922 34	26993 36
18663 24	26099 27	26427 29	26596 30	26923 35	26995 36
18678 24	26100 27	26430 29	26598 43	26924 35	26996 36
18681 24	26101 27	26431 29	26599 43	26925 35	26997 36
20700 24	26102 27	26436 29	26631 31	26926 35	26998 4
20705 24	26105 27	26439 29	26701 29	26927 35	28000 34
20710 24	26107 27	26440 29	26702 29	26928 35	28001 34
20715 24	26108 27	26441 32	26703 29	26929 35	28002 35
20720 24	26109 27	26443 32	26704 29	26932 34	28003 35
20725 24	26110 27	26445 32	26705 29	26933 34	28004 35
20756 24	26113 27	26447 32	26706 29	26934 34	28005 35
20757 24	26114 27	26449 32	26707 29	26935 34	28006 35
20758 24	26115 27	26455 32	26708 29	26936 34	28007 35
20759 24	26130 31	26457 32	26709 29	26937 34	28008 35
20760 24	26132 31	26459 32	26710 29	26938 44	28009 35
20790 24	26133 31	26461 32	26715 29	26939 44	28010 35
20799 24	26135 31	26463 32	26720 29	26940 44	28011 35
21103 14	26136 31	26465 32	26721 31	26941 44	28012 35
21105 14	26140 31	26467 32	26723 31	26942 44	28013 35
22220 24	26142 31	26490 29	26725 31	26943 44	28014 35
22230 24	26145 31	26491 29	26727 31	26944 44	28015 35
22240 24	26190 27	26493 32	26729 31	26945 44	28016 35
26000 27	26192 28	26499 29	26731 31	26946 44	28017 35
26001 27	26193 31	26510 43	26732 32	26947 44	28021 34
26008 27	26194 28	26515 43	26735 32	26948 44	28023 34
26010 27	26197 27	26520 43	26736 32	26949 44	28024 34
26012 27	26199 27	26523 43	26737 32	26950 44	28025 34
26015 27	26205 28	26525 43	26739 32	26951 35	28026 34
26018 27	26210 28	26527 43	26741 32	26952 35	28027 34
26020 27	26307 28	26530 43	26743 32	26953 35	28028 34
26022 27	26309 28	26531 43	26745 32	26954 35	28029 34
26023 27	26313 28	26532 43	26747 32	26955 35	28033 34
26025 27	26315 28	26535 43	26749 32	26956 35	28034 34
26027 27	26316 28	26536 43	26751 32	26957 35	28035 34
26028 27	26320 28	26539 43	26761 30	26958 35	28036 34
26030 27	26323 28	26540 43	26762 30	26959 35	28037 34
26032 27	26325 28	26545 43	26763 30	26960 35	28080 37
26033 27	26327 28	26547 43	26764 30	26961 35	28084 37
26034 27	26330 28	26550 43	26765 30	26962 44	28087 37
26035 27	26331 28	26555 43	26766 30	26963 44	28088 44
26040 27	26333 28	26556 43	26790 29	26964 44	28091 37
26041 27	26336 28	26560 43	26791 29	26965 44	28094 36

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
28097 37	28197 21	30815 5	34131 38	36202 9	36285 10
28098 44	28198 42	30816 5	34132 38	36203 9	36286 10
28103 14	28199 21	30817 5	34133 38	36205 23	36287 10
28105 19	28474 20	30820 5	34134 38	36207 9	36288 10
28106 19	28476 20	30825 5	34135 38	36210 23	36290 9
28107 19	28477 20	30830 5	34136 38	36211 11	36291 10
28108 19	28479 20	30835 5	34137 38	36212 23	36292 23
28109 19	28483 20	30892 5	34138 38	36214 11	36293 23
28110 19	28485 20	30896 5	34139 38	36215 23	36294 10
28112 19	28486 19	30898 5	34140 38	36220 23	36296 11
28114 19	28487 19	30942 8	34141 38	36223 11	36297 11
28116 20	28488 19	31105 6	34142 38	36225 23	36298 10
28117 20	28489 14	31110 6	34143 38	36228 11	36299 11
28118 20	30202 6	31112 6	34144 38	36229 11	36710 12
28119 20	30203 6	31114 6	34145 38	36230 23	36713 12
28120 20	30204 6	31115 6	34152 38	36231 11	36715 13
28122 20	30205 6	31117 6	34154 38	36232 11	36716 12
28123 20	30206 6	31118 6	34158 38	36233 11	36719 12
28124 20	30208 6	31120 6	34193 38	36234 9	36720 13
28126 19	30210 6	31125 6	34194 38	36235 23	36723 12
28127 19	30211 6	31135 7	34195 38	36238 11	36725 13
28128 19	30212 6	31137 8	34302 39	36239 11	36726 12
28129 19	30215 6	31140 7	34304 39	36240 23	36728 12
28130 19	30216 6	31190 7	34306 39	36241 11	36730 13
28132 19	30217 6	31191 7	34308 39	36242 11	36732 12
28133 19	30218 6	31192 7	34310 39	36243 11	36734 12
28134 19	30219 6	31193 7	34312 39	36244 9	36736 12
28135 19	30220 6	31194 8	34314 39	36245 23	36738 12
28136 19	30221 6	31201 5	34336 40	36246 11	36740 13
28137 19	30222 6	31202 5	34338 40	36247 11	36742 12
28138 19	30223 6	31203 5	34339 40	36248 11	36744 12
28139 19	30225 6	31305 8	34340 40	36249 9	36750 13
28140 19	30226 6	31310 8	34341 40	36250 23	36760 13
28142 19	30227 6	31312 8	34342 40	36252 11	36780 13
28143 19	30230 6	31315 8	34343 40	36253 11	36786 13
28144 42	30232 6	31320 8	34390 40	36254 9	36790 13
28149 20	30235 6	32644 8	34391 39	36255 11	36791 12
28150 20	30236 6	33603 41	34474 41	36256 9	36792 13
28151 20	30237 8	33606 41	34475 41	36257 9	36793 12
28156 42	30238 6	33607 41	34476 41	36258 9	36794 12
28157 42	30239 7	33609 41	34478 41	36259 10	37220 40
28158 42	30255 7	33612 41	34480 41	36262 11	37222 40
28159 42	30265 7	33614 41	34482 41	36263 11	37224 40
28160 42	30276 5	33620 41	34712 39	36264 10	37226 40
28161 42	30289 7	33622 41	34715 39	36265 11	37228 40
28162 42	30290 7	33623 41	34718 39	36266 10	37230 40
28163 42	30291 7	33653 41	34721 39	36267 10	37235 40
28164 42	30294 6	33659 41	34724 39	36268 10	37236 40
28168 42	30295 8	33665 41	34727 39	36269 10	37237 40
28169 42	30297 6	33671 41	34730 39	36270 10	37238 40
28170 42	30298 6	33674 41	34753 39	36271 10	37239 40
28171 42	30299 8	33677 41	34759 39	36272 10	37241 40
28172 42	30517 8	33690 41	34765 39	36273 10	37244 40
28173 42	30520 8	33691 41	34771 39	36274 10	37290 40
28174 42	30523 8	34120 38	34774 39	36275 10	37291 40
28175 42	30526 8	34121 38	34777 39	36276 10	38450 14
28176 42	30530 8	34122 38	34791 39	36277 10	38460 14
28177 42	30535 8	34123 38	34792 39	36278 10	38600 14
28187 20	30540 8	34124 38	35800 7	36279 10	40010 14,33
28188 20	30550 8	34126 38	35801 7	36280 10	44590 36
28189 21	30560 8	34127 38	35802 7	36281 10	45040 16
28191 20	30580 8	34128 38	35803 7	36282 10	45050 16
28194 21	30813 5	34129 38	35894 7	36283 10	45052 16
28196 42	30814 5	34130 38	36201 10	36284 10	45054 16

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
45055 16	46095 16	53025 4	76049 26		
45056 16	46097 16	53027 4	76050 26		
45057 16	46098 16	53035 4	76051 26		
45058 16	46099 15	53040 4	76052 26		
45060 16	46702 18	53075 4	76053 26		
45061 16	46704 18	53090 4	76054 26		
45062 16	46706 18	53096 4	76056 25		
45064 16	46708 18	53097 5	76057 25		
45065 16	46710 18	53099 5	76058 25		
45067 16	46712 18	53110 4	76059 43		
45069 16	46714 18	53115 4	76060 43		
45135 16	46715 18	53120 4	76061 43		
45137 16	46716 18	53310 22	76062 43		
45140 16	46718 18	53315 22	76063 43		
45142 16	46720 18	53320 22	76064 43		
45144 16	46722 18	53325 22	76065 43		
45147 16	46724 18	53330 22	76066 43		
45150 16	46725 18	53390 22	76067 43		
45152 16	46726 18	53398 22	76068 43		
45190 16	46728 18	53405 22	76069 43		
45205 17	46730 18	53410 22	76070 43		
45207 17	46740 18	53425 22	76071 43		
45220 17	46750 18	62990 33	76072 43		
45225 17	46760 18	62993 33	76073 43		
45230 17	46786 18	62994 33	76074 43		
45235 17	46790 15	62995 33	76075 43		
45504 17	46793 18	65090 33	76076 43		
45505 23	46794 18	76000 25,42	76077 43		
45506 23	46796 18	76001 26	76078 43		
45507 17	46797 18	76002 26	76079 26		
45508 17	46799 18	76003 26	76080 43		
45509 17	48400 23	76004 26	76084 42		
45510 17	48401 15	76008 26	76085 42		
45511 23	51099 14	76009 26	76086 42		
45515 17	52005 21	76010 26	76087 26		
45516 23	52010 21	76011 25	76088 25		
45520 17	52020 21	76012 25	76089 25		
45521 23	52025 21	76013 25	76090 26		
45522 23	52035 21	76015 26	76091 25		
45525 17	52040 21	76020 26	76092 26		
45526 23	52050 21	76022 25	76093 25		
45527 17	52090 21	76023 25	76094 25		
45530 17	52097 21	76024 25	76095 25		
45531 23	52098 21	76025 26	76096 26		
45536 23	52099 21	76027 26	76098 26		
45540 17	52105 21	76030 26	76099 26		
45541 23	52110 21	76031 25	91118 28		
45545 17	52115 21	76032 25	92189 30		
45546 23	52120 21	76033 25	92190 30		
45550 17	52125 21	76034 25	92191 30		
45551 23	52650 22	76035 25	95190 33		
45561 23	52711 22	76036 25	96800 33		
45589 23	52713 22	76037 25			
45591 23	52716 22	76038 25			
45592 23	52719 22	76039 25			
45593 17	52722 22	76040 26			
45595 17	52726 22	76041 25			
45597 17	52729 22	76042 25			
45598 17	52732 22	76043 25			
45831 15	52790 22	76044 25			
45832 15	52791 22	76045 26			
45833 15	53010 4	76046 26			
45891 15	53015 4	76047 26			
46094 16	53020 4	76048 26			



**WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.**

wiha 
Tools that work for you



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99002 .wo
version - 2/1/18

Subject to change without notice

©2018 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



Wiha Quality Tools


1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598



To:




91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Wiha:

[28010](#) [28005](#) [28013](#) [28014](#) [28003](#) [28006](#) [28002](#) [28017](#) [28011](#) [26961](#) [28016](#) [28004](#) [28012](#) [28008](#) [28015](#)
[28007](#) [46099](#) [51099](#) [28196](#) [53075](#) [53099](#) [31194](#)