










AMP BESTELL-NR. AMP ORDER NO.		STK. QTY.	BENENNUNG DESCRIPTION	
0 - . . . - I AS SHOWN WIE GEZEICHNET				
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWG J. Jün 24JUN99 CHK H. Schmitt 24JUN99 APVD -	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
		0 PLC ±0.3 1 PLC ±0.3 2 PLC ±0.3 3 PLC ±. 4 PLC ±. ANGLES ±°		AMP MODU II PIN HEADER 32POS. AMP MODU II Stiftwanne 32pol.
MATERIAL SEE TABLE		FINISH	WEIGHT	SIZE
		-	-	A 1
				CAGE CODE
				C=1355587
				DRAWING NO
				RESTRICTED TO
				-
Customer Drawing		SCALE 5:1		SHEET 1 of 2
				REV D4



PIN 90° VARIANTE



TYCO PART NO	REV.	PCS	MATERIAL	SURFACE COLOR	DESCRIPTION	ITEM NO
I-1355587-4	A		I6	CuMg	TIN PLATED	AMP MODU II PIN LONG
			I6	CuMg	TIN PLATED	AMP MODU II PIN SHORT
			I	PA6-(GB20+GF10)	BLUE	PIN HEADER 32POS., COD. B
I-1355587-3	A		I6	CuMg	TIN PLATED	AMP MODU II PIN LONG
			I6	CuMg	TIN PLATED	AMP MODU II PIN SHORT
			I	PA6-(GB20+GF10)	BLACK	PIN HEADER 32POS., COD. A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. J. J. J.	24JUN99	TE Connectivity	
DIMENSIONS: mm		CHK H. Schmitt	24JUN99	NAME AMP MODU II PIN HEADER 32POS. AMP MODU II Stiftwanne 32pol.	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	-	PRODUCT SPEC	
0 PLC ±0.3		APPLICATION SPEC		SIZE A1	
1 PLC ±0.3		WEIGHT -		CAGE CODE -	
2 PLC ±0.3		RESTRICTED TO		DRAWING NO C=1355587	
3 PLC ±0.3		SCALE 1:1		SHEET 2	
4 PLC ±0.3		Customer Drawing		REV D4	
ANGLES FINISH		-		-	
MATERIAL SEE TABLE		-		-	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1355587-4](#)