
THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, WITHOUT PRIOR WHITTEN PERMISSION OF PROJECTS UNLIMITED, INC. IS PROHIBITED.

© 2005, Projects Unlimited Inc.

**SPECIFICATIONS** 

PARAMETERS	VALUES	UNITS
RATED INPUT POWER	0.25	W
MAX INPUT POWER	0.5	W
IMPEDANCE	32±15%	ОНМ
OUTPUT SPL @ 0.1W/0.1M (AT 0.8, 1.0, 1.2, 1.5, kHz)	91±3	dBA
DISTORTION (MAX.)	5%	-
RESONANT FREQUENCY	600±25%	Hz
FREQUENCY RANGE	600 ~ 6500	Hz
HOUSING MATERIAL	METAL	_
CONE MATERIAL	MYLAR	-
MAGNET MATERIAL	Nd-Fe-B	=
OPERATING TEMPERATURE	-20 ~ +60	°C



4.5

grams


## NOTES:

WEIGHT

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. SPECIFICATION SUBJECT TO CHANGE OR WITHDRAWAL WITHOUT NOTICE.
- 3. THIS PART IS RoHS 2002/95/EC COMPLIANT.

AS02832MR-2-R.DWG

	REVISIONS						
LTR	DESCRIPTION	DATE	APPROVED				
_	RELEASED FROM ENGINEERING	11/22/06					



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS, TOLERANCES ARE ±0.5 AND ANGLES ARE ±3.			W u	rojects © nlimited	Dayton , Ohio		
APPROVALS DATE			SPFAKER				
	DRAWN J.D.	11/06			01		
	CHECKED D.F.	11/06	SIZE A		DRAWING	S NO. 2MR-2-R	
	APPROVED R.W.	11/06	$\vdash \frown$		7.00200	4	
	DO NOT SCALE DRAWING		SCA	LE: N.T.S.		SHEET 1 OF	1

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

PUI Audio: AS02832MR-2-R