



DO NOT SCALE DRAWING



注記 NOTES

- △ 適合ターミナル : 56134-9000, 9100  
APPLICABLE TERMINAL : 56134-9000, 9100
- 2. 嵌合相手 : 55917, 55959 シリーズ  
MATE WITH : 55917, 55959 SERIES  
(全極数/2) = 偶数の場合に適用。  
APPLY FOR (CIRCUIT/2) = EVEN
- △ 製品番号 MATERIAL NO. 51353-\*\*-0\*  
極数 CIRCUIT SIZE 色 COLOR
- △ ロック側の回路番号表示は、8~14極は無し、16~40極は有り。  
LOCK SIDE CKT. NO. DIDN'T INDICATED 8~14CKT, INDICATE 16~40CKT.



|                              |   |
|------------------------------|---|
| ナチュラル (白)<br>NATURAL (WHITE) | 0 |
| 黒<br>BLACK                   | 1 |
| 赤<br>RED                     | 2 |
| 黄<br>YELLOW                  | 3 |
| 青<br>BLUE                    | 4 |
| 桃<br>PINK                    | 5 |
| 緑<br>GREEN                   | 6 |
| 茶<br>BROWN                   | 7 |
| 橙<br>ORANGE                  | 8 |
| 紫<br>VIOLET                  | 9 |



|     |      |      |    |      |              |      |
|-----|------|------|----|------|--------------|------|
| 7.8 | 36.5 | 41.6 | 38 | 43.4 | 51353-400*   | 40   |
|     | 34.5 | 39.6 | 36 | 41.4 | -380*        | 38   |
|     | 32.5 | 37.6 | 34 | 39.4 | -360*        | 36   |
|     | 30.5 | 35.6 | 32 | 37.4 | -340*        | 34   |
|     | 28.5 | 33.6 | 30 | 35.4 | -320*        | 32   |
|     | 26.5 | 31.6 | 28 | 33.4 | -300*        | 30   |
|     | 24.5 | 29.6 | 26 | 31.4 | -280*        | 28   |
|     | 22.5 | 27.6 | 24 | 29.4 | -260*        | 26   |
|     | 20.5 | 25.6 | 22 | 27.4 | -240*        | 24   |
|     | 18.5 | 23.6 | 20 | 25.4 | -220*        | 22   |
|     | 16.5 | 21.6 | 18 | 23.4 | -200*        | 20   |
|     | 14.5 | 19.6 | 16 | 21.4 | -180*        | 18   |
|     | 12.5 | 17.6 | 14 | 19.4 | -160*        | 16   |
|     | 10.5 | 15.6 | 12 | 17.4 | -140*        | 14   |
| 7.8 | 8.5  | 13.6 | 10 | 15.4 | -120*        | 12   |
| 4.7 | 6.5  | 11.6 | 8  | 13.4 | -100*        | 10   |
| 4.7 | 4.5  | 9.6  | 6  | 11.4 | 51353-080*   | 8    |
| E   | D    | C    | B  | A    | MATERIAL NO. | CKT. |

|                                  |                                                                                 |                                    |                                                   |                                                                                                                                   |              |                                                    |              |           |        |      |                       |
|----------------------------------|---------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------------------|--------------|-----------|--------|------|-----------------------|
| EC NO.<br>DRWN:<br>CHK:<br>APPR: | REVISED                                                                         | MATERIAL<br>材料<br>66NYLON, UL94V-0 | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 | SCALE                                                                                                                             | DESIGN UNITS | MODEL NO.                                          | DIMENSIONS:  |           | SHT    | REV  |                       |
|                                  | EC NO. J2003-0719<br>DRWN:N.ITO '02/10/22<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI |                                    |                                                   | 10 UNDER<br>未滿                                                                                                                    | mm           | THIRD ANGLE<br>PROJECTION                          | mm           | INCH      | mm     | ONLY | REVISE ON<br>CAD ONLY |
|                                  | REVISED                                                                         |                                    |                                                   | 10 OVER 30 UNDER<br>未滿                                                                                                            | mm           | INCH                                               | mm           | ONLY      |        |      |                       |
|                                  | EC NO. J2003-0066<br>DRWN:N.ITO '02/07/08<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI |                                    |                                                   | 30 OVER<br>以上                                                                                                                     | mm           | INCH                                               | mm           | ONLY      |        |      |                       |
| REVISED                          | EC NO. J2002-2307<br>DRWN:N.ITO '02/03/18<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI | FINISH<br>仕上げ                      | ANGLE 角度                                          | DRAWN BY & DATE<br>N.ITO '01/12/17                                                                                                |              | TITLE:<br>2.0mm W+-B DUAL CONN DIP<br>RCPT HOUSING |              |           |        |      |                       |
| REVISED                          | EC NO. J2002-1196<br>DRWN:N.ITO '01/12/17<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI | WIRE RANGE<br>適用線径範囲               |                                                   | CHECKED BY & DATE<br>K.ASAKAWA '02/10/22                                                                                          |              | MOLEX MOLEX INCORPORATED                           |              |           |        |      |                       |
| RELEASED                         | INS. RANGE<br>被覆外径                                                              |                                    | APPROVED BY & DATE<br>T.YAMAGUCHI '02/10/22       |                                                                                                                                   |              |                                                    |              |           |        |      |                       |
| REVISED                          | EC NO. J2003-0002<br>DRWN:N.ITO '02/03/18<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI |                                    |                                                   | CAD FILENAME<br>51353002.S01                                                                                                      |              | MATERIAL NO.                                       | DRAWING NO.  | SHEET NO. | 1 OF 2 |      |                       |
| REVISED                          | EC NO. J2002-2307<br>DRWN:N.ITO '02/03/18<br>CHK: K.ASAKAWA<br>APPR:T.YAMAGUCHI |                                    |                                                   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |              | SEE CHART                                          | SD-51353-002 |           | B      |      |                       |

DWG. NO. SD-51353-002



DO NOT SCALE DRAWING

|                                   |                                                                                             |                                                                                             |                                                                                             |                                                                                              |                                    |                                                                  |                                                   |                                                                                      |                                                                                                                                |                                                    |     |                       |
|-----------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------|------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----|-----------------------|
| EC NO.<br>DRWN:<br>CH'K:<br>APPR: | REVISED<br>EC NO. J2003-0719<br>DRWN:N.ITO '02/09/12<br>CH'K: K.ASAKAWA<br>APPR:T.YAMAGUCHI | REVISED<br>EC NO. J2003-0066<br>DRWN:N.ITO '02/07/08<br>CH'K: K.ASAKAWA<br>APPR:T.YAMAGUCHI | REVISED<br>EC NO. J2002-2307<br>DRWN:N.ITO '02/03/18<br>CH'K: K.ASAKAWA<br>APPR:T.YAMAGUCHI | RELEASED<br>EC NO. J2002-1196<br>DRWN:N.ITO '01/12/17<br>CH'K: K.ASAKAWA<br>APPR:T.YAMAGUCHI | MATERIAL<br>材料<br>SEE CHART 1 OF 2 | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差                | 51353-**-0*                                       | MODEL NO.                                                                            | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY           |                                                    | SHT | REV                   |
|                                   | C                                                                                           | B                                                                                           | A                                                                                           | 0                                                                                            | FINISH<br>仕上り<br>//                | 10 UNDER 未満 ±0.2<br>10 OVER 30 UNDER 未満 ±0.25<br>30 OVER 以上 ±0.3 | SCALE<br>//<br>DRAWN BY & DATE<br>N.ITO '01/12/17 | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH | THIRD ANGLE<br>PROJECTION                                                                                                      | TITLE:<br>2.0mm W+-B DUAL CONN DIP<br>RCPT HOUSING |     | REVISE ON<br>CAD ONLY |
| WIRE RANGE<br>適用 線被範囲<br>//       | INS. RANGE<br>被覆 外径<br>//                                                                   | ANGLE 角度 ±3°                                                                                | CAD FILENAME<br>51353002.S02                                                                | MATERIAL NO.<br>SEE CHART                                                                    | MOLEX INCORPORATED                 |                                                                  | DRAWING NO.<br>SD-51353-002                       | SHEET NO.<br>2 OF 2                                                                  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                                    |     |                       |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[51353-1201](#)