

[illegible][illegible]

THIS IS A SAMPLE OF A DRAWING FOR ILLUSTRATION PURPOSES. NO WARRANTIES OR REPRESENTATIONS ARE MADE BY THE COMPANY FOR THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. THE COMPANY ASSUMES NO LIABILITY FOR ANY LOSS OR DAMAGE OF ANY KIND, INCLUDING BUT NOT LIMITED TO, DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY LOSS OF PROFITS, REVENUE, OR BUSINESS, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS DRAWING.		DWG. 14NOV2006 A HOLT		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$.01 2 PLC $\pm$.02 2 PLC $\pm$.03 3 PLC $\pm$.04 4 PLC $\pm$.05 ANGLES $\pm$.5°		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		CHG. 14NOV2006 W.WELLINSKY APP'D W.WELLINSKY PRODUCT SPEC		APPLICATION SPEC	
MATERIAL SEE CHART ON SHEET 2		FINISH -		SIZE A1	
WEIGHT -		CUSTOMER DRAWING		CASE CODE 00779	
DRAWING NO. 1924170		SCALE 3:1		SHEET 2 OF 5	
REV F		REV F		REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																										0-1924170-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																					35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16								24							29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16												27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12								21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12					17	18			21	22												35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																													1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30								39	40	2-1924170-1	G		
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				39	40	2-1924170-3	G				
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18							26										35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G			
			3	4			7	8	9	10	11	12	13	14	15	16											27	28	29	30			32					37	38	39	40	2-1924170-9	G
1	2										11	12																								37	38	39	40	3-1924170-0	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12								21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22														35	36	37	38	39	40	3-1924170-5	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16				21	22		24						29	30					35	36	37	38	39	40	3-1924170-7	G	
1	2						7	8	9	10	11	12								21	22		24												35	36	37	38	39	40	3-1924170-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24			27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G		
											11	12							19	20																37	38	39	40	4-1924170-0	G		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38					

LOC	DIST	REVISIONS						
FX	00	F	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24												35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G			
				5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G			
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G			
											11	12											24																		7-1924170-4	G		
1	2										11	12	13	14	15	16							24																		7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12							19	20																					7-1924170-8	G		
											11	12							19	20																					7-1924170-9	G		
						7	8	9	10	11	12								19	20																					8-1924170-0	G		
						7	8	9	10	11	12																														8-1924170-1	G		
							9	10	11	12								17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																								37	38			8-1924170-3	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20																	37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16				19	20																			37	38	39	40	8-1924170-5	G
																																										8-1924170-6	G	
1	2					7	8	9	10	11	12		13	14	15	16					21	22		24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30						35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		13	14	15	16				21	22		24			27	28	29	30	31	32	33	34	35	36	37	38	39	40	8-1924170-9	G			
1	2	3	4			7	8	9	10	11	12		13	14	15		17	18		21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22		24			27	28	29	30						35	36	37	38			9-1924170-1	G			
		3	4	5	6						11	12											24												35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G		
											11	12											24												35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6						11	12							19	20																			39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G			
						7	8	9	10	11	12	13	14	15	16			19	20				24														37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-8	G			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G			
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G			
											11	12						19	20																						0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12							19	20				24															39	40	0-1924171-3	G			
						7	8	9	10	11	12																														0-1924171-4	G		
											11	12																													0-1924171-5	G		
											11	12																													0-1924171-6	G		
						7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924171-7	G	
											11	12	13	14	15	16							24													35	36					0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G			

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																											0-1924172-1	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24					27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-9	G
							7	8	9	10	11	12											24													35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G	
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24											35	36	37	38	39	40	1-1924172-5	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-6	G	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12																											0-1924173-1	H				
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H		
									9	10	11	12																												39	40	0-1924173-6	H	
							7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12												24																	39	40	0-1924173-8	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32						37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32						37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	1-1924173-2	H		
									9	10	11	12					17	18	19	20	21	22		24		26						33	34	35	36	37	38	39	40	1-1924173-3	H			
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32						37	38	39	40	1-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						35	36	37	38	39	40	1-1924173-6	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34				37	38	39	40	1-1924173-8	H		
			3	4	5	6					11	12							19	20																			39	40	1-1924173-9	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-0	H			
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-1	H			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-1924170-6](#)