






LOC		DIST		REVISIONS					
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




SECTION R-R




DETAIL H
SCALE 20:1



SECTION S-S




DETAIL G
SCALE 20:1



DETAIL Z
SCALE 12:1

TYP: THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.		DWN R. GRZYBOWSKI 30JAN2009	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK P. D'AMATO 30JAN2009	NAME SOCKET CONNECTOR, SMT P2-S24-P8 MINI CROWN EDGE	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.5 2 PLC ±.5 3 PLC ±.25 5 PLC ±.5 4 PLC ±.5 ANGLES ±2 FINISH		APVD M. PERCHERET 30JAN2009	PRODUCT SPEC	
MATERIAL			APPLICATION SPEC	
			WEIGHT	
			CUSTOMER DRAWING	
			SCALE 5:1 SHEET 2 OF 4 REV A	



Technical drawing of a mechanical part. The drawing shows a cross-section of a part with a central vertical slot. The top surface is labeled "FULL R". The height of the part is dimensioned as 5.9 MIN. The bottom surface is dimensioned as 2X 0.76 X 45°. The width of the part is dimensioned as 1.80 ± 0.07. The drawing includes a title block with the following information:

⊕	0.07 S	C	B	A S
---	--------	---	---	-----

Technical drawing of a mechanical part. The drawing shows a cross-section of a component with a central vertical slot. The overall height is 5.9 MIN. The width of the central slot is 0.76. The width of the base is 1.05 ± 0.07. The drawing includes a dimension line for the height, a dimension line for the width of the central slot, and a dimension line for the width of the base. A table is located at the bottom right of the drawing.

⊕	0.07	Ⓢ	C	B	A	Ⓢ
---	------	---	---	---	---	---

VRM COMPONENT AREA

2X 2.09 MIN

2X 1.1 MIN

6 MIN

2X 3.7 MIN

0.5 MAX

-B-

1.57

30° MAX

-C-

7

Technical drawing of a mechanical part showing a cross-section. The drawing includes the following dimensions and tolerances:

- Top left radius: $R0.65$
- Top right vertical dimension: $1.00^0_{-0.13}$
- Bottom horizontal dimension: 4.05 ± 0.10
- Internal feature label: $-B-$

THIS DRAWING IS CONTROLLED THROUGH THE CAD SYSTEM. ANY CHANGES TO THE DRAWING SHOULD BE CONTROLLED BY THE CAD SYSTEM.		DWN 30JAN2009 GRZYBOWSKI CHT 30JAN2009 P D'AMATO APPR M PERCHERRE		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.15 2 PLC ±.25 3 PLC ±.5 4 PLC ±1 ANGLES ±2° FINISH		NAME SOCKET CONNECTOR, SMT P2-S24-P8 MINI CROWN EDGE - SIZE CAGE CODE DRAWING NO A100779C2085133 RESTRICTED TO -	
MATERIAL		WEIGHT -		CUSTOMER DRAWING SCALE 5:1 SHEET 3 OF 4 REV A	

AMP 4805 REV 31MAR2000

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2085133-3](#)