


DETAIL "A"
CHAMFER
SCALE=4.5:1



**UNCONTROLLED
DOCUMENT**

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	114 Ω	298 Ω	588 Ω
Minimum	- Ω	238 Ω	- Ω




FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	63.50 [2.500]	±	1.27 [.050]
B	52.07 [2.050]	±	1.02 [.040]
C	28.58 [1.125]	±	0.64 [.025]
D	12.70 [.500]	±	+0.89 [.035] -0.51 [.020]
E	1.68 [.066]	±	0.51 [.020]

WEIGHT/1000 101.20 kgs [223.10 Lbs]

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.



DIMENSIONS ARE IN mm[INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.			
K	UPDATE COMPANY LOGO	01/02/13	QIU	PROJECT/PART NUMBER: 28R1779-000			REV K
J	UPDATE MIN Z SPECS & COMPANY LOGO	07/27/07	TMB	DATE: 08/04/92		SCALE: 1.5 : 1	MATERIAL: FERRITE
H	UPDATE Z SPECS & ADD TEST REF#	08/19/05	TMB	CAD # 28R1779-000-K		TOOL # R1779	
G	CHANGE PRINT FORMAT CHANGE Z SPECS REMOVE NOTE 1	05/19/03	TMB	DATE: 09/10/02			
F	ADD ZRX CURVE TO PRINT REVISE PART LAYOUT FORMAT REVISE ELECTRICAL TESTING FORMAT, NOTES, AND WEIGHT/1000 kgs [Lbs]		TMB				
REV	DESCRIPTION	DATE	INT				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird:

[28R1779-000](#)