




THIS DRAWING IS UNPUBLISHED.  
 RELEASED FOR PUBLICATION - N/A.  
 ALL RIGHTS RESERVED.  
 © COPYRIGHT N/A By -

LOC DIST REVISIONS  
 — — P LTR DESCRIPTION DATE DWN APVD  
 S2 REVISED PER ECO-12-009804 22JUN12 PY DM



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 29-OCT-84 R. SEIFRIED 29-OCT-84 CHK 29-OCT-84 L. CASTAGNA 29-OCT-84 APVD 29-OCT-84 L. CASTAGNA	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC	± - ± - ± - ± .005 ± -	RECEPTACLE ASSEMBLY BOX II, 4-ROW W/.149 SOLDER TAILS	
ANGLE	APPLICATION SPEC		
MATERIAL 1 - 2	FINISH - 3	WEIGHT -	RESTRICTED TO
			A2 00779 C-533285
		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 2 REV S2

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- ,N/A .
© COPYRIGHT N/A By -	ALL RIGHTS RESERVED.	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION		DATE	DWN
		SEE SHEET 1					


**1** HOUSING MATERIAL: POLYPHENYLENE SULFIDE.  
COLOR: NATURAL (BROWN).

**2** CONTACT MATERIAL: BERYLLIUM COPPER OR COPPER-NICKEL-SILICON  
PER UNS C70260.

**3** CONTACT FINISH: NICKEL UNDERPLATE .000050-.000100 THK ALL OVER  
GOLD .000030 THK IN CONTACT AREA.  
TIN-LEAD PLATED SOLDER TAILS.

**4** TE, PART NO. & DATE CODE MARKED IN THIS APPROXIMATE AREA.

**5** CONTACT FINISH: NICKEL UNDERPLATE .000050-.000100 THK ALL OVER  
GOLD .000030 THK IN CONTACT AREA.  
TIN PLATED SOLDER TAILS.



RECOMMENDED PC BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN	29-OCT-84	TE Connectivity
R. SEIFRIED	29-OCT-84		
CHK	29-OCT-84		
L. CASTAGNA			
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:		
0 PLC	$\pm$ -		
1 PLC	$\pm$ -		
2 PLC	$\pm$ -		
3 PLC	$\pm$ .005		
4 PLC	$\pm$ -		
ANGLES	$\pm$ -		
PRODUCT SPEC	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	
1 - 2	-	-	
	3	CUSTOMER DRAWING	
		SCALE	4:1
		REV	S2

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-533285-6](#)