




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST	

REVISIONS

[illegible]

LTR



DESCRIPTION

DATE _____

DWN


APVD

SEE SHEET 1.



NOTES:

1. MATERIAL:
BOX: FIBREBOARD, CORRUGATED, DOUBLE WALL.
COVER TAPE: POLYSTYRENES, 120°C HEAT-RESISTANT TEMPERATURE, TRANSPARENT COLOR.
CARRIER TAPE: POLYSTYRENES, 120°C HEAT-RESISTANT TEMPERATURE, TRANSPARENT COLOR.
REEL: HIPS, 70°C HEAT-RESISTANT TEMPERATURE, BLUE COLOR.
BAG: POLYETHYLENES, 100°C HEAT-RESISTANT TEMPERATURE, TRANSPARENT COLOR.
2. EACH BAG SHALL BE INCLUDED DESICCANT.
3. PEELING STRENGTH: 0.1 ~ 1.3 N (10 ~ 130 GRAMS).
4. PEELING SPEED: 300 mm/min.



1000	5	5000 PCS	5.5 KG	3.01 KG
PCS/ TAPE	REELS/ BOX	QUANTITY	GROSS WEIGHT	NET WEIGHT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	04MAY200
-----	----------

A. WU	
CHK	04MAY2009

S. CHIEN	
APVD	04MAY2009

W. KODAMA
PRODUCT SPEC

Circumstance	All respondents (%)	Police officers (%)	Non-police officers (%)
Self-defense	~85	~90	~80
To protect others	~75	~85	~65
To stop a crime	~65	~75	~55
To punish someone	~45	~55	~35
To show authority	~35	~45	~25

APPLICATION SPEC/

Year	Total Workforce (Millions)	Nonfarm Sector Workforce (Millions)
1990	100	80
1991	102	82
1992	104	84
1993	106	86
1994	108	88
1995	110	90
1996	112	92
1997	114	94
1998	116	96
1999	118	98
2000	120	100



Tyco
Electronics

Tyco Electronics Corporation
Taipei, Taiwan

9	NAME	0.6 MM PITCH BOARD TO BOARD CONNECTOR, 50 POSITION, RECEPTACLE, MATING HEIGHT 5.5 MM.
---	------	---

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1759899	—

SCALE	—	SHEET	2 OF 2	REV	C
-------	---	-------	--------	-----	---

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1759899-1](#)