

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DW	—		A	RELEASED	02SEP08	AW	WK




DETAIL B

NOTE:


- MATERIAL:
HOUSING: LCP WITH 30% GF, UL 94V-0, BLACK COLOR.
POSTS: BRASS.
- FINISH:
POSTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA, $2.54\mu\text{m}$ [$100\mu''$] MIN. GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT UNDERPLATED $1.27\mu\text{m}$ [$50\mu''$] MIN. NICKEL.
- REFLOW SOLDER CAPABLE TO 260°C PER TE TEST SPEC. 109-201, CONDITION B.





DETAIL A




TOLERANCE: ± 0.05 , THICKNESS: 1.2mm
RECOMMENDED PCB LAYOUT
(TOP VIEW)



$0.762\mu\text{m}$ [$30\mu''$]	2041605-3
$0.381\mu\text{m}$ [$15\mu''$]	2041605-2
GOLD FLASH	2041605-1
MIN. GOLD THICKNESS	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. WU	02SEP2008	 Tyco Electronics Corporation Taipei, Taiwan			
		CHK S. CHIEN	02SEP2008				
		APVD W. KODAMA	02SEP2008	NAME			
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		BTX POWER, PITCH 3mm, 20 POSITION, PLUG, VERTICAL, DIP, KINK			
		0 PLC ± 0.5 1 PLC ± 0.3 2 PLC ± 0.2 3 PLC ± 0.15 4 PLC ± — ANGLES ± 3°		PRODUCT SPEC 108-57637			
				APPLICATION SPEC —			
MATERIAL SEE NOTE		FINISH SEE NOTE		SIZE A3	CAGE CODE 00779	DRAWING NO C=2041605	RESTRICTED TO —
CUSTOMER DRAWING				SCALE —	SHEET 1 OF 2	REV A	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

—, — .

© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS				
DW	—	P	LTR	DESCRIPTION	DATE	APVD
				SEE SHEET 1.		

D


C

B





A



PRODUCT




TRAY



BOX

NOTE:

1. MATERIAL:
TRAY: PET, TRANSPARENT COLOR.
BOX: FIBREBOARD, CORRUGATED, DOUBLE WALL.
2. EACH BAG SHALL BE INCLUDED DESICCANT.



TRAY DETAIL


D

C

B

A

84	48	4032 PCS	10.87 KG	9.87 KG
PCS/ TARY	TARYS/ BOX	QUANTITY	GROSS WEIGHT	NET WEIGHT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. WU	02SEP2008	 Tyco Electronics Tyco Electronics Corporation Taipei, Taiwan		
		CHK S. CHIEN	02SEP2008			
		APVD W. KODAMA	02SEP2008	NAME		
DIMENSIONS: MM				BTX POWER, PITCH 3mm, 20 POSITION, PLUG, VERTICAL, DIP, KINK.		
		PRODUCT SPEC				
		APPLICATION SPEC				
		WEIGHT		SIZE	CAGE CODE	
		CUSTOMER DRAWING		A3	00779	
				DRAWING NO	C=2041605	
				RESTRICTED TO	—	
				SCALE	—	
				SHEET	2 of 2	
				REV	A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2041605-2](#)