







- | | | | | | | | |
|---------------|-------|----|-------|-------|-------|-----|------------|
| $\triangle_5$ | 7.400 | 74 | 7.524 | 7.950 | 8.250 | 300 | 6-533285-2 |
| | | | | | | | |
| $\triangle_5$ | 6.400 | 64 | 6.524 | 6.950 | 7.250 | 260 | 6-533285-0 |
| $\triangle_5$ | 5.900 | 59 | 6.024 | 6.450 | 6.750 | 240 | 5-533285-9 |
| | | | | | | | |
| $\triangle_5$ | 4.900 | 49 | 5.024 | 5.450 | 5.750 | 200 | 5-533285-7 |
| $\triangle_5$ | 4.400 | 44 | 4.524 | 4.950 | 5.250 | 180 | 5-533285-6 |
| $\triangle_5$ | 3.900 | 39 | 4.024 | 4.450 | 4.750 | 160 | 5-533285-5 |
| $\triangle_5$ | 3.400 | 34 | 3.524 | 3.950 | 4.250 | 140 | 5-533285-4 |
| $\triangle_5$ | 3.100 | 31 | 3.224 | 3.650 | 3.950 | 128 | 5-533285-3 |
| $\triangle_5$ | 2.900 | 29 | 3.024 | 3.450 | 3.750 | 120 | 5-533285-2 |
| $\triangle_5$ | 2.400 | 24 | 2.524 | 2.950 | 3.250 | 100 | 5-533285-1 |
| $\triangle_3$ | 5.700 | 57 | 5.824 | 6.250 | 6.550 | 232 | 3-533285-5 |

	5.700	57	5.824	6.250	6.550	232	3-533285-5
---	-------	----	-------	-------	-------	-----	------------



- | | | | | | | | |
|---------------|-------|----|-------|-------|-------|-----|------------|
| $\triangle_3$ | 7.400 | 74 | 7.524 | 7.950 | 8.250 | 300 | 1-533285-2 |
| $\triangle_3$ | 6.900 | 69 | 7.024 | 7.450 | 7.750 | 280 | 1-533285-1 |
| $\triangle_3$ | 6.400 | 64 | 6.524 | 6.950 | 7.250 | 260 | 1-533285-0 |
| $\triangle_3$ | 5.900 | 59 | 6.024 | 6.450 | 6.750 | 240 | 533285-9 |
| $\triangle_3$ | 5.400 | 54 | 5.524 | 5.950 | 6.250 | 220 | 533285-8 |
| $\triangle_3$ | 4.900 | 49 | 5.024 | 5.450 | 5.750 | 200 | 533285-7 |
| $\triangle_3$ | 4.400 | 44 | 4.524 | 4.950 | 5.250 | 180 | 533285-6 |
| $\triangle_3$ | 3.900 | 39 | 4.024 | 4.450 | 4.750 | 160 | 533285-5 |
| $\triangle_3$ | 3.400 | 34 | 3.524 | 3.950 | 4.250 | 140 | 533285-4 |
| $\triangle_3$ | 3.100 | 31 | 3.224 | 3.650 | 3.950 | 128 | 533285-3 |
| $\triangle_3$ | 2.900 | 29 | 3.024 | 3.450 | 3.750 | 120 | 533285-2 |
| $\triangle_3$ | 2.400 | 24 | 2.524 | 2.950 | 3.250 | 100 | 533285-1 |

	E	D	C	B	A	POSN	PART NUMBER
--	---	---	---	---	---	------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN <u>R. SEIFRIED</u> 29-OCT-84 CHK _____ 29-OCT-84 L. CASTAGNA		 TE Connectivity	
DIMENSIONS: INCHES 		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 3 PLC ± - 4 PLC ± .005 ANGLES ± -		NAME RECEPTACLE ASSEMBLY BOX II, 4-ROW W/.149 SOLDER TAILS	
MATERIAL 		FINISH - 		SIZE A2	
		WEIGHT -		CAGE CODE 00779	
				DRAWING NO C-533285	
				RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 2 of 2 REV S2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-533285-2](#)