

# Side element - UM 45-SEFE - 2907826

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Side element with foot, labeling with SS-ZB, mounted along the length of the DIN rail NS 35/7.5. Height: 36 mm, width: 10 mm, length: 45 mm.

#### Your advantages

- ☑ Inexpensive as a result of reducing the number of separate housing parts
- High degree of mechanical stability by screwing the lateral elements to the profile
- Cable fixing by means of UM ...-SEK lateral element (fixed using cable binders, not supplied as standard)



#### **Key Commercial Data**

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 017918 147976
GTIN	4017918147976

#### Technical data

#### General

Housing type	Panel mounting base
Housing material	PA
Color (RAL)	green

#### **Dimensions**

Depth	45 mm	

#### Standards and Regulations

Flammability rating according to UL 94	V0	



# Side element - UM 45-SEFE - 2907826


#### Technical data

#### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### **Drawings**

#### Dimensional drawing



## **Approvals**

#### Approvals

Approvals

**UL** Recognized

Ex Approvals

#### Approval details

**UL** Recognized



http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm

FILE E 240868

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Fax +49 5235 300

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2907826