




COPYRIGHT 1999 2001

[illegible]

REV

DASH NO. -10	W	PRODUCT NO. 41765	CMA 3000 - 7000
DESCRIPTION SPLICE APPL.  ±.002 .120 F CRIMP CH .080 .270 FEED 16			
DASH NO. -11	W	PRODUCT NO. 41766	CMA 3000 - 7000
DESCRIPTION SPLICE APPL.  ±.002 .130 F CRIMP CH .093 .270 FEED 16			
DASH NO. -12	W	PRODUCT NO. 41765	CMA 3000 - 7000
DESCRIPTION SPLICE APPL.  ±.002 .120 F CRIMP CH .080 .270 FEED 16			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
DASH NO.		PRODUCT NO.	I.S. SHEET
DESCRIPTION			
REV WI			

REV
VI

REV

RC5 RCTEQ TO

565493

THIS IS A CONTROLLED DOCUMENT

11 21 MAY 01

RELEASED FOR PUBLICATION BY AMP INCORPORATED ALL RIGHTS RESERVED

REPRODUCTION PROHIBITED
COPYRIGHT 1989 2001

AMP 1125-3 (11/66)		S I Z E	PART NUMBER	QUANTITY REQUIRED																REMARKS								
ITEM NO.	DESCRIPTION			- 1		- 2		- 3		- 4		- 5		- 6		- 7		- 8			- 9		- 10		- 11		- 12	
				U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T		U	T	U	T	U	T	U	T
1	CRIMPER .110 F	C	1-453919-8		1		1		-		-		-		-		-		-		-		-		-		-	
2	SCREW, SOC HD CAP 1/4-20 x .62		21001-3	2		2		2		2		4		2		4		2		4		2		2		2		
3	ANVIL .110	A	453761-1		1		1		-		-		-		-		-		-		-		-		-		-	
4	SCREW, SOC HD CAP 1/4-20 x .75		21001-4	1		3		1		1		5		1		5		-		5		3		3		3		
5	SHEAR BLADE	B	453769-1		1		-		-		-		-		-		-		-		-		-		-		-	
6	SCREW SOC HD CAP #4-40 x .38		1-21000-4	2		2		2		2		2		2		2		2		2		2		2		2		
7	BASE CASTING	C	570238		1		1		1		1		1		1		1		1		1		1		1		1	
8	PLATE, BASE	B	372987		1		1		1		1		1		1		1		1		1		1		1		1	
9	BLOCK, BASE	B	453762-1		1		-		1		1		1		-		1		-		1		1		1		-	
10	SCREW, SOC HD CAP 5/16-18 x .88		1-21001-9	2		2		2		2		2		2		2		2		2		2		2		2		
11	WASHER, SPRING LOCK 5/16		21024-7	2		2		2		2		2		2		2		2		2		2		2		2		
12	RETAINER, SLIDE	A	372993		1		1		1		1		1		1		1		1		1		1		1		1	
13	SCREW, SOC HD CAP #10-32 x .62		3-21000-6	1		-		1		1		1		1		1		1		-		-		-		-		
14	SLIDE	A	373003		1		1		1		1		1		1		1		1		1		1		1		1	
15	PLATE, FEED	C	453772-1		1		1		1		1		1		1		-		1		1		1		1		1	
16	SCREW SOC HD CAP #10-32 x .50		3-21000-5	2		2		2		2		2		2		2		2		2		2		2		2		
17	SPRING, SLIDE		2-24017-6	1		1		1		1		1		1		1		1		1		1		1		1		
18	SCREW, HEX HD CAP 3/8-16 x 1.00		3-21015-1	3		3		3		3		3		3		3		3		3		3		3		3		
19	WASHER, FLAT 3/8 ID.	A	371178	3		2		3		3		3		3		3		2		3		2		2		2		
20	SHEAR BLADE	B	453769-5	-	-		1		-		-		-		-		-		-		-		1		-		1	
21	RAM	B	453768-1		1		1		1		1		1		1		1		1		1		1		1		1	
22	SCREW SQ HD SET 1/4-20 x 1.50		21077-7	1		1		1		1		-		1		1		1		-		1		1		1		
23	NUT, HEX 1/4-20		21019-1	1		1		1		1		-		1		1		1		-		1		1		1		
24	WIRE CRIMPER .140F" .187THK 40% LGS	C	456411-1	-		-		1		-		-		1		-		-		-		-		-		-		
25	HOLDER, ANVIL	A	374348		1		1		1		1		1		1		1		1		1		1		1		1	
26	AUX. ANVIL HOLDER	A	378975		1		1		1		1		1		1		1		1		1		1		1		1	
27	SCREW, SOC HD CAP 3/8-16 x 1.25		3-21001-6	1		1		1		1		1		1		1		1		1		1		1		1		
28	SCREW, SOC HD CAP 5/16-18 x .50		1-21001-6	1		1		1		1		1		1		1		1		1		1		1		1		
29	ANVIL .140	B	453761-2		-		-		1		-		1		-		-		1		-		-		-		-	
30	SHEAR BLADE	B	453769-3		-		-		1		-		-		1		-		-		-		-		1		-	
31	BLOCK, CUTTER A	B	453771-1		1		1		1		-		-		1		-		-		-		1		1		1	
32	SCREW, SOC HD CAP #8-32 x .50		2-21000-7	2		2		2		2		2		2		2		-		2		-		-		2		
33	CUTTER, WIRE A	A	453749-1		1		1		1		-		1		1		1		-		1		1		1		1	
34	PIN, DOWEL .093 DIA x .63		1-21919-3	1		1		1		1		1		1		1		1		1		1		1		1		
35	SCREW, SET SOC HD #6-32 x .50 LG		2-21000-0	1		-		1		1		1		1		1		1		1		1		1		1		
36	WASHER FLAT #6		21055-5	1		-		-		-		-		-		-		-		-		-		-		-		

PRINT
4

■ DENOTES WEARING PARTS
RECOMMEND PURCHASE REPLACEMENT
△ WHEN OPERATOR ITEM 22 TOUCHES TABLE,
CUTTER SHOULD BE HOLDING WIRE TIGHT.

TITLE
LIST OF MATERIALS

SPACE APPLICATOR

LOC. A

B NO. 565493

SHEET 2 OF 7

REV WJ

NOT DRAWING REPRODUCED--
COPYRIGHT 1989 2001
RELEASED FOR PUBLICATION 11 22 MAY 01
BY AMP INCORPORATED. ALL RIGHTS RESERVED.

CAGE CODE 00779	CUSTOMER AND ASSEMBLY DRAWING	RESTRICTED TO
--------------------	-------------------------------	---------------

THIS IS A CONTROLLED DOCUMENT.

RELEASE FOR PUBLICATION 11 22 MAY 01

BY AMP INCORPORATED. ALL RIGHTS RESERVED.

THIS DRAWING IS UNCLASSIFIED
COPYRIGHT 1999 2001

AMP 1125-3 (11/66)			PART NUMBER	QUANTITY REQUIRED																								REMARKS											
ITEM NO.	DESCRIPTION	SIZE		- 1		- 2		- 3		- 4		- 5		- 6		- 7		- 8		- 9		- 10		- 11		- 12													
				U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T		U	T									
73	HOLD DOWN (TERM 41766)	A	453758-2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—											
74	BRACKET, CYL. MOUNT	B	453766-1	1	—	1	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	1	—												
75	SCREW, SOC HD CAP 1/4-20 x .62		21001-3	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
76	WASHER, FLAT 1/4 DIA		21055-8	2	—	4	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	4	—	4	—	4	—												
77	HOLD DOWN TERM. (TERM 41766)	B	453770-3	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—												
78	CYL. WIRE FEED		468528-1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—												
79	SCREW, SOC HD CAP 1/4-20 x 2.25		1-21001-1	2	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—												
80	HOLDER, WIRE GUIDE	A	453756-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
81	GUIDE, WIRE	A	453757-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—												
82	SCREW, SOC. HD. CAP #6-32 x .62		2-21000-1	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
83	DRAG, WIRE	A	453755-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
84	SCREW, SOC. HD CAP #6-32 x .62		1-21002-9	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
85	WASHER, FLAT #6		21055-5	2	—	2	—	2	—	4	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
86	SPRING, COMP. LC-022C-3 250 DIA x .50		22280-3	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
87	SCREW, SOC CAP 4-40 x 1 1/6		7-21000-8	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
88	FEED, WIRE	B	453767-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—												
89	BLADE, WIRE PUSHER	A	453759-1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—												
90	STUD #6-32 x 1.00 PIC 2090		22354-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
91	SPRING, COMP LC-022D-3 312 DIA x .62		8-22281-7	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
92	WASHER, FLAT #6		21055-5	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
93	NUT, HEX #6-32		21068-5	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
94	NUT, HEX S.L #6-32		21022-1	2	—	2	—	2	—	—	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
95	PISTON POSITIONER	A	376170	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
96	ROD, GUIDE	A	388639-2	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—												
97	PIN, CUTTER .062 x .50		1-22170-8	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
98	BLADE, WIRE PUSHER	B	453759-2	—	—	1	—	1	—	—	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—												
99	BRACKET, WIRE REEL	B	453764-1	1	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	1	—	1	—												
100	SCREW, SOC. HD. CAP 1/4-20 x .62		21001-3	2	—	2	—	2	—	—	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
101	SHAFT, WIRE REEL	A	453751-1	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
102	SCREW, SOC. HD CAP 5/16-18 x .62		1-21001-7	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
103	COLLAR, SHAFT .625 DIA	A	22292-9	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
104	NUT, HEX. 4-40 MT EN (87)		21018-4	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—												
105	GUIDE, WIRE	B	453765-1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—												
106	SCREW, SOC. HD. CAP 1/4-20 x .50		21001-2	2	—	2	—	2	—	—	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—	2	—												
107	TUBE, WIRE FEED (NYLON)	A	24028-1	29	—	29	—	29	—	—	—	29	—	29	—	29	—	—	—	29	—	29	—	29	—	29	—												
108	CRIMPER, WIRE .155 "F"	C	456426-4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
PRINT 4				DENOTES WEARING PARTS RECOMMEND PURCHASE REPLACEMENT				TITLE LIST OF MATERIALS SPICE APPLICATOR																				LOC. A				B NO. 565493				REV. WI			
																												SHEET 4 OF 7											

THIS IS A CONTROLLED DOCUMENT.

22 MAY 61
11
BY AMP INCORPORATED. ALL RIGHTS RESERVED.
COPYRIGHT 1992001

AMP 1125-3 (11/66)		S I Z E	PART NUMBER	QUANTITY REQUIRED																REMARKS								
ITEM NO.	DESCRIPTION			- 1		- 2		- 3		- 4		- 5		- 6		- 7		- 8			- 9		- 10		- 11		- 12	
				U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T		U	T	U	T	U	T	U	T
109	BRACKET	B	452899-2	1																								
110	ARM ASSEM.	B	378393	1																								
112	VALVE, AIRFEED SUB-ASS'Y	C	692655-1	1		1		1		1		1		1		1		1		1		1		1		1		
113	VALVE ON-OFF	BA	23018-1	1																								
114	SCREW, SOC HD CAP #10-32x1.00		3-21000-9	1																								
115	NUT, HEX #10-32		21018-7	2																								
116	SCREW SOC HD CAP #10-32x.62		3-21000-6	2																								
117	WASHER FLAT #10		21055-7	2																								
118	NIPPLE, LONG, 1/8NPT x 1 1/2 LG		22313-1	1																								
119	ELBOW, STREET 1/8NPT		22306-1	1																								
120	VALVE, FLOW CONTROL	BA	23053-1	1																								
121	VALVE, QUICK EXHAUST	BA	22374-1	1																								
122	ELBOW 1/8NPT - 1/4 TUBE		22294-6	2																								
123	NIPPLE, HEX 1/8NPT 3/8NPT		22304-5	2																								
124	TUBING, PLASTIC 1/4 OR 1/2		27319-4	-	19	29		19				19	19	19	19	19	19	19	19	29	29	29	29	29	29	29	10 7" LG & 10 12" LG.	
125	TEE 1/8NPT		22309-1	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
126	NIPPLE, HEX 1/8NPT		22304-1	2		2		2		2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
127	ELBOW 1/8NPT - 1/4 TUBE		22294-6	2		1		2		2		2	2	2	2	2	2	2	2	1	1	1	1	1	1	1		
128	VALVE, FLOW CONTROL		23054-1	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
129	NIPPLE 1/8NPT 2.50 LG. Δ		22313-9	1				1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
130	PIPE PLUG		465729-1	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	MT. IN ROD END OF ITEM 57	
131	ANVIL .155	B	453761-3																									
132	GUARD LOWER	C	460580-2		1			1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
133	SHROUD	C	461628-1		1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1		
134	SCREW BUT. HD 1/4-20 x 3/8 LG		3-21002-2	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
135	WASHER, FLAT		21055-7	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
136	PRESS ASS'Y	D	1-471273-2	REF.		REF.		REF.		REF.		REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.	REF.		
137	SPACER, GUARD	A	454058-1	2		1		2		2		2	2	2	2	2	2	2	2	1	1	1	1	1	1	1		
138	GUARD	B	453870-2	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
139	BRACKET, GUARD	A	376946	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
140	SCREW, SOC HD CAP #10-32x1.00		3-21000-9	2		1		2		2		2	2	2	2	2	2	2	2	1	1	1	1	1	1	1		
141	WASHER FLAT #10		21055-7	2		2		2		2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
142	GUARD, FRONT	A	460579-2	1		1		1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
143	SCREW, SOC HD CAP #6-32x.25		1-21000-8	2		2		2		2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
144	WASHER FLAT #6		21055-5	2		2		2		2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
145	CUTTER WIRE (#14 WIRE MAX)	A	453749-2	-		-		-		1		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
PRINT 4		Δ REMOVE LONG NIPPLE FROM AIRFEED ASSY (ITEM 112) & REPLACE WITH (ITEM 129) 22313-9		TITLE		SPICE APPLICATOR																LOC. A		B NO. 565493		REV. WI		
				LIST OF MATERIALS																		SHEET 5 OF 7						

THIS IS A CONTROLLED DOCUMENT.

THIS IS A CONTROLLED DOCUMENT.
11 22 MAY 01
RELEASED FOR PUBLICATION
BY AMP INCORPORATED. ALL RIGHTS RESERVED.
COPYRIGHT 1989 2001

AMP 1125-3 (11/66)			S I Z E	PART NUMBER	QUANTITY REQUIRED																				REMARKS				
ITEM NO.	DESCRIPTION	- 1			- 2		- 3		- 4		- 5		- 6		- 7		- 8		- 9		- 10		- 11				- 12		
		U			T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U	T	U			T	U	T
146	TUBING NYLON 188 I.D.	▲	A	24028-2	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	ONE AT 2" LG ONE AT 4½ LG.			
147	GUARD, LOWER		C	843571-1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1				
148	FEED WIRE UP TO #14 WIRE		B	453767-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
149	BLOCK CUTTER .078 DIA HOLE	■	B	453771-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
150	GUIDE WIRE UP TO #14 WIRE		A	453757-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
151	SHEAR BLADE	■	B	453769-4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
152	CRIMER WIRE .140 F	■	C	1-456411-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
153	BRACKET PUSHER (CUTTER)		B	817153-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	MOUNTS TO RAM ITEM 21			
154	SCREW SHC ¼-20 X 1.25 LG		A	21001-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
155	FEED FINGER		A	453752-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
156	GUIDE WIRE		A	453765-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
157	BRACKET WIRE REEL		B	817155-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
158	BLOCK CUTTER		B	817154-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
159	BRACKET CYL. MT.		B	453766-2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
160	REFL BRACKET ASSY.		D	694925-4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
161	NUT HEX. ¼-20		A	1-21018-3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
162	BRACKET CYL. MT. EXTENTION		B	817151-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
163	SCR. S.H.C. ¼-20 X 2.50 LG.		A	1-21001-2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
164	CYL AIR 2.00 STROKE		A	468528-2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
165	GUIDE ROD 8.00 LG.		A	388639-4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
166	SPACER		A	461690-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	MOUNTS BETWEEN ITEM 9 & 158			
167	SCR, BUT HD CAP 6-32 X .38		A	2-21002-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	MOUNTS TO ITEM 33			
168	WASHER, FLAT #6		A	21055-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	" " " "			
169	SHROUD		C	460252-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
170	BLOCK, BASE		B	453762-3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
171	WIRE CRIMPER .180 F		C	1-453925-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
172	HOLD DOWN		A	453758-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
173	BLOCK CUTTER		B	453771-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
174	BLADE, SHEAR		B	453769-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
175	PLATE, FEED		C	453772-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
176	ANVIL .180		C	1-473503-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
177	HOLD DOWN, TERMINAL		B	90475-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
178	SPACER		A	90474-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
179	SCR, SHC ¼-20 X 1.00		A	21001-6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
180	SCR, SHC 8-32 X .75		A	2-21000-9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
181	SCR, RHC 6-32 X .38		A	1-21002-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

PRINT	DIST.	TITLE	LOC.	B	NO.	REV.
4		LIST OF MATERIALS SPLICE APPLICATOR			565493	W1
			SHEET	6 OF 7		

THIS IS A CONTROLLED DOCUMENT.

11 22 MAY 01

RELEASED FOR PUBLICATION
BY AMP INCORPORATED. ALL RIGHTS RESERVED.

THIS DRAWING IS UNPUBLISHED
COPYRIGHT 1988 2001

AMP 1125-3 (11/66)		SIZE	PART NUMBER	QUANTITY REQUIRED												REMARKS									
ITEM NO.	DESCRIPTION			-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12										
				U	T	U	T	U	T	U	T	U	T	U	T			U	T						
182	CUTTER, WIRE	A	453749-3	-	-	-	-	-	-	-	-	1	-	-	-	-									
183	BRACKET, PUSHER	B	90643-1	-	-	-	-	-	-	-	-	-	1	-	-	-									
184	WASHER, FLAT	A	21899-3	-	-	-	-	-	-	-	-	2	-	-	-	-									
185	TUBING, NYLON	A	980411-1	-	-	-	-	-	-	-	-	29	-	-	-	-									
186	SUPPORT, SHEAR	A	90887-1	-	-	-	-	-	-	-	-	1	-	-	-	-									
187	SPACER	A	90474-2	-	-	-	-	-	-	-	-	-	1	-	-	-									
188	BLOCK, CUTTER	B	453771-4	-	-	-	-	-	-	-	-	-	1	-	-	-									
189	BRACKET, PUSHER	C	817153-3	-	-	-	-	-	-	-	-	-	-	1	1	-									
190	SPACER, AIR FEED	C	461690-4	-	-	-	-	-	-	-	-	-	-	1	1	-									
191	SUPPORT, SHEAR	B	90887-2	-	1	-	-	-	-	-	-	-	-	1	1	1									
192	SHCS 10-32 x .75	A	3-21000-7	-	1	-	-	-	-	-	-	-	-	1	1	1									
193	BRACKET, CYL MT EXTENSION	B	817151-1	-	-	-	-	-	-	-	-	-	-	1	1	-									
194	SHCS 8-32 x 1.25	A	3-21000-2	-	-	-	-	-	-	-	-	-	-	2	2	-									
195	GUIDE, WIRE	A	453765-3	-	1	-	-	-	-	-	-	-	-	1	1	1									
196	SET SCREW 10-32 x .50	A	5-21006-3	-	1	-	-	1	-	-	-	1	1	1	1	1									
197	HEX NUT 5-16 x 24	A	1-22202-7	-	1	-	-	-	-	-	-	-	-	1	1	1									
198	1/8 FEMALE PT COUPLER	A	22302-1	-	-	-	-	-	-	-	-	-	-	-	-	-									
199	SCREW, SHC, 10-32 x .88	A	3-21000-8	-	1	-	-	-	-	-	-	-	-	1	1	1									
200	AIR DELAY VALVE	A	18553-1	-	1	-	-	-	-	-	-	-	-	1	1	1									
201	WIRE CRIMPER, .120	C	456423-5	-	-	-	-	-	-	-	-	-	-	1	-	1									
202	ANVIL	C	1-473503-7	-	-	-	-	-	-	-	-	-	-	1	-	1									
203	WIRE CRIMPER, .130	C	4-568176-8	-	-	-	-	-	-	-	-	-	-	-	1	-									
204	ANVIL	C	1-473503-6	-	-	-	-	-	-	-	-	-	-	-	1	-									
205	ELBOW, PLASTIC TUBING, MALE	A	22294-7	-	1	-	-	-	-	-	-	-	-	1	1	1									
206	CONNECTOR, MALE, PNEUMATIC	A	980282-3	-	2	-	-	-	-	-	-	-	-	2	2	2									
207	NIPPLE, HEX, PIPE FITTING	A	22304-2	-	1	-	-	-	-	-	-	-	-	1	1	1									
208	TEE, PIPE FITTING, FEMALE BRANCH	A	23791-2	-	1	-	-	-	-	-	-	-	-	1	1	1									
209	BUSHING, PIPE FITTING	A	22307-1	-	1	-	-	-	-	-	-	-	-	1	1	1									
210	TEE, PIPE FITTING (FEMALE BRANCH)	A	22309-1	-	1	-	-	-	-	-	-	-	-	1	1	1									
211	ELBOW, MALE, PNEUMATIC	A	985883-2	-	1	-	-	-	-	-	-	-	-	1	1	1									
212	SCR, SET, SOC HD 6-32 x .50	A	3-21006-5	1	1	1	1	1	1	1	1	1	1	1	1	1									
213	PLATE, 1D		452373-1	1	1	1	1	1	1	1	1	1	1	1	1	1									
214	SCR, DRIVE		21017-6	3	3	3	3	3	3	3	3	3	3	3	3	3									
215	SCR, SET, SOC HD, 6-32 x .44		3-21006-2	-	-	-	-	-	-	-	-	1	-	-	-	-									
216	SPACER	A	90474-3	-	1	-	-	-	-	-	-	-	-	-	-	-									
PRINT 4		DIST. N		TITLE LIST OF MATERIALS SPLICE APPLICATOR														LOC A		B NO 565493		SHEET 7 OF 7		REV W1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-565493-1](#)