Features

- Efficient means of shipping or storing ESD sensitive circuit boards and other items

- Provides ESD shielding with lid closed; "Faraday Cage" effect restricts electrostatic charges to exterior

- For physical protection, convoluted foam secures items, minimizing movement and reduces stress from physical shock

- No assembly required

- Convoluted static dissipative $<10^{11}$ ohms polyurethane pink foam laminated to top and fitted in bottom

- Made in the United States of America

Click Here for available sizes

Meets the required limits of ANSI/ESD S20.20, Packaging standard ANSI/ESD S541, and worksurface standard ANSI/ESD S4.1

SPECIFICATIONS

Properties	Typical Values	Test Procedures/Method
Surface Resistance	1×10^6 to $< 1 \times 10^9$ ohms	ANSI/ESD STM11.11
Sloughing Test	Negligible surface damage at 10 cycles and <5% of surface damage at 200 cycles in Taber Abrasion Test.	ASTM D4060 at 70 rpm with CS-17 abrasive-coated wheels and 1000 grams load
	No conductive particles abrased from surface	Rockwell International Test Report of January 8, 1992
Recyclability	Complete recyclability of package	Rockwell International Test Report of January 8, 1992

Specifications and procedures subject to change without notice.

Made in the
United States of America

PROTEKTIVE PAK
BURIED SHIELDING LAYER

CIRCUIT BOARD SHIPPERS

PROTEKTIVE PAK
1350 MONTE VISTA AVENUE, CHINO, CA 91710
PHONE (909) 627-2578
ProtektivePak.com

DRAWING NUMBER
37050

DATE:
March 2019

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Desco](#):
[37055](#) [37057](#) [37067](#) [37071](#) [37061](#) [37073](#) [37091](#) [37065](#) [37085](#) [37051](#) [37090](#) [37063](#) [37070](#) [37053](#) [37069](#) [37064](#) [37059](#) [37079](#) [37081](#) [37083](#) [37087](#)